

## NRA 149th Imperial Meeting

### Grand Aggregate (as at Monday, 23rd July 2018)

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	PoW	Lovell	Corp	Total
1	Mr JAM Paton	X	75.13v	75.9v	50.4v	49.8v	49.5v	50.7v	50.8v	0.0v	0.0v	0.0v	50.8v	448.62v
2	Mr NBS Logan	X	75.9v	75.10v	49.8v	47.3v	50.7v	49.8v	50.6v	0.0v	0.0v	0.0v	47.3v	442.54v
3	Mr ANR Walker	X	73.10v	75.11v	49.5v	50.8v	50.6v	48.3v	50.4v	0.0v	0.0v	0.0v	47.4v	442.51v
4	Dr CD Haley	X	74.12v	75.10v	50.3v	48.2v	50.9v	49.2v	49.5v	0.0v	0.0v	0.0v	47.3v	442.46v
5	Mr J Corbett	X	75.12v	74.11v	50.9v	48.3v	50.7v	45.5v	50.9v	0.0v	0.0v	0.0v	48.5v	440.61v
6	Dr PD Sykes	O	74.7v	75.8v	50.7v	47.6v	50.7v	50.6v	50.6v	0.0v	0.0v	0.0v	44.2v	440.49v
7	Mr MRM Millar	X	73.8v	74.13v	50.7v	49.6v	50.5v	46.1v	50.3v	0.0v	0.0v	0.0v	48.5v	440.48v
8	Mr ORW Russell	X	75.13v	74.12v	50.8v	44.4v	50.4v	50.4v	50.9v	0.0v	0.0v	0.0v	46.5v	439.59v
9	Mr T Drysdale	X	75.11v	74.10v	50.8v	48.4v	49.4v	48.2v	47.3v	0.0v	0.0v	0.0v	48.3v	439.45v
10	Mr MCJ Button	X	75.14v	74.6v	49.5v	45.1v	50.6v	48.4v	50.5v	0.0v	0.0v	0.0v	48.1v	439.42v
11	Mr OEJ Spencer	A	74.13v	74.13v	49.7v	47.7v	50.6v	50.6v	47.2v	0.0v	0.0v	0.0v	47.4v	438.58v
12	Mr SA Thomas	X	75.13v	72.11v	49.4v	48.6v	48.5v	50.7v	49.8v	0.0v	0.0v	0.0v	47.3v	438.57v
13	Mr H J Golaszewski	X	75.10v	74.8v	49.8v	45.3v	48.5v	47.5v	50.6v	0.0v	0.0v	0.0v	50.6v	438.51v
14	Mr DC Luckman	X	71.10v	74.7v	50.6v	49.6v	48.6v	49.5v	49.6v	0.0v	0.0v	0.0v	48.5v	438.51v
15	Capt GR Jeal	X	73.8v	75.12v	48.5v	47.4v	50.6v	47.3v	50.5v	0.0v	0.0v	0.0v	48.5v	438.48v
16	Mr K Ramsey	X	75.15v	71.9v	48.6v	50.8v	49.8v	50.6v	50.3v	0.0v	0.0v	0.0v	44.2v	437.57v
17	Mr JP Tapster	X	74.9v	74.10v	50.8v	47.6v	49.7v	48.5v	50.8v	0.0v	0.0v	0.0v	45.0v	437.53v
18	Mr DR Armstrong	X	74.8v	75.13v	49.7v	50.6v	49.6v	50.6v	50.5v	0.0v	0.0v	0.0v	40.2v	437.53v
19	Maj D Thompson	A	75.11v	75.12v	47.3v	47.3v	50.7v	47.3v	49.5v	0.0v	0.0v	0.0v	47.4v	437.48v
20	Mr SJ Whitby	O	73.11v	73.8v	47.5v	49.7v	50.5v	49.4v	49.7v	0.0v	0.0v	0.0v	46.2v	436.49v
21	Mr TA Ringer	X	72.8v	74.11v	49.4v	50.6v	50.7v	49.6v	48.4v	0.0v	0.0v	0.0v	44.1v	436.47v
22	Dr JD Warburton	X	74.9v	72.7v	50.8v	49.6v	49.3v	47.4v	48.4v	0.0v	0.0v	0.0v	47.5v	436.46v
23	Mr JF Lawrie	X	74.7v	75.12v	50.6v	49.4v	48.4v	47.5v	48.3v	0.0v	0.0v	0.0v	45.3v	436.44v
24	Mr CP Weeden	X	75.9v	75.6v	50.6v	48.3v	49.6v	46.3v	49.7v	0.0v	0.0v	0.0v	44.2v	436.42v
25	Mr M J Ensor	X	72.10v	75.11v	49.7v	47.3v	49.7v	47.6v	49.7v	0.0v	0.0v	0.0v	47.5v	435.56v
26	Dr GP Nelson	A	74.12v	75.10v	45.3v	49.4v	49.6v	47.3v	50.7v	0.0v	0.0v	0.0v	46.5v	435.50v
27	Miss EJ Nuttall	X	74.12v	74.12v	49.5v	43.1v	50.5v	47.2v	50.7v	0.0v	0.0v	0.0v	48.5v	435.49v
28	Mr C Mallett	A	75.11v	75.10v	47.4v	48.4v	49.4v	47.4v	49.5v	0.0v	0.0v	0.0v	45.6v	435.48v
29	Mr PA Maher	O	74.9v	74.8v	50.4v	46.6v	49.6v	48.5v	48.4v	0.0v	0.0v	0.0v	46.3v	435.45v
30	Mr PD Griggs	X	74.9v	75.5v	48.6v	48.3v	49.7v	48.4v	49.7v	0.0v	0.0v	0.0v	44.3v	435.44v
31	Mr RT MacLeod	X	75.7v	75.9v	46.4v	50.6v	50.6v	47.3v	48.5v	0.0v	0.0v	0.0v	44.3v	435.43v
32	Mr MG Whicher	X	74.8v	74.9v	50.2v	49.7v	47.3v	48.2v	48.5v	0.0v	0.0v	0.0v	45.5v	435.41v
33	Mr JC Evans	X	74.8v	74.7v	50.7v	48.4v	49.4v	45.3v	50.6v	0.0v	0.0v	0.0v	45.2v	435.41v
34	Miss C Choquette	X	74.12v	74.6v	48.4v	46.4v	50.3v	46.2v	49.4v	0.0v	0.0v	0.0v	48.5v	435.40v
35	Mr RSF Shouler	X	73.9v	75.10v	50.7v	48.7v	49.6v	48.8v	48.8v	0.0v	0.0v	0.0v	43.2v	434.57v
36	Miss CH Cuming	O	75.11v	73.8v	49.8v	45.3v	49.6v	46.2v	49.5v	0.0v	0.0v	0.0v	48.6v	434.49v
37	Mr FWA Coetzee	X	74.8v	73.10v	49.6v	47.4v	48.3v	47.5v	49.6v	0.0v	0.0v	0.0v	47.6v	434.48v
38	Wg. Cdr. DP Calvert	X	74.10v	68.7v	49.7v	50.6v	49.7v	49.4v	50.7v	0.0v	0.0v	0.0v	45.0v	434.48v
39	Capt J Cook	X	73.6v	74.9v	50.5v	48.6v	49.7v	48.3v	48.6v	0.0v	0.0v	0.0v	44.3v	434.45v
40	Mr IP Davison	X	74.9v	73.10v	49.4v	47.5v	50.4v	44.3v	49.7v	0.0v	0.0v	0.0v	48.2v	434.44v
41	Mr THD Dodds	A	74.8v	75.8v	48.3v	48.6v	48.8v	47.4v	47.3v	0.0v	0.0v	0.0v	47.4v	434.44v
42	Mr KO Pugh	X	74.7v	75.9v	49.5v	47.6v	49.4v	44.1v	48.4v	0.0v	0.0v	0.0v	48.4v	434.40v
43	Mr WCP Richards	X	74.8v	74.6v	47.5v	50.5v	50.5v	44.2v	48.3v	0.0v	0.0v	0.0v	47.2v	434.36v
44	Mr S Osmond	X	75.12v	73.11v	49.6v	45.3v	48.5v	48.6v	49.7v	0.0v	0.0v	0.0v	46.3v	433.53v
45	Dr JDS Langley	X	74.13v	73.7v	49.7v	50.6v	49.4v	46.6v	49.7v	0.0v	0.0v	0.0v	43.3v	433.53v
46	Miss A Southall	X	71.8v	75.10v	48.5v	49.6v	50.9v	46.5v	50.6v	0.0v	0.0v	0.0v	44.3v	433.52v
47	Miss CA Evans	X	75.13v	74.13v	46.3v	44.2v	49.5v	48.3v	49.6v	0.0v	0.0v	0.0v	48.6v	433.51v
48	Dr PR Wheeler	X	74.7v	75.11v	50.8v	49.4v	50.5v	48.7v	48.6v	0.0v	0.0v	0.0v	39.1v	433.49v
49	Mr J Pugsley	X	74.6v	75.10v	49.8v	46.5v	50.6v	47.4v	50.8v	0.0v	0.0v	0.0v	42.1v	433.48v
50	Mr SDJ Glanville	X	74.8v	74.11v	49.6v	46.3v	49.3v	47.6v	46.6v	0.0v	0.0v	0.0v	48.4v	433.47v
51	Mr BA Horwood	X	75.9v	73.12v	49.5v	48.4v	50.7v	45.5v	49.2v	0.0v	0.0v	0.0v	44.2v	433.46v
52	Mr RC Oxford	X	75.12v	73.8v	48.4v	46.2v	49.7v	49.7v	47.3v	0.0v	0.0v	0.0v	46.2v	433.45v
53	Mr P De Voil	A	73.8v	72.8v	48.2v	47.2v	49.4v	48.6v	50.8v	0.0v	0.0v	0.0v	46.5v	433.43v
54	Mr JEM Bellringer	X	74.7v	74.7v	46.3v	48.4v	47.5v	49.7v	50.6v	0.0v	0.0v	0.0v	45.4v	433.43v
55	Mr M Shepherd	X	74.10v	70.6v	48.4v	49.3v	49.8v	49.4v	49.6v	0.0v	0.0v	0.0v	45.2v	433.43v
56	Mr SJ East	A	75.8v	72.8v	50.5v	46.3v	49.7v	47.2v	50.7v	0.0v	0.0v	0.0v	44.2v	433.42v

















561	Ms S Cleeve	T	66.3v	72.6v	45.1v	45.2v	42.2v	43.1v	45.3v	0.0v	0.0v	0.0v	0.0v	41.1v	399.19v
562	Mr EPB Garnier	T	68.3v	71.4v	41.3v	46.1v	43.2v	45.2v	43.1v	0.0v	0.0v	0.0v	0.0v	42.2v	399.18v
563	Mr T Galliers	O	72.7v	68.1v	45.0v	43.1v	43.2v	42.1v	44.1v	0.0v	0.0v	0.0v	0.0v	42.2v	399.15v
564	Mr P Cameron Taylor	O	68.5v	68.7v	46.2v	42.1v	48.2v	45.4v	48.5v	0.0v	0.0v	0.0v	0.0v	33.2v	398.28v
565	Mr LR Coventry	T	73.5v	71.6v	48.4v	44.4v	47.3v	36.1v	45.3v	0.0v	0.0v	0.0v	0.0v	34.1v	398.27v
566	Mr C Herter	O	70.6v	69.7v	43.2v	41.3v	40.0v	42.1v	47.2v	0.0v	0.0v	0.0v	0.0v	46.5v	398.26v
567	Mr WR Hinton	O	72.6v	67.5v	43.2v	42.2v	43.2v	39.1v	47.5v	0.0v	0.0v	0.0v	0.0v	45.2v	398.25v
568	Miss E Dixon	O	65.3v	67.3v	45.2v	44.4v	43.3v	44.1v	46.5v	0.0v	0.0v	0.0v	0.0v	44.3v	398.24v
569	Cdt T Tancred	T	72.4v	72.9v	41.3v	45.3v	49.4v	42.1v	37.0v	0.0v	0.0v	0.0v	0.0v	40.0v	398.24v
570	Miss K Hinkly	T	69.4v	72.5v	46.3v	42.1v	46.2v	45.4v	46.3v	0.0v	0.0v	0.0v	0.0v	32.0v	398.22v
571	Mr DJ Stewart	O	67.3v	65.1v	43.1v	47.4v	47.2v	44.4v	46.5v	0.0v	0.0v	0.0v	0.0v	39.1v	398.21v
572	Miss M Foort	T	68.3v	68.4v	45.1v	41.1v	45.2v	45.2v	44.3v	0.0v	0.0v	0.0v	0.0v	42.1v	398.17v
573	Mr M Budden	T	69.5v	70.4v	42.2v	48.3v	47.2v	45.4v	43.2v	0.0v	0.0v	0.0v	0.0v	33.1v	397.23v
574	Miss M Message	T	71.2v	70.4v	41.2v	42.2v	43.1v	45.1v	44.4v	0.0v	0.0v	0.0v	0.0v	41.3v	397.19v
575	Mr R Lindsay	A	73.9v	68.2v	46.1v	45.4v	50.8v	44.2v	38.0v	0.0v	0.0v	0.0v	0.0v	32.2v	396.28v
576	Mr GFH Nichols	T	67.4v	68.5v	47.4v	49.5v	46.5v	41.1v	41.1v	0.0v	0.0v	0.0v	0.0v	37.2v	396.27v
577	Cdt D Hayden	T	73.4v	68.4v	47.6v	41.2v	47.3v	42.3v	41.2v	0.0v	0.0v	0.0v	0.0v	37.1v	396.25v
578	Cdt S Couillard	T	71.5v	69.5v	48.2v	44.4v	46.5v	31.2v	45.3v	0.0v	0.0v	0.0v	0.0v	41.2v	395.28v
579	Mr DA Smith	O	68.5v	69.7v	46.2v	48.4v	44.1v	42.1v	40.4v	0.0v	0.0v	0.0v	0.0v	38.1v	395.25v
580	Mr OP Henry	A	68.4v	71.4v	42.2v	35.2v	47.3v	47.3v	47.4v	0.0v	0.0v	0.0v	0.0v	38.1v	395.23v
581	Mr LM Mutegi	T	70.5v	69.8v	44.2v	46.0v	44.2v	41.2v	45.3v	0.0v	0.0v	0.0v	0.0v	36.1v	395.23v
582	Mr RJ Clegg	T	68.4v	68.3v	44.1v	45.4v	47.2v	43.2v	38.1v	0.0v	0.0v	0.0v	0.0v	42.1v	395.18v
583	Mr GR Thomas	O	71.3v	63.1v	48.4v	41.0v	46.4v	44.2v	48.4v	0.0v	0.0v	0.0v	0.0v	34.0v	395.18v
584	Mr TW Harrison	O	67.3v	68.3v	44.4v	39.3v	47.5v	46.2v	46.3v	0.0v	0.0v	0.0v	0.0v	37.2v	394.25v
585	Mr I Reeves	T	64.3v	53.1v	46.3v	44.4v	49.4v	45.1v	49.4v	0.0v	0.0v	0.0v	0.0v	44.4v	394.24v
586	Mr LS Smith	T	67.6v	69.2v	46.4v	48.4v	44.3v	38.0v	46.2v	0.0v	0.0v	0.0v	0.0v	36.3v	394.24v
587	Cdt LA Duffett	T	70.5v	70.3v	44.2v	46.4v	44.1v	48.5v	36.1v	0.0v	0.0v	0.0v	0.0v	36.3v	394.24v
588	Mr U Soelzer	O	70.5v	68.6v	45.2v	45.1v	47.2v	45.1v	40.2v	0.0v	0.0v	0.0v	0.0v	34.1v	394.20v
589	Mr G Bramwell	T	66.3v	66.2v	42.1v	44.1v	44.4v	44.3v	46.3v	0.0v	0.0v	0.0v	0.0v	42.1v	394.18v
590	Mr D Crook	O	68.3v	65.2v	45.2v	39.2v	48.3v	43.1v	45.3v	0.0v	0.0v	0.0v	0.0v	41.2v	394.18v
591	Mr T Webster	O	68.4v	67.4v	40.0v	48.5v	44.1v	41.3v	45.3v	0.0v	0.0v	0.0v	0.0v	40.2v	393.22v
592	Dr JC Jobling	O	72.7v	69.3v	42.3v	46.2v	42.3v	44.1v	42.2v	0.0v	0.0v	0.0v	0.0v	36.1v	393.22v
593	Dr KW Genders	O	66.4v	69.4v	37.0v	45.3v	45.3v	45.2v	45.3v	0.0v	0.0v	0.0v	0.0v	41.2v	393.21v
594	Mr T Pantke	T	62.3v	67.3v	43.1v	47.3v	46.4v	44.1v	42.2v	0.0v	0.0v	0.0v	0.0v	42.1v	393.18v
595	Mr A Grainger	T	67.4v	63.2v	45.1v	42.0v	46.4v	46.2v	43.3v	0.0v	0.0v	0.0v	0.0v	41.1v	393.17v
596	Mr G Yates	T	68.3v	74.7v	46.3v	40.3v	41.1v	40.4v	43.2v	0.0v	0.0v	0.0v	0.0v	40.0v	392.23v
597	Cdt J Birch	T	70.6v	71.5v	44.2v	43.3v	45.1v	42.4v	46.2v	0.0v	0.0v	0.0v	0.0v	31.0v	392.23v
598	Mr H Percival	O	73.3v	69.7v	45.3v	40.1v	47.3v	35.0v	40.1v	0.0v	0.0v	0.0v	0.0v	43.3v	392.21v
599	Mr GR Bowman	X	66.4v	67.2v	44.3v	40.2v	47.3v	39.1v	48.4v	0.0v	0.0v	0.0v	0.0v	41.0v	392.19v
600	Mr PJ Holden	O	69.3v	67.2v	47.1v	41.0v	46.1v	38.1v	49.2v	0.0v	0.0v	0.0v	0.0v	35.1v	392.11v
601	Mr E Stuart-Bamford	O	67.2v	71.7v	37.1v	46.3v	46.4v	44.3v	46.4v	0.0v	0.0v	0.0v	0.0v	34.1v	391.25v
602	Mr PK Kapkundos	T	73.7v	69.6v	43.2v	48.3v	47.3v	42.1v	38.2v	0.0v	0.0v	0.0v	0.0v	31.1v	391.25v
603	Mr D Thomas Du Toit	T	65.2v	71.6v	44.3v	40.2v	46.4v	42.1v	42.4v	0.0v	0.0v	0.0v	0.0v	41.2v	391.24v
604	Miss SJ Dick	O	67.3v	73.6v	43.0v	46.3v	47.4v	42.2v	35.0v	0.0v	0.0v	0.0v	0.0v	38.0v	391.18v
605	Mr J Beddoe	T	68.4v	70.1v	45.3v	35.1v	42.3v	43.1v	44.2v	0.0v	0.0v	0.0v	0.0v	44.1v	391.16v
606	Miss A Forsyth	T	72.4v	69.2v	41.6v	42.0v	44.1v	45.1v	43.2v	0.0v	0.0v	0.0v	0.0v	35.0v	391.16v
607	Cdt WO1 AJ Richardson	T	67.3v	61.1v	42.1v	46.4v	41.0v	43.2v	47.2v	0.0v	0.0v	0.0v	0.0v	44.2v	391.15v
608	Mr E Robinson	T	69.2v	71.4v	47.1v	40.1v	41.1v	44.3v	45.0v	0.0v	0.0v	0.0v	0.0v	34.0v	391.12v
609	Mr JM de Bruyn	O	70.7v	66.3v	43.2v	47.3v	42.1v	42.2v	43.2v	0.0v	0.0v	0.0v	0.0v	37.1v	390.21v
610	Cdt C Putney	T	65.3v	70.4v	37.2v	40.1v	49.4v	47.3v	46.3v	0.0v	0.0v	0.0v	0.0v	36.0v	390.20v
611	Mr H Waldern	T	65.2v	66.2v	50.4v	41.3v	46.3v	45.1v	39.3v	0.0v	0.0v	0.0v	0.0v	37.1v	389.19v
612	Mr B Hebblethwaite	T	68.4v	67.2v	44.1v	46.3v	42.2v	42.1v	43.3v	0.0v	0.0v	0.0v	0.0v	37.2v	389.18v
613	Cdt K Macdonald	T	69.4v	63.1v	43.2v	43.1v	45.1v	44.2v	44.3v	0.0v	0.0v	0.0v	0.0v	38.0v	389.14v
614	Mr G Meijer	O	71.7v	73.9v	40.1v	39.3v	49.4v	35.1v	44.1v	0.0v	0.0v	0.0v	0.0v	37.0v	388.26v
615	Mr M Halstead	T	66.4v	69.6v	45.2v	40.1v	43.2v	45.3v	40.1v	0.0v	0.0v	0.0v	0.0v	40.2v	388.21v
616	Mr NR Wells	O	70.6v	67.5v	42.1v	37.1v	49.2v	43.2v	47.2v	0.0v	0.0v	0.0v	0.0v	33.1v	388.20v
617	Mr TJ Barclay	T	68.3v	64.3v	42.0v	41.1v	45.2v	43.2v	46.3v	0.0v	0.0v	0.0v	0.0v	39.1v	388.15v
618	Mr SJ Bates	O	68.3v	66.3v	44.4v	44.2v	47.2v	41.0v	40.2v	0.0v	0.0v	0.0v	0.0v	37.3v	387.19v
619	Mr DM Booysen	T	64.2v	62.2v	44.2v	47.3v	46.3v	45.2v	43.2v	0.0v	0.0v	0.0v	0.0v	36.0v	387.16v
620	Miss G Shearer	T	64.2v	63.3v	48.1v	48.4v	44.0v	43.2v	46.1v	0.0v	0.0v	0.0v	0.0v	31.0v	387.13v
621	Mr T Nightingale	T	65.1v	65.2v	45.2v	45.0v	35.1v	43.2v	47.3v	0.0v	0.0v	0.0v	0.0v	42.0v	387.11v
622	Mr PJ Chapman-Sheath	X	74.6v	73.10v	0.0v	47.2v	50.8v	49.4v	47.4v	0.0v	0.0v	0.0v	0.0v	46.2v	386.36v
623	Mr CAD Flanagan	O	66.7v	66.4v	47.4v	45.3v	47.3v	44.2v	50.6v	0.0v	0.0v	0.0v	0.0v	20.0v	385.29v
624	Cdt AJ Todd	T	75.10v	67.2v	42.3v	48.6v	46.4v	39.1v	33.1v	0.0v	0.0v	0.0v	0.0v	35.1v	385.28v
625	Mr APW Moulton	T	70.5v	65.3v	44.3v	36.0v	47.4v	44.3v	45.5v	0.0v	0.0v	0.0v	0.0v	34.0v	385.23v
626	Mr PD Pelly	O	66.2v	68.3v	40.3v	44.3v	45.3v	43.2v	45.3v	0.0v	0.0v	0.0v	0.0v	34.1v	385.20v
627	Mr M Garrood	T	61.1v	72.7v	43.2v	42.2v	39.2v	38.1v	47.3v	0.0v	0.0v	0.0v	0.0v	43.0v	385.18v
628	Mr JRJ Kennedy	O	65.5v	68.4v	41.0v	40.2v	45.2v	47.1v	46.1v	0.0v	0.0v	0.0v	0.0v	33.0v	385.15v
629	Cdt Cpl M Rollisson	T	64.2v	61.0v	45.3v	43.3v	44.1v	45.3v	46.1v	0.0v	0.0v	0.0v	0.0v	37.1v	385.14v
630	Cdt WP Cubitt	T	70.4v	68.3v	43.3v	47.5v	43.2v	39.2v	35.0v	0.0v	0.0v	0.0v	0.0v	39.2v	384.21v
631	Mr SA Ching	T	69.4v	67.4v	42.3v	47.3v	46.3v	45.0v	38.1v	0.0v	0.0v	0.0v	0.0v	30.1v	384.19v
632	Mr MG Grimsdell	O	71.6v	71.8v	36.0v	45.2v	42.1v	42.2v	45.4v	0.0v	0.0v	0.0v	0.0v	31.2v	383.25v

633	Prince AKLP zu Sayn-Wittgenstein-Sayn	T	69.6v	68.4v	40.1v	47.5v	42.2v	44.1v	42.0v	0.0v	0.0v	0.0v	0.0v	31.0v	383.19v
634	Miss K Johnson	T	63.0v	70.5v	36.1v	46.2v	45.5v	45.1v	43.1v	0.0v	0.0v	0.0v	0.0v	35.2v	383.17v
635	Miss T Myagkova	O	67.2v	64.3v	44.1v	38.2v	47.2v	44.0v	48.3v	0.0v	0.0v	0.0v	0.0v	31.1v	383.14v
636	Mr WJ Slatford	T	69.4v	69.5v	47.3v	43.3v	37.1v	36.2v	43.2v	0.0v	0.0v	0.0v	0.0v	37.1v	381.21v
637	Cdt A Giasson-Pitre	T	62.1v	66.6v	45.3v	44.2v	46.3v	40.0v	46.4v	0.0v	0.0v	0.0v	0.0v	32.2v	381.21v
638	Mr HD Werner	O	71.5v	66.3v	47.4v	48.4v	37.1v	47.2v	40.1v	0.0v	0.0v	0.0v	0.0v	25.1v	381.21v
639	Mr R Brewer - Marchant	T	65.4v	70.7v	42.2v	46.4v	43.1v	41.0v	36.1v	0.0v	0.0v	0.0v	0.0v	38.0v	381.19v
640	Mr RW Hallows	X	74.11v	72.10v	49.6v	44.3v	0.0v	47.5v	48.5v	0.0v	0.0v	0.0v	0.0v	45.2v	379.42v
641	Miss AJ Carnell	O	71.5v	71.7v	44.1v	48.4v	49.4v	6.0v	48.4v	0.0v	0.0v	0.0v	0.0v	42.3v	379.28v
642	LCpl J Murphy	T	64.2v	66.1v	46.2v	39.1v	49.5v	42.2v	47.4v	0.0v	0.0v	0.0v	0.0v	26.0v	379.17v
643	Mr T Horsfield	O	62.2v	68.6v	44.0v	44.0v	42.3v	38.0v	47.3v	0.0v	0.0v	0.0v	0.0v	34.2v	379.16v
644	Miss C Chan	T	67.5v	62.0v	44.3v	43.2v	45.5v	42.2v	43.3v	0.0v	0.0v	0.0v	0.0v	32.1v	378.21v
645	Cdt MG Woodcock	T	74.6v	68.1v	31.1v	38.2v	45.2v	45.4v	47.3v	0.0v	0.0v	0.0v	0.0v	30.1v	378.20v
646	Miss K Butler	T	69.7v	61.1v	37.1v	33.1v	48.6v	46.1v	44.3v	0.0v	0.0v	0.0v	0.0v	39.1v	377.21v
647	Miss K Hines	T	63.3v	68.3v	45.2v	35.0v	43.2v	47.5v	33.0v	0.0v	0.0v	0.0v	0.0v	42.1v	376.16v
648	Cdt HMC Ardern	T	68.4v	64.5v	44.2v	41.0v	43.1v	42.2v	34.0v	0.0v	0.0v	0.0v	0.0v	40.2v	376.16v
649	LCpl R McGowan	T	66.5v	66.4v	33.1v	43.0v	41.1v	47.2v	45.3v	0.0v	0.0v	0.0v	0.0v	35.0v	376.16v
650	Mr J Dixon	O	71.4v	72.8v	45.4v	47.1v	0.0v	48.3v	48.6v	0.0v	0.0v	0.0v	0.0v	44.2v	375.28v
651	Mr H Bull	T	57.3v	69.6v	42.3v	45.2v	48.3v	40.2v	41.2v	0.0v	0.0v	0.0v	0.0v	33.1v	375.22v
652	Cpl AP Clark	T	69.4v	70.6v	42.1v	21.0v	45.2v	44.0v	46.2v	0.0v	0.0v	0.0v	0.0v	38.0v	375.15v
653	Cpl WR Playle	T	69.4v	72.6v	48.3v	8.0v	45.3v	49.3v	43.4v	0.0v	0.0v	0.0v	0.0v	40.4v	374.27v
654	Mr A Bramwell	T	68.3v	68.4v	45.3v	36.2v	41.1v	37.1v	43.2v	0.0v	0.0v	0.0v	0.0v	36.2v	374.18v
655	Mr ML Cotillard	O	72.7v	74.10v	46.4v	47.4v	47.5v	0.0v	44.3v	0.0v	0.0v	0.0v	0.0v	43.1v	373.34v
656	Ms BM Moore	O	72.6v	72.6v	47.3v	45.5v	45.1v	0.0v	48.4v	0.0v	0.0v	0.0v	0.0v	42.1v	371.26v
657	Mr AJ Woodsford	T	70.5v	65.0v	44.1v	44.0v	41.0v	43.1v	26.1v	0.0v	0.0v	0.0v	0.0v	38.1v	371.9v
658	Mr WA Odhiambo	T	67.6v	72.7v	44.4v	48.4v	49.6v	46.2v	44.3v	0.0v	0.0v	0.0v	0.0v	0.0v	370.32v
659	Mr CB Stone	O	65.6v	65.2v	45.2v	45.2v	42.1v	34.1v	41.2v	0.0v	0.0v	0.0v	0.0v	33.2v	370.18v
660	Mr RA Dix	A	74.8v	69.6v	0.0v	46.3v	49.4v	46.3v	48.5v	0.0v	0.0v	0.0v	0.0v	37.1v	369.30v
661	Mr S Pigeon	T	68.5v	68.4v	43.2v	43.1v	41.1v	37.0v	41.1v	0.0v	0.0v	0.0v	0.0v	28.0v	369.14v
662	Mr A Ford	T	69.4v	66.7v	31.1v	44.2v	47.5v	39.1v	40.1v	0.0v	0.0v	0.0v	0.0v	32.0v	368.21v
663	Mr M Raps	T	69.4v	58.4v	46.1v	48.5v	46.2v	42.1v	23.1v	0.0v	0.0v	0.0v	0.0v	36.2v	368.20v
664	Mr J Kellinger	T	69.4v	61.1v	41.1v	43.2v	44.0v	49.7v	23.2v	0.0v	0.0v	0.0v	0.0v	38.2v	368.19v
665	Mr T Clifford	T	65.2v	61.2v	40.1v	41.2v	43.1v	37.2v	44.2v	0.0v	0.0v	0.0v	0.0v	37.1v	368.13v
666	Cdt LE Lyons	T	66.3v	70.8v	45.2v	44.4v	41.2v	44.3v	45.3v	0.0v	0.0v	0.0v	0.0v	10.0v	365.25v
667	Mr H Mayne	T	66.1v	59.2v	44.5v	41.2v	38.0v	38.0v	43.3v	0.0v	0.0v	0.0v	0.0v	36.1v	365.14v
668	Mr J Barlow	O	72.7v	71.5v	44.2v	42.2v	46.3v	45.2v	44.5v	0.0v	0.0v	0.0v	0.0v	0.0v	364.26v
669	Mr JMA Thompson	X	0.0v	73.6v	50.10v	49.4v	48.5v	47.5v	50.7v	0.0v	0.0v	0.0v	0.0v	45.2v	362.39v
670	Mr H Bradshaw	T	63.3v	68.6v	40.1v	43.3v	43.2v	42.2v	41.1v	0.0v	0.0v	0.0v	0.0v	22.0v	362.18v
671	Mr A Niblett	T	68.4v	71.5v	37.0v	48.3v	47.6v	43.0v	43.2v	0.0v	0.0v	0.0v	0.0v	4.0v	361.20v
672	Mr R Kinch	T	64.3v	64.3v	45.3v	30.0v	47.3v	38.2v	43.3v	0.0v	0.0v	0.0v	0.0v	30.0v	361.17v
673	Mr DS Hendrikz	T	62.2v	64.0v	37.0v	39.0v	41.2v	42.0v	43.1v	0.0v	0.0v	0.0v	0.0v	33.1v	361.6v
674	Mr IF Luckman	O	63.2v	65.4v	34.2v	43.1v	44.4v	43.3v	43.1v	0.0v	0.0v	0.0v	0.0v	24.1v	359.18v
675	Miss A Morriss	T	66.2v	64.4v	40.0v	45.0v	42.4v	24.1v	38.0v	0.0v	0.0v	0.0v	0.0v	40.2v	359.13v
676	Mr G Twinn	T	63.4v	66.3v	40.0v	38.4v	44.4v	35.3v	40.1v	0.0v	0.0v	0.0v	0.0v	32.0v	358.19v
677	Mr R Morin	T	63.2v	61.1v	44.3v	38.0v	41.1v	35.1v	46.2v	0.0v	0.0v	0.0v	0.0v	30.1v	358.11v
678	Mr B Heatley	X	68.2v	69.4v	43.2v	49.9v	46.3v	0.0v	46.3v	0.0v	0.0v	0.0v	0.0v	36.0v	357.23v
679	Mr HGM Mooiman	O	69.5v	66.2v	49.4v	42.1v	46.3v	42.0v	43.2v	0.0v	0.0v	0.0v	0.0v	0.0v	357.17v
680	Mrs RM Merridew	O	70.4v	66.4v	40.1v	47.6v	46.3v	45.3v	42.2v	0.0v	0.0v	0.0v	0.0v	0.0v	356.23v
681	Mr JA Hopkins	O	68.4v	65.2v	42.1v	43.0v	37.0v	41.1v	30.0v	0.0v	0.0v	0.0v	0.0v	30.1v	356.9v
682	Miss EG Graham	T	54.1v	65.1v	43.2v	41.1v	39.1v	37.0v	43.0v	0.0v	0.0v	0.0v	0.0v	33.1v	355.7v
683	Mr AP Powell	O	69.4v	70.6v	47.3v	42.2v	37.1v	45.5v	44.3v	0.0v	0.0v	0.0v	0.0v	0.0v	354.24v
684	Mr SH Dickson	O	68.3v	66.2v	45.2v	47.4v	0.0v	38.2v	45.4v	0.0v	0.0v	0.0v	0.0v	40.3v	349.20v
685	Mr T Craig-Fleming	T	72.9v	68.2v	46.2v	0.0v	46.2v	42.3v	29.0v	0.0v	0.0v	0.0v	0.0v	41.0v	344.18v
686	Mr TM Mulholland	T	69.2v	66.3v	42.1v	0.0v	45.3v	43.3v	44.1v	0.0v	0.0v	0.0v	0.0v	35.0v	344.13v
687	Mr M Bell	T	69.5v	61.1v	36.0v	46.1v	48.3v	29.1v	37.1v	0.0v	0.0v	0.0v	0.0v	17.0v	343.12v
688	Mr HM Dodds	T	63.1v	64.1v	36.1v	32.0v	45.3v	36.2v	37.1v	0.0v	0.0v	0.0v	0.0v	30.0v	343.9v
689	Mr H Milner-Benham	T	60.2v	70.9v	38.1v	3.0v	40.0v	40.0v	46.3v	0.0v	0.0v	0.0v	0.0v	41.1v	338.16v
690	Mr N Hendrikz	T	68.4v	0.0v	45.4v	43.1v	49.4v	45.4v	47.3v	0.0v	0.0v	0.0v	0.0v	40.2v	337.22v
691	Miss E Smith	T	70.3v	68.3v	42.2v	39.1v	40.2v	0.0v	40.1v	0.0v	0.0v	0.0v	0.0v	34.1v	333.13v
692	Cadet P Paudyal	T	50.0v	53.1v	41.2v	27.0v	43.1v	46.2v	43.3v	0.0v	0.0v	0.0v	0.0v	27.0v	330.9v
693	Mr J Woollett	T	40.0v	68.3v	43.4v	38.0v	39.1v	38.0v	24.0v	0.0v	0.0v	0.0v	0.0v	40.0v	330.8v
694	Mr JMS Samson	O	0.0v	66.4v	44.0v	47.3v	46.3v	45.3v	39.2v	0.0v	0.0v	0.0v	0.0v	41.2v	328.17v
695	Cdt Sgt CA Shelley	T	54.0v	43.3v	37.0v	32.1v	43.2v	40.0v	36.1v	0.0v	0.0v	0.0v	0.0v	40.2v	325.9v
696	Miss AL Gibbs	T	55.1v	65.1v	38.0v	41.1v	43.1v	0.0v	43.1v	0.0v	0.0v	0.0v	0.0v	30.0v	315.5v
697	Mr A Strudwick	T	69.6v	68.3v	0.0v	38.1v	47.5v	0.0v	45.3v	0.0v	0.0v	0.0v	0.0v	47.3v	314.21v
698	Mr P Merry	O	69.2v	66.2v	41.2v	46.1v	0.0v	0.0v	46.3v	0.0v	0.0v	0.0v	0.0v	41.2v	309.12v
699	Miss R Allan	T	70.5v	68.2v	41.3v	40.1v	44.3v	0.0v	45.3v	0.0v	0.0v	0.0v	0.0v	0.0v	308.17v
700	Sgt B Corbishley	T	59.2v	57.1v	39.2v	35.2v	37.1v	27.1v	26.1v	0.0v	0.0v	0.0v	0.0v	27.1v	307.11v
701	Mr CJ Sherratt	O	70.4v	0.0v	45.1v	44.3v	0.0v	46.1v	49.5v	0.0v	0.0v	0.0v	0.0v	44.5v	298.19v
702	Mr ND Richmond	T	0.0v	74.11v	49.3v	37.2v	46.5v	46.3v	0.0v	0.0v	0.0v	0.0v	0.0v	37.0v	289.24v
703	Mr KG Firth	O	70.8v	0.0v	42.2v	40.0v	43.0v	0.0v	45.2v	0.0v	0.0v	0.0v	0.0v	46.2v	286.14v
704	LCpl S Bose	T	64.1v	0.0v	35.0v	37.1v	33.1v								



## NRA 149th Imperial Meeting

### Grand Aggregate (as at Monday, 23rd July 2018)

		Class F Competitors										
		D'gall	Doyle	DT	DM	Alex	DC	Times	Wimb	Corp	Total	
1	Mr R Eckbauer	FO	72.5v	72.8v	71.4v	74.6v	74.9v	70.4v	75.8v	71.2v	66.6v	645.52v
2	Mr DA Stewart	FO	75.10v	69.3v	74.6v	73.7v	71.6v	68.2v	74.6v	69.4v	71.4v	644.48v
3	Mr A Kreutz	FO	74.8v	74.7v	65.0v	74.7v	74.7v	70.5v	74.8v	69.9v	69.2v	643.53v
4	Mr P Shambrook	FO	75.10v	67.2v	73.8v	72.5v	73.6v	70.3v	73.11v	73.3v	67.3v	643.51v
5	Mr SJ Baker	FO	75.9v	67.4v	71.4v	71.5v	73.8v	69.5v	73.8v	71.6v	70.2v	640.51v
6	Mr DN Kent	FO	71.7v	70.4v	69.4v	74.8v	74.10v	70.4v	75.8v	69.6v	62.2v	634.53v
7	Mr PA Hill	FO	72.8v	66.1v	74.8v	75.10v	74.6v	67.1v	74.5v	67.3v	64.3v	633.45v
8	Mr D Raybould	FO	73.7v	66.4v	72.9v	71.4v	75.5v	63.1v	72.7v	68.4v	65.4v	625.45v
9	Mr G Waugh	FO	71.8v	68.1v	73.7v	74.8v	69.2v	64.3v	72.7v	65.5v	69.3v	625.44v
10	Mr MH Heil	FO	75.8v	70.4v	71.5v	70.4v	73.6v	66.1v	74.10v	54.1v	70.1v	623.40v
11	Mr PW Medhurst	FO	72.6v	66.2v	72.5v	69.3v	73.7v	69.4v	74.6v	63.1v	64.3v	622.37v
12	Mr D Cownley	FO	71.7v	69.5v	73.8v	74.5v	72.6v	63.2v	68.6v	67.3v	63.0v	620.42v
13	Mr SP Poultney	FO	67.4v	65.1v	73.2v	70.3v	72.8v	65.2v	72.6v	67.4v	67.2v	618.32v
14	Mr R Adler	FO	72.9v	66.1v	72.4v	71.6v	68.6v	64.3v	67.4v	65.0v	67.4v	612.37v
15	Mr D Rosenberger	FO	61.2v	67.2v	62.0v	72.7v	63.1v	65.2v	69.2v	67.4v	66.2v	592.22v
16	Mr C Shorthouse	FO	67.6v	62.3v	68.3v	70.3v	69.7v	56.1v	67.3v	57.1v	66.1v	582.28v
17	Mr J Howe	FO	73.3v	68.4v	71.6v	66.2v	73.6v	68.5v	75.10v	0.0v	64.1v	558.37v
18	Mr T Price	FO	74.8v	70.5v	69.2v	0.0v	74.5v	65.0v	0.0v	0.0v	0.0v	352.20v

