

NRA 149th Imperial Meeting

Grand Aggregate

		DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	PoW	Lovell	Corp	Total	
1	Mr JAM Paton	X	75.13v	75.9v	50.4v	49.8v	49.5v	50.7v	50.8v	70.9v	105.17v	0.0v	45.4v	50.8v	668.92v
2	Mr ANR Walker	X	73.10v	75.11v	49.5v	50.8v	50.6v	48.3v	50.4v	74.9v	104.13v	0.0v	48.4v	47.4v	668.77v
3	Mr J Corbett	X	75.12v	74.11v	50.9v	48.3v	50.7v	45.5v	50.9v	75.14v	103.13v	0.0v	49.7v	48.5v	667.95v
4	Dr PD Sykes	O	74.7v	75.8v	50.7v	47.6v	50.7v	50.6v	50.6v	75.13v	104.13v	0.0v	47.4v	44.2v	666.79v
5	Dr CD Haley	X	74.12v	75.10v	50.3v	48.2v	50.9v	49.2v	49.5v	75.11v	104.13v	0.0v	45.3v	47.3v	666.73v
6	Capt GR Jeal	X	73.8v	75.12v	48.5v	47.4v	50.6v	47.3v	50.5v	75.11v	104.12v	0.0v	48.3v	48.5v	665.74v
7	Mr ORW Russell	X	75.13v	74.12v	50.8v	44.4v	50.4v	50.4v	50.9v	73.9v	103.10v	0.0v	49.4v	46.5v	664.82v
8	Mr MRM Millar	X	73.8v	74.13v	50.7v	49.6v	50.5v	46.1v	50.3v	74.9v	102.15v	0.0v	48.5v	48.5v	664.77v
9	Mr NBS Logan	X	75.9v	75.10v	49.8v	47.3v	50.7v	49.8v	50.6v	72.7v	105.14v	0.0v	45.1v	47.3v	664.76v
10	Mr MCJ Button	X	75.14v	74.6v	49.5v	45.1v	50.6v	48.4v	50.5v	74.12v	105.15v	0.0v	46.2v	48.1v	664.71v
11	Mr H J Golaszewski	X	75.10v	74.8v	49.8v	45.3v	48.5v	47.5v	50.6v	74.14v	105.12v	0.0v	46.1v	50.6v	663.78v
12	Miss EJ Nuttall	X	74.12v	74.12v	49.5v	43.1v	50.5v	47.2v	50.7v	74.10v	105.15v	0.0v	48.6v	48.5v	662.80v
13	Mr K Ramsey	X	75.15v	71.9v	48.6v	50.8v	49.8v	50.6v	50.3v	75.14v	102.11v	0.0v	47.3v	44.2v	661.85v
14	Mr DC Luckman	X	71.10v	74.7v	50.6v	49.6v	48.6v	49.5v	49.6v	74.11v	103.13v	0.0v	46.4v	48.5v	661.79v
15	Dr JD Warburton	X	74.9v	72.7v	50.8v	49.6v	49.3v	47.4v	48.4v	73.9v	103.14v	0.0v	49.7v	47.5v	661.76v
16	Mr JC Underwood	X	70.7v	73.7v	49.4v	50.7v	49.4v	49.5v	50.5v	75.10v	105.15v	0.0v	48.5v	43.3v	661.72v
17	Mr JC Evans	X	74.8v	74.7v	50.7v	48.4v	49.4v	45.3v	50.6v	74.11v	102.12v	0.0v	50.6v	45.2v	661.70v
18	Mr SA Thomas	X	75.13v	72.11v	49.4v	48.6v	48.5v	50.7v	49.8v	75.11v	103.14v	0.0v	44.1v	47.3v	660.83v
19	Dr PR Wheeler	X	74.7v	75.11v	50.8v	49.4v	50.5v	48.7v	48.6v	75.13v	102.11v	0.0v	50.7v	39.1v	660.80v
20	Mr WCP Richards	X	74.8v	74.6v	47.5v	50.5v	50.5v	44.2v	48.3v	74.9v	103.8v	0.0v	49.3v	47.2v	660.56v
21	Mr P Patel	X	73.11v	75.9v	49.7v	50.8v	50.7v	45.3v	48.6v	74.10v	104.17v	0.0v	49.7v	42.2v	659.87v
22	Miss CA Evans	X	75.13v	74.13v	46.3v	44.2v	49.5v	48.3v	49.6v	75.11v	104.17v	0.0v	46.2v	48.6v	658.81v
23	Mr RSF Shouler	X	73.9v	75.10v	50.7v	48.7v	49.6v	48.8v	48.8v	74.9v	103.11v	0.0v	47.3v	43.2v	658.80v
24	Miss A Southall	X	71.8v	75.10v	48.5v	49.6v	50.9v	46.5v	50.6v	74.9v	103.12v	0.0v	48.5v	44.3v	658.78v
25	Mr JP Tapster	X	74.9v	74.10v	50.8v	47.6v	49.7v	48.5v	50.8v	75.8v	100.10v	0.0v	46.4v	45.0v	658.75v
26	Mr T Drysdale	X	75.11v	74.10v	50.8v	48.4v	49.4v	48.2v	47.3v	72.11v	102.13v	0.0v	45.2v	48.3v	658.71v
27	Dr GP Nelson	A	74.12v	75.10v	45.3v	49.4v	49.6v	47.3v	50.7v	71.5v	103.10v	0.0v	49.5v	46.5v	658.70v
28	Mr TJD Raincock	X	72.7v	73.8v	49.7v	49.5v	48.5v	45.2v	48.4v	74.11v	105.11v	0.0v	48.4v	47.5v	658.69v
29	Mr THD Dodds	A	74.8v	75.8v	48.3v	48.6v	48.8v	47.4v	47.3v	74.8v	102.12v	0.0v	48.4v	47.4v	658.68v
30	Mr RT MacLeod	X	75.7v	75.9v	46.4v	50.6v	50.6v	47.3v	48.5v	75.11v	103.10v	0.0v	45.4v	44.3v	658.68v
31	Mr TA Ringer	X	72.8v	74.11v	49.4v	50.6v	50.7v	49.6v	48.4v	75.8v	103.11v	0.0v	44.1v	44.1v	658.67v
32	Capt AR McLeod	X	72.10v	72.10v	47.3v	48.4v	50.8v	48.2v	50.5v	74.11v	104.15v	0.0v	48.5v	44.4v	657.77v
33	Mr JMA Thompson	X	73.7v	73.6v	50.10v	49.4v	48.5v	47.5v	50.7v	74.10v	101.13v	0.0v	47.7v	45.2v	657.76v
34	Mr JW Alexander	X	71.8v	73.9v	48.3v	49.6v	50.9v	49.5v	50.5v	73.6v	104.14v	0.0v	48.7v	42.3v	657.75v
35	Capt M J Purdy	X	74.9v	71.12v	48.6v	45.4v	50.5v	48.3v	49.7v	74.9v	103.12v	0.0v	49.5v	46.2v	657.74v
36	Maj D Thompson	A	75.11v	75.12v	47.3v	47.3v	50.7v	47.3v	49.5v	74.11v	99.11v	0.0v	47.4v	47.4v	657.74v
37	Mr SDJ Glanville	X	74.8v	74.11v	49.6v	46.3v	49.3v	47.6v	46.6v	75.10v	103.14v	0.0v	46.3v	48.4v	657.74v
38	Wg. Cdr. DP Calvert	X	74.10v	68.7v	49.7v	50.6v	49.7v	49.4v	50.7v	74.7v	102.15v	0.0v	47.3v	45.0v	657.73v
39	Mr BA Horwood	X	75.9v	73.12v	49.5v	48.4v	50.7v	45.5v	49.2v	74.10v	103.11v	0.0v	47.4v	44.2v	657.71v
40	Mr PD Griggs	X	74.9v	75.5v	48.6v	48.3v	49.7v	48.4v	49.7v	74.9v	101.10v	0.0v	47.5v	44.3v	657.68v
41	Mr SJ Whitby	O	73.11v	73.8v	47.5v	49.7v	50.5v	49.4v	49.7v	73.8v	103.10v	0.0v	45.1v	46.2v	657.68v
42	Mr CP Weeden	X	75.9v	75.6v	50.6v	48.3v	49.6v	46.3v	49.7v	74.11v	102.9v	0.0v	45.5v	44.2v	657.67v
43	Mr S Osmond	X	75.12v	73.11v	49.6v	45.3v	48.5v	48.6v	49.7v	72.8v	105.13v	0.0v	46.5v	46.3v	656.79v
44	Mr CJ Watson	X	73.9v	73.7v	47.4v	48.4v	50.7v	46.5v	50.5v	74.10v	105.15v	0.0v	49.6v	41.2v	656.74v
45	Mr C Mitchell	X	72.8v	74.8v	48.6v	48.4v	50.5v	49.5v	49.5v	73.9v	104.14v	0.0v	47.4v	42.3v	656.71v
46	Maj RHG Riley	X	75.11v	70.7v	47.6v	49.5v	46.2v	46.2v	48.2v	74.11v	102.12v	0.0v	49.4v	50.7v	656.69v
47	Miss J Hince	A	74.9v	74.7v	49.7v	48.3v	49.5v	47.2v	49.5v	74.9v	102.12v	0.0v	48.7v	42.1v	656.67v
48	Mr SM Negus	X	75.7v	73.8v	49.6v	48.4v	48.5v	47.6v	49.4v	74.8v	104.12v	0.0v	48.4v	41.3v	656.67v
49	Miss C Choquette	X	74.12v	74.6v	48.4v	46.4v	50.3v	46.2v	49.4v	73.9v	103.12v	0.0v	45.4v	48.5v	656.65v
50	Mr AH Hellings	T	74.8v	72.7v	50.2v	48.2v	48.2v	50.7v	50.8v	73.8v	100.9v	0.0v	50.4v	41.2v	656.59v
51	Mr OEJ Spencer	A	74.13v	74.13v	49.7v	47.7v	50.6v	50.6v	47.2v	73.6v	102.15v	0.0v	42.4v	47.4v	655.83v
52	Mr M Horsnell	X	73.9v	72.9v	48.6v	49.7v	50.7v	49.5v	48.6v	74.12v	105.13v	0.0v	44.4v	43.2v	655.80v
53	Mr FWA Coetzee	X	74.8v	73.10v	49.6v	47.4v	48.3v	47.5v	49.6v	75.11v	103.11v	0.0v	43.3v	47.6v	655.73v
54	Sgt JR Dunbar	A	74.11v	74.7v	49.4v	44.4v	48.7v	46.5v	48.6v	75.11v	104.9v	0.0v	44.2v	49.6v	655.72v
55	Mr WJD Broad	X	75.10v	75.9v	49.6v	47.4v	50.9v	48.4v	44.1v	73.11v	104.12v	0.0v	46.4v	44.2v	655.72v
56	Mr M Shepherd	X	74.10v	70.6v	48.4v	49.3v	49.8v	49.4v	49.6v	74.6v	102.11v	0.0v	46.5v	45.2v	655.65v

57	Mr AD Le Cheminant	X	73.9v	73.8v	49.6v	47.4v	48.6v	48.4v	49.8v	75.5v	101.11v	0.0v	48.2v	44.1v	655.64v
58	Mr JF Lawrie	X	74.7v	75.12v	50.6v	49.4v	48.4v	47.5v	48.3v	74.8v	102.9v	0.0v	43.2v	45.3v	655.63v
59	Mr JP Nice	X	72.7v	73.9v	49.5v	47.2v	48.3v	47.5v	50.5v	74.8v	104.11v	0.0v	45.3v	46.3v	655.61v
60	Mr M J Ensor	X	72.10v	75.11v	49.7v	47.3v	49.7v	47.6v	49.7v	72.8v	104.14v	0.0v	43.3v	47.5v	654.81v
61	Mr J Pugsley	X	74.6v	75.10v	49.8v	46.5v	50.6v	47.4v	50.8v	74.10v	102.10v	0.0v	45.5v	42.1v	654.73v
62	Dr JO Ahrens	X	74.10v	73.8v	49.4v	48.3v	50.9v	49.6v	46.3v	75.9v	100.10v	0.0v	48.5v	42.3v	654.70v
63	Mr PA Maher	O	74.9v	74.8v	50.4v	46.6v	49.6v	48.5v	48.4v	75.9v	99.10v	0.0v	45.5v	46.3v	654.69v
64	Mr R Birtwistle	X	70.5v	72.6v	49.5v	49.5v	49.7v	48.5v	49.6v	74.10v	105.15v	0.0v	44.1v	45.3v	654.68v
65	Mr CJ Morton	X	75.10v	75.5v	49.6v	45.6v	48.5v	46.4v	50.8v	74.9v	103.8v	0.0v	48.3v	41.2v	654.66v
66	Mr AC Haley	A	75.8v	75.10v	48.4v	43.2v	49.3v	48.4v	48.6v	75.8v	103.13v	0.0v	44.0v	46.2v	654.60v
67	Mr DC Crispin	X	74.8v	74.9v	49.7v	45.3v	47.4v	46.2v	48.6v	74.9v	102.14v	0.0v	48.5v	46.6v	653.73v
68	Mr J Pepera-Hibbert	A	75.10v	72.7v	50.7v	50.6v	49.7v	44.1v	49.7v	72.9v	103.12v	0.0v	46.3v	43.2v	653.71v
69	Mr PM Hakim	O	74.12v	73.7v	50.5v	40.2v	49.6v	49.4v	46.4v	75.10v	105.12v	0.0v	49.5v	43.3v	653.70v
70	Mr JM Taylor	X	74.7v	73.9v	49.5v	46.4v	47.4v	49.3v	50.7v	75.12v	100.11v	0.0v	46.4v	44.3v	653.69v
71	Mr ML Millar	X	74.9v	73.7v	48.4v	46.5v	50.5v	45.3v	50.9v	74.11v	103.6v	0.0v	48.7v	42.2v	653.68v
72	Miss HP McCullough	X	74.7v	73.7v	48.6v	44.2v	50.5v	48.2v	48.7v	75.9v	101.15v	0.0v	45.2v	47.5v	653.67v
73	Mr MJM Black	A	73.8v	74.6v	48.5v	45.3v	49.6v	45.4v	50.6v	75.11v	104.13v	0.0v	45.3v	45.2v	653.67v
74	Mr JR Tuck	A	71.7v	75.11v	49.4v	46.4v	50.8v	44.4v	48.6v	74.10v	104.9v	0.0v	47.2v	45.1v	653.66v
75	Mr WF Livesey	A	75.12v	73.9v	49.5v	46.3v	48.3v	46.1v	47.3v	75.11v	104.12v	0.0v	43.3v	47.4v	653.66v
76	Mr C Mallett	A	75.11v	75.10v	47.4v	48.4v	49.4v	47.4v	49.5v	72.7v	97.6v	0.0v	49.4v	45.6v	653.65v
77	Mr H Sanders	X	75.8v	75.9v	47.4v	45.3v	50.6v	49.5v	50.2v	74.10v	99.7v	0.0v	47.2v	42.1v	653.57v
78	Mr SJ Carson	A	74.6v	68.3v	49.5v	46.2v	48.4v	47.3v	49.7v	75.9v	103.10v	0.0v	47.2v	47.4v	653.55v
79	Miss SIM Anderson	A	75.8v	73.8v	49.4v	45.2v	48.3v	47.1v	48.3v	74.8v	102.13v	0.0v	45.0v	47.3v	653.53v
80	Mr W Johnson	A	74.6v	73.9v	47.3v	48.1v	50.7v	47.4v	49.3v	73.5v	104.10v	0.0v	47.2v	41.2v	653.52v
81	Mr DR Armstrong	X	74.8v	75.13v	49.7v	50.6v	49.6v	50.6v	50.5v	71.8v	100.13v	0.0v	44.3v	40.2v	652.77v
82	SSgt G Jarret	A	74.9v	74.9v	45.4v	47.7v	48.5v	47.5v	48.5v	73.8v	103.9v	0.0v	47.6v	46.5v	652.72v
83	Mr GC Childs	A	73.10v	74.12v	47.5v	48.4v	49.4v	47.5v	49.4v	74.8v	102.12v	0.0v	48.5v	41.3v	652.72v
84	Mr D de Vere	X	71.7v	74.6v	47.4v	48.3v	50.8v	47.4v	50.8v	74.8v	103.13v	0.0v	43.2v	45.5v	652.68v
85	Miss HV Southall	O	73.8v	71.7v	50.6v	49.6v	47.6v	46.3v	48.4v	74.8v	105.12v	0.0v	48.4v	41.2v	652.66v
86	Capt N Healy	X	72.6v	72.10v	47.2v	48.2v	48.4v	47.5v	48.6v	75.6v	104.16v	0.0v	48.5v	43.3v	652.65v
87	Mr JRW Postle	X	73.8v	74.11v	47.4v	45.4v	50.4v	46.3v	50.8v	75.11v	103.9v	0.0v	44.0v	45.3v	652.65v
88	Mr P De Voil	A	73.8v	72.8v	48.2v	47.2v	49.4v	48.6v	50.8v	72.7v	103.11v	0.0v	44.3v	46.5v	652.64v
89	Mr IP Davison	X	74.9v	73.10v	49.4v	47.5v	50.4v	44.3v	49.7v	75.10v	104.10v	0.0v	39.0v	48.2v	652.64v
90	Mr R Kloosterman	A	73.7v	75.10v	47.4v	46.5v	50.2v	48.5v	47.6v	72.9v	105.10v	0.0v	48.4v	41.0v	652.62v
91	Mr D Rose	X	73.10v	74.8v	47.5v	48.3v	50.4v	44.2v	49.5v	72.5v	100.10v	0.0v	48.6v	47.3v	652.61v
92	Mr JGM Webster	A	73.8v	75.10v	48.0v	48.6v	49.6v	48.3v	48.5v	73.8v	98.8v	0.0v	48.3v	44.3v	652.60v
93	Mr TG Rylands	A	74.9v	73.5v	48.5v	50.3v	46.2v	47.4v	50.7v	74.11v	100.9v	0.0v	47.3v	43.2v	652.60v
94	Mr R Woodger	O	71.7v	73.9v	48.3v	45.2v	47.4v	50.5v	48.6v	72.8v	102.6v	0.0v	46.2v	50.6v	652.58v
95	Mr NJ Ball	X	74.8v	72.5v	47.4v	48.7v	49.9v	46.4v	43.6v	74.11v	102.14v	0.0v	48.3v	48.5v	651.76v
96	Mr NJ Verduyn	X	72.9v	74.8v	50.8v	49.7v	49.7v	48.6v	46.4v	74.11v	105.8v	0.0v	42.1v	42.2v	651.71v
97	Mr M Liversage	X	72.9v	71.10v	49.5v	48.7v	49.5v	50.5v	48.2v	71.7v	101.11v	0.0v	48.3v	44.3v	651.67v
98	Mr LMD Cheek	X	74.10v	71.6v	49.4v	44.3v	49.8v	45.3v	48.5v	74.7v	103.11v	0.0v	47.4v	47.4v	651.65v
99	Dr JS Rennie	X	73.8v	71.7v	49.7v	48.5v	48.3v	46.1v	49.6v	75.12v	100.10v	0.0v	50.4v	42.0v	651.63v
100	Mr PM Jory	X	75.10v	72.10v	49.5v	47.5v	50.6v	46.2v	49.5v	73.7v	103.11v	0.0v	46.2v	41.0v	651.63v
101	Mr E Atkins	O	73.11v	73.10v	50.8v	49.1v	50.8v	46.2v	48.3v	73.10v	99.9v	0.0v	47.0v	43.0v	651.62v
102	Capt ADJ Stewart	O	74.10v	74.9v	48.4v	44.4v	49.3v	48.4v	48.4v	74.8v	100.9v	0.0v	49.5v	43.0v	651.60v
103	Lt Col WDH Burden	A	73.8v	73.6v	47.4v	47.3v	50.5v	46.6v	48.3v	73.4v	102.9v	0.0v	47.1v	45.3v	651.52v
104	Mr EWV Feast	O	71.5v	75.8v	48.1v	47.3v	47.2v	45.4v	48.3v	74.6v	100.7v	0.0v	49.3v	47.4v	651.46v
105	Mr DG Young	X	75.12v	72.10v	47.4v	48.5v	48.5v	49.5v	49.4v	73.6v	102.13v	0.0v	50.4v	37.3v	650.71v
106	LCpl J Keates	T	73.10v	73.8v	48.6v	49.7v	48.2v	50.6v	46.3v	70.5v	100.10v	0.0v	49.6v	44.2v	650.65v
107	Mr KO Pugh	X	74.7v	75.9v	49.5v	47.6v	49.4v	44.1v	48.4v	72.10v	102.12v	0.0v	42.2v	48.4v	650.64v
108	Mr NNT Kerins	X	74.10v	71.9v	49.6v	45.1v	47.5v	47.2v	46.2v	73.5v	104.13v	0.0v	48.5v	46.5v	650.63v
109	Mr L Malcic	A	72.9v	70.7v	47.4v	48.4v	49.4v	47.2v	49.7v	74.8v	101.11v	0.0v	47.5v	46.2v	650.63v
110	Mr MA Kirkillo-Stacewicz	A	73.6v	74.6v	49.5v	46.3v	44.2v	46.3v	50.8v	74.8v	101.12v	0.0v	44.3v	49.5v	650.61v
111	Mr AJ Leech	A	71.6v	72.7v	48.5v	48.3v	48.3v	47.5v	47.3v	72.8v	104.12v	0.0v	49.4v	44.3v	650.59v
112	Miss JH Messer	X	74.11v	71.6v	47.3v	49.3v	48.2v	48.3v	50.7v	67.6v	104.9v	0.0v	48.7v	44.2v	650.59v
113	Mr SJ East	A	75.8v	72.8v	50.5v	46.3v	49.7v	47.2v	50.7v	70.5v	100.9v	0.0v	47.3v	44.2v	650.59v
114	Mr H Wong Shui	X	75.9v	70.5v	50.5v	46.6v	47.5v	45.3v	49.7v	75.11v	103.7v	0.0v	45.0v	45.0v	650.58v
115	Mr RAV Hebblethwaite	A	69.5v	73.3v	50.8v	48.2v	49.7v	47.3v	49.6v	70.3v	100.9v	0.0v	48.5v	47.6v	650.57v
116	Mr DA Richardson	X	73.8v	75.12v	49.2v	49.7v	50.8v	42.0v	50.6v	71.9v	103.11v	0.0v	48.5v	39.2v	649.70v
117	Mr DA Pitcairn	X	72.8v	74.9v	48.5v	48.6v	50.9v	46.3v	47.4v	74.10v	101.11v	0.0v	48.4v	41.0v	649.69v
118	Mr DR Le Quesne	X	75.10v	70.7v	48.6v	49.4v	49.4v	45.5v	47.6v	72.6v	100.10v	0.0v	48.6v	46.4v	649.68v
119	Capt AG McLean	A	70.4v	73.10v	47.6v	46.4v	47.6v	48.6v	49.5v	73.8v	103.11v	0.0v	46.5v	47.3v	649.68v
120	Capt J Cook	X	73.6v	74.9v	50.5v	48.6v	49.7v	48.3v	48.6v	72.11v	101.7v	0.0v	42.2v	44.3v	649.65v
121	Mr DE Nuthall	X	72.8v	74.9v	49.6v	46.4v	49.5v	48.5v	48.6v	73.10v	103.7v	0.0v	42.1v	45.2v	649.63v
122	Mr GE Grosskreutz	X	75.12v	72.10v	49.4v	48.4v	47.2v	45.2v	48.4v	73.5v	103.12v	0.0v	43.2v	46.5v	649.62v
123	Mr D Lowe	A	73.7v	72.7v	48.5v	49.6v	49.2v	47.6v	50.4v	74.8v	103.12v	0.0v	46.3v	38.2v	649.62v
124	Mr TJ Johnston	O	73.7v	74.10v	47.5v	50.7v	48.4v	48.2v	46.4v	72.9v	101.7v	0.0v	48.3v	42.2v	649.60v
125	Mr S Belither	X	74.9v	71.8v	48.2v	48.7v	49.4v	48.5v	48.4v	73.8v	101.9v	0.0v	43.1v	46.3v	649.60v
126	Dr AM Jory	X	73.7v	72.10v	49.4v	47.3v	49.6v	46.3v	49.2v	73.10v	104.11v	0.0v	41.1v	46.2v	649.59v
127	Mr JEM Bellringer	X	74.7v	74.7v	46.3v	48.4v	47.5v	49.7v	50.6v	70.4v	99.6v	0.0v	47.3v	45.4v	649.56v
128	Miss EJ Cannings	A	73.8v	73.5v	50.7v	44.3v	47.3v	48.5v	46.4v	72.5v	104.10v	0.0v	44.3v	48.2v	649.55v

129	Mr RW Hallows	X	74.11v	72.10v	49.6v	44.3v	48.6v	47.5v	48.5v	75.13v	101.12v	0.0v	45.4v	45.2v	648.77v
130	Mr J Jeffery	X	72.6v	75.13v	49.7v	46.4v	50.9v	40.3v	48.6v	75.9v	103.11v	0.0v	44.2v	46.3v	648.73v
131	Mr RC Oxford	X	75.12v	73.8v	48.4v	46.2v	49.7v	49.7v	47.3v	72.8v	101.11v	0.0v	42.2v	46.2v	648.66v
132	Mr HF Donovan	A	74.8v	75.8v	49.6v	39.2v	48.6v	48.6v	49.2v	74.7v	100.15v	0.0v	47.4v	45.1v	648.65v
133	Miss HA Pugsley	X	74.11v	71.7v	49.6v	46.5v	47.6v	49.4v	49.4v	73.9v	100.7v	0.0v	46.3v	44.2v	648.64v
134	Maj AW Gill	X	72.9v	74.10v	47.4v	46.1v	49.8v	44.3v	50.5v	73.8v	103.12v	0.0v	45.2v	45.2v	648.64v
135	Mr DGM Coleman	X	72.6v	75.6v	47.3v	50.8v	49.7v	48.5v	48.4v	73.10v	102.9v	0.0v	44.4v	40.2v	648.64v
136	Mr JWE Lewis	X	72.10v	72.8v	49.5v	47.5v	50.4v	45.1v	50.9v	73.6v	96.6v	0.0v	48.4v	46.4v	648.62v
137	Mr CES Dickenson	A	71.6v	71.9v	49.6v	49.7v	47.1v	47.5v	49.7v	73.8v	102.6v	0.0v	46.3v	44.3v	648.61v
138	Mrs RA Wiltshire	O	75.8v	75.9v	47.1v	49.5v	49.7v	45.2v	44.3v	74.9v	101.11v	0.0v	48.3v	41.2v	648.60v
139	Mr MI Buchanan	X	72.5v	70.8v	47.1v	48.4v	49.5v	48.4v	46.6v	75.8v	102.10v	0.0v	46.4v	45.4v	648.59v
140	Mr GA Cann	X	70.5v	73.12v	48.1v	50.7v	49.5v	47.1v	50.4v	71.7v	104.11v	0.0v	47.4v	39.2v	648.59v
141	Mr RL Eayrs	X	74.6v	73.8v	48.5v	43.2v	47.5v	44.2v	49.5v	72.7v	104.10v	0.0v	45.4v	49.4v	648.58v
142	Miss LAE Crowson	X	68.4v	71.6v	49.3v	47.2v	49.5v	48.4v	46.3v	75.8v	105.17v	0.0v	43.1v	47.4v	648.57v
143	Col FC Sykes	O	73.10v	74.6v	49.6v	47.0v	48.6v	46.1v	47.4v	73.7v	102.14v	0.0v	44.2v	45.1v	648.57v
144	Dr G Stewart	X	73.6v	71.5v	50.3v	48.3v	49.6v	45.2v	49.7v	73.6v	103.11v	0.0v	48.4v	39.2v	648.55v
145	Mr JA Lindsay III	A	73.10v	73.8v	49.9v	47.7v	47.4v	44.5v	50.9v	73.12v	102.11v	0.0v	45.3v	44.4v	647.82v
146	Mr N Cole-Hawkins	A	75.12v	71.7v	50.9v	45.4v	48.4v	47.5v	50.7v	75.9v	97.9v	0.0v	45.5v	44.2v	647.73v
147	Mr SP O'Brien	A	74.9v	72.9v	47.3v	45.2v	46.4v	49.2v	49.6v	72.10v	102.13v	0.0v	45.4v	46.4v	647.66v
148	Mr JW Page	O	74.9v	74.8v	49.8v	48.4v	47.5v	46.5v	48.6v	72.6v	100.6v	0.0v	50.6v	39.2v	647.65v
149	Mr NC Mace	X	69.5v	75.8v	46.5v	50.4v	49.6v	43.3v	50.5v	74.10v	102.12v	0.0v	49.6v	40.1v	647.65v
150	Mr RDP Knapstein	A	72.7v	74.11v	49.4v	48.2v	48.6v	46.3v	50.9v	73.9v	100.9v	0.0v	43.0v	44.4v	647.64v
151	Mr MG Whicher	X	74.8v	74.9v	50.2v	49.7v	47.3v	48.2v	48.5v	65.7v	98.8v	0.0v	49.7v	45.5v	647.63v
152	Miss SP Ward	X	74.9v	74.8v	49.6v	44.5v	49.4v	46.3v	50.6v	75.9v	103.8v	0.0v	42.3v	41.1v	647.62v
153	Mr DJ Curtis	O	69.5v	73.11v	45.4v	47.4v	49.6v	47.3v	49.5v	74.5v	101.9v	0.0v	50.5v	43.4v	647.61v
154	Mr AM Bullen	O	71.7v	72.9v	48.4v	47.3v	50.5v	48.5v	50.5v	74.10v	101.8v	0.0v	44.1v	42.3v	647.60v
155	Mr RF Barrington	O	73.8v	74.6v	48.5v	45.3v	46.3v	47.2v	48.5v	73.8v	101.10v	0.0v	46.5v	46.3v	647.58v
156	Miss LR Mckerrell	O	74.9v	73.8v	48.5v	44.2v	49.7v	50.3v	49.6v	74.9v	99.5v	0.0v	45.1v	42.3v	647.58v
157	Mr C Pirouet	A	74.8v	73.7v	46.4v	50.3v	49.8v	46.2v	48.4v	75.6v	102.10v	0.0v	39.0v	45.5v	647.57v
158	Cdt TO Little	O	75.6v	72.7v	47.4v	47.2v	47.4v	49.3v	50.6v	72.7v	100.11v	0.0v	48.4v	40.2v	647.56v
159	Mr NE Henrikz	A	72.3v	73.6v	49.5v	47.5v	48.5v	48.5v	49.6v	75.7v	102.8v	0.0v	45.4v	39.0v	647.54v
160	Cdt JC Voyer	T	74.11v	70.8v	48.7v	38.2v	48.4v	48.6v	50.9v	73.5v	105.17v	0.0v	45.2v	47.4v	646.75v
161	Dr JR Deane	A	71.8v	71.9v	48.4v	47.2v	45.7v	47.4v	50.7v	74.8v	101.13v	0.0v	47.3v	45.2v	646.67v
162	Mr C Dart	O	74.10v	69.5v	47.5v	46.3v	49.5v	47.4v	48.5v	74.9v	102.9v	0.0v	49.7v	41.1v	646.63v
163	Mr F Flanagan	A	72.7v	72.5v	48.5v	50.6v	49.5v	50.5v	49.5v	73.9v	100.12v	0.0v	45.2v	38.2v	646.63v
164	Mr CRM Asquith	X	71.6v	70.7v	44.2v	47.5v	50.5v	48.8v	49.7v	74.7v	101.9v	0.0v	48.3v	44.3v	646.62v
165	Mr MJ Barlow	A	73.8v	72.7v	46.2v	49.6v	49.6v	46.4v	48.6v	73.10v	102.6v	0.0v	44.1v	44.5v	646.61v
166	Mr M D Joyce	A	72.9v	74.10v	50.4v	47.3v	50.3v	43.1v	46.3v	72.7v	100.14v	0.0v	47.4v	45.1v	646.59v
167	Mr T Horrocks	A	73.6v	75.10v	47.3v	48.5v	50.5v	48.6v	49.8v	69.5v	101.7v	0.0v	46.4v	40.0v	646.59v
168	Mr MR Fugeman	A	72.7v	72.7v	48.7v	46.6v	46.3v	48.5v	49.3v	74.8v	100.7v	0.0v	47.2v	44.3v	646.58v
169	Mr DJ Fourie	X	72.9v	74.7v	47.3v	49.7v	50.7v	47.2v	49.3v	75.7v	102.9v	0.0v	45.3v	36.1v	646.58v
170	Miss C Catuogno-Cal	T	70.2v	74.7v	48.6v	47.5v	49.5v	48.4v	45.4v	72.6v	103.11v	0.0v	44.2v	46.5v	646.57v
171	Mr RM Hatcher	X	73.7v	73.6v	48.2v	44.4v	46.0v	49.7v	50.8v	72.7v	104.12v	0.0v	45.1v	42.3v	646.57v
172	Mr H Awin	A	74.8v	71.6v	48.3v	46.3v	47.5v	46.3v	49.6v	75.9v	104.11v	0.0v	43.1v	43.0v	646.55v
173	Mr T Steele	X	74.11v	71.4v	48.1v	48.4v	49.4v	44.2v	47.4v	74.9v	98.10v	0.0v	47.2v	46.3v	646.54v
174	Mr CA Stewart	A	74.11v	73.7v	49.5v	47.4v	43.1v	44.2v	46.3v	74.4v	103.11v	0.0v	47.2v	46.3v	646.53v
175	Mr TM Green	A	69.2v	73.4v	48.6v	50.7v	47.4v	49.4v	48.3v	72.6v	102.10v	0.0v	46.5v	42.1v	646.52v
176	Mr SD Shouler	X	73.9v	71.6v	43.2v	49.4v	50.5v	47.4v	48.3v	73.4v	101.7v	0.0v	46.1v	45.2v	646.47v
177	Mr J Brooking	X	72.4v	67.4v	46.2v	48.3v	49.5v	49.4v	48.4v	73.4v	102.11v	0.0v	46.2v	46.3v	646.46v
178	Mr RK Sheead	A	74.10v	72.9v	48.6v	46.5v	49.4v	47.5v	49.5v	73.10v	97.9v	0.0v	50.4v	40.1v	645.68v
179	Mr SJ Bissonnette	A	74.7v	73.11v	49.7v	41.1v	48.5v	45.2v	50.6v	74.13v	102.9v	0.0v	47.5v	42.2v	645.68v
180	Mr RW Shaw	X	71.9v	69.4v	49.1v	45.4v	48.5v	45.4v	49.7v	75.12v	101.13v	0.0v	46.3v	47.5v	645.67v
181	Mr S Harding	X	72.8v	74.8v	48.7v	48.7v	50.7v	44.2v	49.4v	72.7v	99.10v	0.0v	43.2v	46.4v	645.66v
182	Mr T Keen	A	75.13v	74.8v	47.6v	46.5v	49.2v	47.7v	47.4v	74.7v	99.10v	0.0v	47.4v	40.0v	645.66v
183	Mr LM Peden (G.M.)	X	73.5v	73.9v	49.2v	47.5v	47.5v	46.6v	48.7v	72.7v	104.13v	0.0v	44.2v	42.4v	645.65v
184	Mr RN Stebbings	X	75.3v	73.9v	49.5v	46.4v	50.5v	43.1v	48.6v	73.11v	101.12v	0.0v	48.6v	39.1v	645.63v
185	Mr DS Murray	X	75.8v	75.12v	48.4v	44.2v	48.6v	45.3v	50.6v	71.7v	104.9v	0.0v	46.4v	39.1v	645.62v
186	Mr CK Saina	A	73.10v	73.7v	48.6v	43.3v	46.3v	47.4v	50.6v	70.4v	104.11v	0.0v	44.2v	47.3v	645.59v
187	Mr SE Young	A	74.9v	74.10v	46.3v	47.1v	49.2v	45.3v	49.7v	71.9v	102.10v	0.0v	44.4v	44.1v	645.59v
188	Mr RJS Curtis	X	75.11v	74.10v	50.6v	44.1v	47.3v	46.2v	49.4v	72.7v	100.11v	0.0v	41.1v	47.3v	645.59v
189	Mr RI Coventry	O	74.8v	72.8v	49.7v	45.1v	47.6v	49.4v	49.5v	73.9v	103.7v	0.0v	45.2v	39.2v	645.59v
190	Mr F Cade	O	72.7v	74.8v	47.5v	50.4v	50.7v	47.0v	47.2v	73.11v	102.12v	0.0v	40.1v	43.2v	645.59v
191	Mr RMR Stearn	A	73.7v	73.6v	49.6v	44.3v	48.6v	46.5v	50.8v	73.6v	98.5v	0.0v	46.3v	45.3v	645.58v
192	Mr AP Barnes	A	72.7v	73.7v	48.6v	48.5v	48.6v	46.5v	50.6v	70.4v	101.9v	0.0v	44.1v	45.2v	645.58v
193	Mr L O'lynn	O	73.9v	73.4v	48.5v	46.2v	49.4v	46.2v	46.3v	71.7v	103.12v	0.0v	45.5v	45.4v	645.57v
194	Mr A Thomson	A	73.11v	72.3v	50.5v	46.4v	49.5v	47.3v	49.6v	71.5v	101.7v	0.0v	46.3v	41.3v	645.55v
195	Mr PWG Glen	A	74.11v	71.7v	49.4v	47.5v	46.3v	49.3v	48.3v	72.8v	100.9v	0.0v	43.1v	46.0v	645.54v
196	Mr WJ Rowland	A	72.9v	74.8v	47.5v	49.1v	47.3v	46.1v	49.5v	71.7v	102.11v	0.0v	47.2v	41.2v	645.54v
197	Mr RJS Clark	X	71.7v	73.7v	44.2v	48.3v	48.5v	48.4v	49.4v	73.8v	103.10v	0.0v	44.1v	44.3v	645.54v
198	Mr JPL Sweet	A	69.7v	73.8v	48.4v	49.5v	46.0v	46.1v	50.3v	71.6v	100.8v	0.0v	45.2v	48.2v	645.46v
199	Mr M Le Vasseur	O	74.10v	71.5v	49.3v	47.4v	45.4v	48.5v	47.5v	75.11v	101.10v	0.0v	45.6v	42.4v	644.67v
200	Mr M Todd	A	74.13v	72.5v	48.3v	47.7v	47.5v	48.4v	49.5v	74.10v	100.11v	0.0v	46.4v	39.0v	644.67v

201	Mr R Ellis	O	74.10v	72.6v	46.4v	50.5v	47.4v	44.5v	49.8v	73.9v	99.9v	0.0v	48.4v	42.1v	644.65v
202	Mr DFP Richards	X	72.6v	71.6v	49.5v	47.5v	48.4v	45.3v	49.7v	75.12v	103.12v	0.0v	45.4v	40.1v	644.65v
203	Mr AGM Fyfe	A	72.6v	74.9v	48.7v	46.1v	46.1v	47.5v	47.7v	72.8v	98.7v	0.0v	47.6v	47.5v	644.62v
204	Miss LE Kennedy	O	69.7v	73.10v	46.5v	45.2v	48.5v	50.5v	49.4v	74.10v	100.6v	0.0v	44.4v	46.3v	644.61v
205	Mr S Wingrove	A	71.8v	74.10v	50.5v	46.1v	48.3v	45.3v	49.5v	73.10v	100.10v	0.0v	44.5v	44.1v	644.61v
206	Mr JA Watson	X	73.7v	71.8v	49.5v	45.5v	48.3v	46.2v	50.9v	72.7v	100.7v	0.0v	46.5v	44.2v	644.60v
207	Mr RA Welford	A	73.8v	72.4v	47.3v	48.5v	48.4v	46.1v	49.6v	73.7v	101.8v	0.0v	46.2v	41.1v	644.49v
208	Mr G Trembath	X	73.11v	74.7v	49.5v	48.5v	50.5v	43.1v	45.4v	73.12v	104.12v	0.0v	44.3v	40.0v	643.65v
209	Mr SC Postins	X	74.9v	74.9v	46.3v	40.1v	49.7v	48.3v	50.6v	71.9v	103.10v	0.0v	41.2v	47.4v	643.63v
210	Mr BJ Wood	A	74.9v	73.7v	48.5v	48.4v	49.5v	47.4v	47.4v	70.8v	99.9v	0.0v	48.5v	40.0v	643.60v
211	Mr MD Jenvey	A	73.9v	71.9v	48.7v	47.3v	46.3v	47.4v	49.3v	73.8v	102.10v	0.0v	42.2v	45.2v	643.60v
212	Cdt LCpl M Larcombe	A	73.10v	73.7v	47.5v	47.3v	49.4v	48.4v	44.5v	70.6v	103.9v	0.0v	43.2v	46.3v	643.58v
213	Dr J Mehta	X	70.4v	72.8v	49.6v	46.5v	43.1v	48.6v	48.3v	73.9v	104.9v	0.0v	43.1v	47.4v	643.56v
214	Mr AM Sadler	A	73.7v	70.2v	49.6v	45.3v	49.6v	48.5v	49.5v	73.8v	102.9v	0.0v	42.2v	43.0v	643.53v
215	Mr DM Epton	O	73.7v	73.6v	48.4v	45.3v	49.3v	46.3v	49.1v	73.6v	102.8v	0.0v	45.2v	40.2v	643.45v
216	Mr KB Hill	A	74.8v	72.7v	49.4v	49.4v	47.5v	44.2v	48.8v	71.9v	103.17v	0.0v	41.2v	44.3v	642.69v
217	Mr BN Craig	A	75.5v	73.8v	47.4v	48.5v	49.7v	44.3v	48.4v	73.10v	103.12v	0.0v	42.0v	40.3v	642.61v
218	Mr A Bell	X	72.5v	73.12v	48.4v	43.3v	46.4v	45.2v	47.3v	73.10v	103.13v	0.0v	44.1v	48.3v	642.60v
219	Mr PJ Chance	A	69.6v	70.5v	48.3v	48.4v	48.4v	46.2v	50.10v	74.8v	103.13v	0.0v	46.3v	40.1v	642.59v
220	Mr BM Digby	T	71.8v	73.7v	47.3v	46.4v	49.5v	47.4v	47.3v	68.3v	103.12v	0.0v	45.4v	46.5v	642.58v
221	Mr R Winney	A	72.9v	73.6v	49.4v	45.4v	43.2v	45.5v	49.4v	71.6v	103.8v	0.0v	44.3v	48.4v	642.55v
222	Mr T Smith	A	71.5v	73.9v	47.3v	39.0v	50.6v	49.6v	47.4v	73.6v	102.10v	0.0v	46.3v	45.3v	642.55v
223	Mr TD De La Cour	O	74.9v	73.8v	48.4v	48.3v	50.4v	48.3v	47.4v	74.7v	99.8v	0.0v	43.4v	38.1v	642.55v
224	Mr SJ Comins	O	72.7v	74.10v	47.2v	42.1v	48.4v	45.3v	47.4v	73.6v	100.11v	0.0v	46.4v	48.2v	642.54v
225	Miss TJ Fitzsimons	A	74.8v	69.4v	48.5v	44.2v	48.6v	49.3v	50.5v	67.8v	102.10v	0.0v	47.1v	44.2v	642.54v
226	Mr E Sewell	O	68.6v	73.6v	48.2v	48.3v	49.5v	45.5v	49.4v	71.7v	101.8v	0.0v	48.6v	42.2v	642.54v
227	Miss A Good	T	73.4v	69.6v	46.3v	47.1v	50.8v	46.1v	49.2v	72.7v	100.13v	0.0v	48.4v	42.2v	642.51v
228	Mr A Coakes	O	74.7v	73.7v	43.3v	46.3v	49.5v	46.2v	50.6v	71.7v	98.4v	0.0v	47.2v	45.4v	642.50v
229	Mr B Pepin	A	73.7v	73.5v	49.5v	47.3v	48.4v	40.2v	48.2v	74.10v	99.8v	0.0v	49.4v	42.0v	642.50v
230	Mr DJ Archer	A	74.7v	72.5v	45.2v	49.5v	48.5v	46.1v	48.3v	72.4v	103.11v	0.0v	45.3v	40.0v	642.46v
231	Mr M Horrell	O	71.4v	71.6v	46.3v	46.3v	49.2v	48.4v	46.3v	73.7v	102.8v	0.0v	46.2v	44.2v	642.44v
232	Miss LG Taylor	A	71.5v	73.11v	49.4v	45.2v	49.5v	48.4v	49.7v	71.8v	100.11v	0.0v	46.3v	40.2v	641.62v
233	Mr MJJ Charlton	A	70.6v	67.4v	47.2v	48.5v	49.2v	46.5v	49.7v	73.8v	101.13v	0.0v	50.5v	41.2v	641.59v
234	Mr CP Goad	X	69.6v	69.6v	47.3v	45.2v	48.5v	48.6v	50.5v	73.6v	102.10v	0.0v	46.5v	44.3v	641.57v
235	Mr GK Alexander	A	71.4v	71.8v	45.2v	49.2v	49.5v	49.8v	47.5v	71.7v	102.10v	0.0v	47.5v	40.1v	641.57v
236	Mr C Crabtree	T	73.5v	73.8v	49.4v	46.1v	46.2v	42.5v	49.8v	75.11v	101.9v	0.0v	46.2v	41.2v	641.57v
237	Mr R W Ramage	A	70.7v	73.9v	46.1v	50.7v	49.6v	49.3v	49.5v	68.4v	102.10v	0.0v	42.2v	43.1v	641.55v
238	Cdt T Cubitt	T	73.7v	71.5v	47.4v	44.2v	46.3v	47.3v	47.4v	75.9v	101.10v	0.0v	47.3v	43.3v	641.53v
239	Mr SG Hunt	X	74.7v	73.10v	45.3v	47.1v	49.3v	47.1v	46.3v	73.6v	103.13v	0.0v	45.2v	39.2v	641.51v
240	Mr O Farrell	O	73.7v	71.7v	48.5v	43.2v	47.3v	48.5v	47.1v	73.6v	99.7v	0.0v	48.3v	44.4v	641.50v
241	Mr PG Cann	O	72.3v	73.6v	48.7v	47.1v	47.3v	44.1v	46.4v	72.9v	99.6v	0.0v	45.4v	48.5v	641.49v
242	Mr LT Wicker	A	71.6v	71.4v	49.1v	47.6v	49.6v	46.3v	48.2v	72.7v	95.8v	0.0v	49.5v	44.1v	641.49v
243	Mr A Lloyd	O	71.7v	74.6v	44.2v	48.5v	49.4v	41.1v	49.4v	75.5v	99.8v	0.0v	47.5v	44.2v	641.49v
244	Mr S Dowley	X	74.10v	72.5v	48.4v	48.3v	48.4v	44.2v	50.5v	73.3v	101.9v	0.0v	44.3v	39.1v	641.49v
245	Mr J Dixon	O	71.4v	72.8v	45.4v	47.1v	47.5v	48.3v	48.6v	73.4v	102.9v	0.0v	44.0v	44.2v	641.46v
246	Mr TA Walters	A	72.7v	71.8v	49.6v	45.5v	47.4v	43.3v	50.9v	70.8v	103.9v	0.0v	44.3v	46.4v	640.66v
247	Mr M Cooper	X	70.8v	72.6v	46.3v	48.5v	48.5v	48.5v	49.6v	72.10v	101.10v	0.0v	48.2v	38.3v	640.63v
248	Mr JB Hull	A	74.9v	70.5v	49.3v	49.5v	49.5v	47.6v	47.6v	73.8v	103.11v	0.0v	36.0v	43.3v	640.61v
249	Mr AC Morley	X	71.4v	73.12v	50.3v	45.3v	45.5v	46.4v	50.5v	73.9v	99.8v	0.0v	44.2v	44.4v	640.59v
250	Mr B Creane	A	70.7v	73.6v	49.5v	49.6v	49.4v	48.6v	45.4v	73.6v	101.9v	0.0v	38.1v	45.5v	640.59v
251	Mr M Horton-Baker	A	75.8v	72.10v	47.5v	47.4v	49.6v	44.3v	48.4v	72.6v	99.7v	0.0v	46.3v	41.1v	640.57v
252	Mr NJ Burnip	O	73.8v	72.9v	50.3v	47.2v	47.6v	48.2v	49.7v	71.5v	94.7v	0.0v	46.4v	43.3v	640.56v
253	Mr CK Kiptarus	T	72.7v	68.6v	48.3v	48.7v	50.4v	48.4v	45.4v	75.9v	100.7v	0.0v	44.3v	42.2v	640.56v
254	Mr J Allum	X	70.3v	70.5v	48.5v	44.3v	49.6v	47.6v	48.5v	74.8v	101.6v	0.0v	50.7v	39.1v	640.55v
255	Mr AW Lothian	A	72.6v	71.9v	49.4v	43.2v	48.6v	45.1v	46.3v	72.5v	101.8v	0.0v	48.7v	45.2v	640.53v
256	Mr DN Lindsay	A	73.11v	73.4v	46.4v	40.1v	49.4v	48.5v	48.6v	74.8v	104.7v	0.0v	44.2v	41.1v	640.53v
257	Mr DK Kirui	O	74.13v	71.3v	50.4v	41.0v	46.1v	46.2v	47.6v	74.11v	101.8v	0.0v	46.1v	44.3v	640.52v
258	Mr BMA Stevens	A	71.4v	71.6v	49.6v	48.4v	48.4v	46.3v	49.5v	73.6v	103.11v	0.0v	42.2v	40.0v	640.51v
259	Mr CS Lamont	O	71.8v	71.3v	47.0v	49.4v	49.4v	44.2v	46.3v	75.10v	101.10v	0.0v	48.5v	39.0v	640.49v
260	Mr ATB Tompson	A	73.5v	73.6v	47.4v	47.5v	47.5v	49.6v	48.2v	70.6v	99.6v	0.0v	46.2v	41.2v	640.49v
261	Mr TP Clarke	X	75.8v	72.5v	47.5v	45.5v	46.1v	45.3v	49.5v	75.8v	100.7v	0.0v	43.1v	43.0v	640.48v
262	Miss CH Cuming	O	75.11v	73.8v	49.8v	45.3v	49.6v	46.2v	49.5v	71.7v	98.8v	0.0v	36.2v	48.6v	639.66v
263	Miss JE Ouston	A	75.12v	69.4v	50.5v	47.6v	46.2v	42.1v	50.5v	75.10v	98.8v	0.0v	49.6v	38.0v	639.59v
264	Mr TLW Kidner	A	72.4v	72.8v	50.9v	44.4v	48.4v	48.5v	50.9v	70.5v	99.6v	0.0v	48.3v	38.2v	639.59v
265	Mr L Parkins	O	74.11v	71.6v	49.2v	42.1v	48.5v	48.6v	48.4v	68.3v	101.11v	0.0v	44.2v	46.4v	639.55v
266	Mr HWR Gilbert	A	73.7v	73.6v	43.1v	49.5v	49.9v	47.3v	46.2v	71.8v	101.11v	0.0v	46.2v	41.1v	639.55v
267	Mr PS Holmes	A	75.7v	72.7v	47.4v	46.2v	48.6v	45.0v	50.8v	70.5v	101.11v	0.0v	42.3v	43.2v	639.55v
268	Mr AC Griffin	O	73.4v	71.4v	49.7v	49.7v	48.4v	47.5v	46.3v	68.6v	100.8v	0.0v	50.5v	38.1v	639.54v
269	Mr A Eckardt	A	69.3v	71.5v	49.8v	48.6v	47.3v	45.3v	47.4v	75.9v	100.8v	0.0v	48.4v	40.1v	639.54v
270	Mr TM Stevenson	X	72.5v	74.8v	44.2v	46.3v	47.7v	44.2v	47.5v	73.8v	100.7v	0.0v	48.3v	44.2v	639.52v
271	Mr TP Hammond	A	71.8v	71.6v	47.5v	49.4v	49.6v	48.5v	48.4v	70.2v	101.11v	0.0v	45.0v	40.1v	639.52v
272	Mr TJ Jones	O	74.7v	74.8v	47.6v	43.0v	49.4v	48.3v	45.2v	72.8v	103.9v	0.0v	42.2v	42.1v	639.50v

273	Mr AG Harrison	O	72.8v	74.5v	48.3v	47.2v	45.2v	43.1v	49.5v	72.11v	97.7v	0.0v	48.3v	44.1v	639.48v
274	Mr J Bullock	O	74.8v	71.6v	47.4v	48.4v	48.1v	45.3v	47.5v	73.8v	96.4v	0.0v	46.2v	44.3v	639.48v
275	Mr CM Brooks	A	73.7v	69.5v	47.3v	46.3v	47.1v	47.2v	49.4v	71.8v	101.11v	0.0v	44.1v	45.2v	639.47v
276	Mr D Morris	A	71.6v	72.7v	49.6v	41.4v	49.3v	47.5v	46.5v	73.4v	99.11v	0.0v	47.7v	44.3v	638.61v
277	Mr JT Thorp	T	70.4v	73.7v	48.5v	47.6v	48.3v	45.3v	41.3v	74.11v	103.10v	0.0v	48.4v	41.2v	638.58v
278	Mr MF Boucher	A	73.8v	74.8v	47.6v	46.2v	45.4v	48.6v	49.4v	73.9v	99.7v	0.0v	41.1v	43.2v	638.57v
279	Miss BE Fung	A	73.6v	74.6v	49.2v	40.4v	43.6v	46.2v	48.4v	75.7v	102.10v	0.0v	48.5v	40.3v	638.55v
280	Mr R A Webb	O	70.7v	72.8v	45.0v	47.6v	48.4v	49.5v	47.4v	71.7v	101.9v	0.0v	47.3v	41.2v	638.55v
281	Mr ADE Grounds	A	74.9v	72.7v	49.8v	44.3v	45.2v	45.2v	49.6v	73.7v	99.7v	0.0v	45.2v	43.2v	638.55v
282	Mr S Brewer-Marchant	O	71.7v	67.3v	46.4v	48.7v	48.5v	47.3v	46.3v	70.6v	103.8v	0.0v	47.5v	45.2v	638.53v
283	Mr MJ Wood	A	72.4v	72.6v	49.5v	49.6v	50.4v	41.2v	49.2v	70.6v	99.8v	0.0v	44.4v	43.3v	638.50v
284	Wg. Cdr. CR Smith	O	74.9v	74.4v	46.0v	47.6v	46.3v	46.4v	48.4v	72.10v	101.7v	0.0v	41.1v	43.2v	638.50v
285	Mr NJ Atkins	A	72.8v	71.4v	49.4v	46.3v	48.5v	48.3v	47.4v	70.2v	100.8v	0.0v	43.3v	44.2v	638.46v
286	Mr ND Stangroom	O	73.7v	70.6v	47.2v	48.4v	48.2v	46.2v	48.3v	70.3v	101.11v	0.0v	46.4v	41.0v	638.44v
287	Mr JA Haward	X	72.8v	70.6v	49.5v	49.4v	48.4v	48.6v	47.6v	70.6v	98.7v	0.0v	47.4v	39.2v	637.58v
288	Dr MW Wrigley	X	71.8v	74.8v	49.5v	45.1v	49.5v	40.2v	49.5v	72.6v	103.13v	0.0v	39.1v	46.4v	637.58v
289	Miss DS Hume	O	68.4v	74.12v	45.1v	46.4v	49.7v	48.4v	49.5v	71.5v	101.11v	0.0v	43.1v	43.3v	637.57v
290	Mr RF Burden	O	72.7v	72.10v	47.5v	46.3v	48.5v	45.4v	48.4v	72.8v	102.9v	0.0v	43.0v	42.2v	637.57v
291	Mr SYM Ali	O	71.7v	73.10v	47.2v	48.5v	49.5v	46.3v	45.1v	73.8v	99.12v	0.0v	44.2v	42.1v	637.56v
292	Mr AJ Haggerty	X	74.8v	72.7v	46.3v	48.6v	48.4v	45.1v	48.3v	73.8v	101.11v	0.0v	44.1v	38.1v	637.53v
293	Mr MR Clewer	O	72.8v	73.5v	46.4v	46.3v	48.4v	41.1v	46.5v	74.6v	100.9v	0.0v	48.3v	43.4v	637.52v
294	Mr I Brechin	A	72.4v	70.5v	47.7v	47.6v	47.3v	45.2v	48.4v	72.6v	102.11v	0.0v	45.3v	42.1v	637.52v
295	Mrs T Newbold	O	71.5v	70.7v	48.4v	48.2v	47.4v	43.3v	43.3v	73.10v	101.6v	0.0v	48.4v	45.3v	637.51v
296	Mr CA Skellett	A	74.4v	72.6v	49.5v	40.0v	49.3v	42.2v	49.6v	73.8v	101.7v	0.0v	46.2v	42.1v	637.44v
297	Mr TJ Bullock	A	74.10v	71.7v	47.5v	43.3v	50.8v	44.2v	45.4v	73.11v	105.15v	0.0v	43.2v	41.0v	636.67v
298	Miss DJ Armstrong	O	74.9v	70.5v	45.1v	46.5v	45.4v	47.5v	46.3v	74.10v	101.16v	0.0v	46.3v	42.1v	636.62v
299	Mr CN Tremlett	X	72.7v	74.11v	48.6v	47.3v	46.5v	45.4v	48.4v	72.7v	99.6v	0.0v	47.3v	38.4v	636.60v
300	Miss AJ Clarke	A	72.8v	73.9v	47.4v	49.5v	50.7v	45.4v	45.1v	71.6v	99.11v	0.0v	42.3v	43.2v	636.60v
301	Mr S Glen	A	72.9v	71.6v	47.7v	49.7v	47.5v	44.3v	49.5v	72.8v	100.7v	0.0v	45.0v	40.2v	636.59v
302	Mr A Fowler	O	71.3v	75.10v	46.4v	44.4v	50.8v	40.2v	46.4v	72.7v	102.10v	0.0v	45.4v	45.2v	636.58v
303	Mrs LK Mace	A	68.5v	74.5v	48.7v	50.6v	47.5v	44.3v	47.6v	70.4v	102.13v	0.0v	42.1v	44.2v	636.57v
304	Mr GW Robinson	O	70.5v	73.6v	48.3v	46.2v	48.5v	43.1v	50.5v	72.6v	96.8v	0.0v	49.6v	41.1v	636.48v
305	Mr SW Maris	O	72.5v	75.8v	43.2v	46.3v	48.4v	45.2v	48.4v	72.5v	99.7v	0.0v	45.2v	43.4v	636.46v
306	Mr IR Robertson	X	70.4v	73.8v	48.4v	49.6v	48.4v	45.0v	47.2v	69.5v	99.7v	0.0v	46.2v	42.2v	636.44v
307	Mr TL Bedwell	A	72.7v	71.6v	46.3v	48.6v	48.5v	43.4v	50.7v	72.8v	93.12v	0.0v	49.6v	43.1v	635.65v
308	Mr P Holden	X	72.8v	70.7v	48.6v	50.6v	48.5v	46.3v	50.6v	70.8v	101.11v	0.0v	44.1v	36.2v	635.63v
309	Lt P Champagne	O	71.8v	71.10v	46.5v	48.7v	50.7v	47.4v	45.3v	72.6v	100.6v	0.0v	45.4v	40.2v	635.62v
310	Wg. Cdr. CJ Hockley OBE	O	75.10v	68.6v	49.4v	45.2v	48.5v	48.6v	48.4v	74.9v	93.8v	0.0v	46.4v	41.0v	635.58v
311	Mr RBF Fitzsimmons	O	71.4v	73.11v	43.2v	44.3v	49.7v	47.5v	46.4v	72.7v	101.9v	0.0v	47.2v	42.3v	635.57v
312	Mr D Du Toit	T	70.7v	72.5v	48.7v	46.3v	48.2v	47.3v	42.1v	72.6v	101.14v	0.0v	48.5v	41.2v	635.55v
313	Cdt L McPherson	T	72.9v	74.9v	48.3v	42.1v	48.3v	45.3v	48.4v	72.7v	102.7v	0.0v	43.5v	41.3v	635.54v
314	Miss CE Davies	O	69.5v	71.6v	45.3v	48.4v	50.7v	48.6v	46.4v	72.4v	101.9v	0.0v	45.2v	40.3v	635.53v
315	Mr R Bird	A	74.9v	72.9v	44.1v	45.4v	48.3v	42.6v	47.2v	73.9v	100.5v	0.0v	46.3v	44.0v	635.51v
316	LSgt GED Hart	O	74.9v	71.5v	45.3v	46.4v	49.4v	47.5v	40.1v	75.5v	103.9v	0.0v	48.3v	37.2v	635.50v
317	Mr N Lehrter	O	73.8v	72.7v	47.3v	49.4v	46.3v	46.3v	39.2v	72.6v	101.7v	0.0v	49.3v	41.2v	635.48v
318	Mr MJ Creber	A	68.4v	70.7v	49.3v	48.4v	49.6v	46.2v	50.7v	69.4v	95.5v	0.0v	45.2v	46.3v	635.47v
319	Miss KE Pope	A	70.7v	73.5v	44.5v	47.2v	49.6v	43.1v	48.1v	70.5v	103.9v	0.0v	45.4v	43.2v	635.47v
320	Mr AI Brown	O	72.6v	73.6v	46.5v	45.0v	46.4v	43.1v	48.3v	70.5v	98.8v	0.0v	47.4v	47.4v	635.46v
321	Miss L Gorgens	T	75.9v	72.4v	45.3v	45.1v	46.3v	45.2v	47.2v	68.7v	102.9v	0.0v	46.2v	44.3v	635.45v
322	Mr KM Mccamley	O	68.7v	70.5v	47.3v	50.3v	45.1v	48.5v	49.4v	70.3v	101.9v	0.0v	46.3v	41.2v	635.45v
323	Mr PR Thompson	A	72.9v	69.5v	47.3v	47.5v	48.3v	44.1v	50.4v	70.5v	96.3v	0.0v	48.4v	44.2v	635.44v
324	Mrs MM Norman	X	73.10v	72.8v	45.4v	47.3v	50.5v	47.6v	48.1v	71.7v	101.11v	0.0v	44.1v	36.2v	634.58v
325	Mr NRJ Brasier	X	74.10v	73.5v	46.5v	49.4v	47.5v	44.2v	49.5v	73.9v	97.8v	0.0v	45.3v	37.0v	634.56v
326	Mr JP Bailey	X	67.5v	73.7v	45.3v	48.5v	48.3v	43.2v	43.1v	73.10v	103.13v	0.0v	47.2v	44.4v	634.55v
327	Cdt V Tremblay	T	72.7v	73.8v	49.7v	43.0v	50.6v	46.5v	46.5v	73.7v	93.4v	0.0v	48.4v	41.1v	634.54v
328	Cdt A Tucker	T	72.8v	71.6v	49.3v	48.6v	47.2v	47.5v	45.3v	74.9v	92.8v	0.0v	44.3v	45.1v	634.54v
329	SSgt R Kitson	A	68.4v	73.9v	47.5v	47.4v	49.3v	47.5v	48.4v	72.7v	100.11v	0.0v	45.2v	38.0v	634.54v
330	Mr SNS Penrose	X	71.4v	73.10v	48.4v	46.5v	42.3v	47.5v	45.3v	73.7v	99.6v	0.0v	44.1v	46.2v	634.50v
331	Mr JBG Shepherd	O	73.8v	71.4v	46.3v	45.3v	48.4v	40.2v	50.6v	73.7v	98.6v	0.0v	46.2v	44.3v	634.48v
332	Mr CR Hirst	O	72.4v	72.9v	50.8v	50.4v	46.2v	42.0v	48.5v	73.8v	94.6v	0.0v	46.2v	41.0v	634.48v
333	Mr W Steward	O	72.7v	73.5v	45.3v	44.2v	49.5v	46.3v	46.5v	70.5v	98.7v	0.0v	46.1v	45.3v	634.46v
334	Mr TJ Goodger	O	73.6v	70.6v	49.4v	44.1v	49.5v	41.1v	49.3v	73.5v	103.9v	0.0v	41.2v	42.1v	634.43v
335	Mr M Mohideen	X	70.2v	73.9v	48.4v	46.2v	40.3v	47.3v	47.7v	73.11v	103.13v	0.0v	40.0v	46.4v	633.58v
336	Mr M Watkins	O	71.7v	73.8v	46.5v	45.3v	48.4v	48.3v	48.4v	67.6v	102.14v	0.0v	44.2v	41.2v	633.58v
337	Mr M Palmer	T	72.8v	74.6v	45.3v	49.8v	49.4v	47.2v	42.1v	75.11v	102.11v	0.0v	41.2v	37.1v	633.57v
338	Mr TJ Bryan	X	72.8v	72.8v	49.4v	45.3v	45.3v	47.2v	47.5v	69.5v	102.10v	0.0v	43.3v	42.2v	633.53v
339	Mr S Sharma	O	69.6v	74.9v	46.1v	47.5v	45.2v	46.1v	49.7v	72.9v	102.9v	0.0v	36.0v	47.4v	633.53v
340	Mr LS Otundo	T	70.3v	71.5v	48.5v	43.0v	46.4v	46.3v	48.4v	74.7v	104.14v	0.0v	43.3v	40.3v	633.51v
341	Mrs CJ Clifford-Evans	X	72.6v	74.6v	47.4v	47.2v	46.3v	44.1v	49.4v	70.8v	99.8v	0.0v	44.4v	41.3v	633.49v
342	Ms A Felder	O	73.8v	68.5v	48.5v	39.0v	45.3v	47.3v	48.4v	72.5v	102.12v	0.0v	47.2v	44.1v	633.48v
343	Mr JW Wallis	O	70.5v	70.4v	48.5v	45.1v	47.5v	47.5v	45.2v	71.5v	102.7v	0.0v	43.4v	45.4v	633.47v
344	Mr ARN Kinross	O	72.7v	72.7v	47.6v	47.2v	44.2v	48.3v	50.4v	71.6v	95.9v	0.0v	40.2v	46.4v	632.52v

345	Dr C I Johnston	A	71.7v	68.8v	49.5v	47.3v	48.3v	47.5v	47.3v	69.4v	102.10v	0.0v	48.4v	36.0v	632.52v
346	Mr M Hartung	A	72.6v	72.4v	45.3v	47.5v	46.3v	45.3v	42.3v	73.6v	99.8v	0.0v	48.5v	43.0v	632.46v
347	Mr DJ Gass	A	72.4v	73.9v	45.2v	45.4v	49.4v	42.1v	48.2v	75.6v	99.10v	0.0v	43.0v	41.0v	632.42v
348	Cadet JAH Nicholls	T	70.5v	72.5v	48.2v	42.3v	48.2v	47.2v	49.4v	70.5v	102.7v	0.0v	45.2v	39.1v	632.38v
349	Mrs JC Scott Langley	O	70.8v	70.7v	43.2v	48.4v	50.9v	47.5v	45.3v	71.6v	98.9v	0.0v	48.4v	41.1v	631.58v
350	Miss V Bieger	O	72.8v	72.8v	46.4v	45.3v	47.2v	45.3v	44.1v	72.5v	101.15v	0.0v	44.3v	43.3v	631.55v
351	Miss K Fleck	O	74.10v	69.5v	42.1v	47.5v	47.5v	47.2v	49.5v	72.6v	99.11v	0.0v	43.3v	42.2v	631.55v
352	Mr DF Williams	X	71.8v	70.6v	46.5v	45.2v	42.4v	48.4v	49.5v	73.7v	103.9v	0.0v	41.1v	43.2v	631.53v
353	Miss S Cheslyn-Curtis	O	69.3v	73.6v	47.3v	45.5v	48.7v	43.2v	47.4v	72.9v	99.9v	0.0v	46.2v	42.2v	631.52v
354	Mr WC Cowen	O	72.9v	71.4v	49.6v	42.5v	47.3v	40.0v	49.5v	71.7v	100.7v	0.0v	45.2v	45.3v	631.51v
355	Mr P Waldron	O	66.3v	72.7v	46.3v	47.6v	49.6v	47.4v	47.5v	68.6v	100.7v	0.0v	45.2v	44.2v	631.51v
356	Mr PAE Charlton	X	66.5v	74.9v	49.4v	38.0v	47.3v	46.3v	49.8v	72.4v	102.9v	0.0v	48.4v	40.2v	631.51v
357	Eur Ing CA Painting	X	69.6v	72.10v	49.2v	47.4v	46.3v	45.3v	49.5v	69.5v	102.7v	0.0v	44.2v	39.1v	631.48v
358	Mr WB Rood	O	71.7v	71.0v	49.4v	48.4v	49.6v	46.5v	46.6v	70.8v	99.7v	0.0v	43.1v	39.0v	631.48v
359	Mr PD Dudzinski	O	69.4v	70.6v	44.1v	48.1v	49.4v	44.2v	46.6v	75.9v	100.8v	0.0v	45.3v	41.3v	631.47v
360	Mr C Gray	O	70.5v	69.3v	45.3v	45.2v	50.6v	47.1v	49.5v	70.5v	100.10v	0.0v	44.3v	42.2v	631.45v
361	Mr EK Ngetich	T	72.8v	71.5v	45.4v	48.4v	50.7v	45.2v	43.0v	71.5v	98.3v	0.0v	44.3v	44.3v	631.44v
362	Mr HK Lottritz	O	69.6v	69.1v	50.3v	46.5v	49.6v	42.1v	49.3v	73.8v	100.7v	0.0v	47.3v	37.1v	631.44v
363	Mrs GL Rantile	T	71.9v	73.7v	45.1v	44.2v	48.4v	47.3v	48.4v	72.6v	97.4v	0.0v	40.0v	46.2v	631.42v
364	Cdt A Fournier	T	72.3v	68.4v	44.5v	49.4v	47.2v	44.2v	47.2v	73.6v	100.8v	0.0v	48.2v	39.2v	631.40v
365	Mr NP Moxon	X	73.8v	73.12v	47.5v	43.3v	42.3v	47.5v	50.5v	74.10v	99.8v	0.0v	45.3v	37.3v	630.65v
366	Mr S Pearson	A	74.9v	72.6v	46.2v	42.3v	45.3v	47.4v	47.3v	74.11v	98.10v	0.0v	41.2v	44.5v	630.58v
367	Mr JIB Halahan	A	71.9v	74.8v	47.4v	48.5v	47.4v	46.5v	48.3v	66.4v	102.13v	0.0v	42.2v	39.0v	630.57v
368	Mr GAE Larcombe	O	72.9v	74.10v	48.5v	45.6v	44.2v	44.3v	50.6v	70.4v	95.7v	0.0v	42.0v	46.4v	630.56v
369	Dr N P Tucker	O	71.5v	72.6v	45.1v	44.3v	46.3v	48.3v	47.5v	67.5v	99.14v	0.0v	46.4v	45.4v	630.53v
370	Mr RH Gardiner	O	67.6v	72.9v	45.2v	48.5v	48.5v	47.4v	47.3v	70.6v	95.6v	0.0v	47.4v	44.3v	630.53v
371	Mr NJ Branch	O	73.8v	71.8v	43.3v	48.5v	47.0v	40.1v	49.4v	73.7v	102.13v	0.0v	49.3v	35.1v	630.53v
372	Mr JRJ Hinde	X	73.6v	73.9v	44.1v	49.5v	49.6v	44.3v	42.0v	68.5v	101.9v	0.0v	47.2v	40.3v	630.49v
373	Mr WT Tiffin	O	75.10v	73.8v	47.3v	44.0v	47.4v	44.1v	48.4v	72.6v	98.9v	0.0v	36.0v	46.3v	630.48v
374	Mr J Payne	A	73.4v	73.6v	42.3v	47.2v	48.7v	44.3v	47.3v	74.9v	102.8v	0.0v	40.0v	40.0v	630.45v
375	Dr AF Aspin	A	70.5v	70.4v	48.5v	47.3v	46.3v	47.3v	47.1v	70.3v	94.9v	0.0v	45.2v	46.4v	630.42v
376	Mr A Mcconnell	O	71.5v	72.6v	47.4v	45.4v	47.3v	43.3v	48.3v	71.3v	100.6v	0.0v	48.4v	38.0v	630.41v
377	Mr HN Watson	O	69.4v	70.8v	46.5v	49.4v	50.6v	45.6v	43.1v	72.9v	101.9v	0.0v	46.2v	38.2v	629.56v
378	Dr IT Matsumoto	O	71.8v	73.10v	47.5v	44.2v	41.3v	48.6v	46.1v	74.9v	101.8v	0.0v	42.1v	42.1v	629.54v
379	Mr J Foster	X	72.6v	70.6v	48.5v	46.4v	47.6v	46.4v	49.6v	71.5v	94.8v	0.0v	44.2v	42.1v	629.53v
380	Mr BDW Parsons	O	73.9v	67.5v	47.2v	47.4v	46.5v	47.2v	45.2v	72.8v	104.11v	0.0v	42.2v	39.3v	629.53v
381	Mr MR Ebbetts	O	69.9v	74.8v	47.4v	43.0v	44.2v	46.3v	48.5v	71.6v	94.7v	0.0v	45.3v	48.5v	629.52v
382	Mr J Lall	O	73.6v	73.7v	46.3v	48.5v	50.8v	42.4v	44.3v	70.4v	100.10v	0.0v	45.1v	38.1v	629.52v
383	Cdt C Nielsen	T	67.5v	73.8v	47.7v	47.2v	41.2v	49.4v	44.3v	71.4v	103.10v	0.0v	45.3v	42.3v	629.51v
384	Mr R McVeigh	O	71.6v	70.6v	47.4v	47.4v	47.2v	47.3v	48.7v	72.9v	100.9v	0.0v	41.1v	39.0v	629.51v
385	Mr K Stewart	T	64.4v	71.5v	45.2v	48.3v	50.8v	46.1v	47.5v	71.9v	98.7v	0.0v	47.4v	42.2v	629.50v
386	Mr C Maher	A	71.6v	73.7v	46.3v	43.3v	46.4v	40.2v	47.3v	67.5v	101.9v	0.0v	48.3v	47.3v	629.48v
387	Cdt K Morrison	T	72.6v	72.7v	46.6v	47.3v	46.1v	45.2v	46.3v	71.7v	101.11v	0.0v	42.2v	41.0v	629.48v
388	Mr SA Hunting	O	73.6v	74.6v	48.4v	49.7v	48.3v	40.1v	46.3v	73.6v	93.6v	0.0v	46.3v	39.1v	629.46v
389	Mr MK Townsend	O	71.5v	68.6v	48.4v	47.2v	44.4v	44.1v	46.2v	69.5v	101.10v	0.0v	44.2v	47.4v	629.45v
390	Mr J Xiao	T	72.3v	73.6v	47.5v	47.4v	49.7v	45.0v	42.3v	72.4v	101.8v	0.0v	48.3v	33.2v	629.45v
391	Mr ARW Smith	A	73.8v	70.4v	45.2v	49.5v	48.4v	45.2v	43.3v	67.3v	101.11v	0.0v	44.2v	44.0v	629.44v
392	Mr SE Frost	O	68.4v	67.2v	44.3v	46.4v	49.8v	50.4v	47.4v	69.5v	103.7v	0.0v	42.2v	44.1v	629.44v
393	Mr B Rigo	T	74.9v	72.4v	46.3v	43.1v	47.1v	47.4v	48.3v	69.5v	97.7v	0.0v	43.1v	43.3v	629.41v
394	Mr JJ Parsons	O	72.7v	71.4v	47.4v	46.4v	48.4v	42.2v	49.6v	70.6v	99.10v	0.0v	42.4v	42.1v	628.52v
395	Mr RG Evans	O	73.6v	70.9v	39.3v	45.3v	48.5v	49.5v	48.4v	73.6v	98.6v	0.0v	39.2v	46.2v	628.51v
396	Mr RM Culverwell	O	68.3v	70.7v	48.5v	47.6v	43.2v	49.5v	48.2v	68.4v	103.9v	0.0v	41.3v	43.5v	628.51v
397	Mr PS Gray	A	71.3v	71.6v	47.5v	47.2v	41.1v	47.6v	49.7v	70.8v	97.8v	0.0v	45.2v	43.2v	628.50v
398	Wg. Cdr. MJ Gregory	O	72.8v	69.3v	47.2v	46.4v	50.5v	43.2v	46.2v	70.6v	99.9v	0.0v	43.4v	43.3v	628.48v
399	Mr J Golling	X	72.9v	69.5v	46.3v	46.0v	45.2v	47.3v	45.3v	70.6v	96.5v	0.0v	47.2v	45.4v	628.42v
400	Mr J Scambler	O	73.5v	70.5v	43.1v	49.6v	46.4v	46.4v	46.3v	71.3v	99.9v	0.0v	47.2v	38.0v	628.42v
401	Mr PG Kelly	O	71.4v	71.4v	48.5v	44.1v	48.3v	46.1v	48.5v	71.9v	99.6v	0.0v	45.2v	37.1v	628.41v
402	Mr APW Daw	O	74.11v	73.7v	49.6v	44.6v	46.4v	42.0v	43.5v	74.8v	101.9v	0.0v	35.1v	46.1v	627.58v
403	Mr TS McDowell	O	71.6v	69.4v	47.3v	41.3v	47.4v	45.4v	48.7v	68.6v	98.8v	0.0v	47.5v	46.3v	627.53v
404	Mr G Sarin	O	71.7v	73.7v	47.3v	49.6v	48.3v	45.3v	46.2v	68.4v	97.6v	0.0v	44.4v	39.1v	627.46v
405	Mr M Jones	T	71.5v	66.3v	44.1v	48.5v	47.4v	45.3v	50.5v	70.6v	104.12v	0.0v	40.0v	42.2v	627.46v
406	Mr JI Thombora	T	72.7v	70.3v	46.3v	45.3v	48.4v	44.4v	42.3v	73.8v	98.5v	0.0v	46.3v	43.2v	627.45v
407	Mr WHC Alexander	O	73.7v	68.5v	48.4v	47.3v	49.5v	46.4v	47.4v	70.2v	100.6v	0.0v	43.1v	36.1v	627.42v
408	Miss K Milner	O	70.4v	72.8v	47.2v	47.3v	47.2v	42.0v	46.3v	72.6v	99.9v	0.0v	45.3v	40.1v	627.41v
409	Miss Z Northam	A	71.7v	74.5v	44.4v	47.5v	48.5v	44.0v	47.6v	72.8v	94.11v	0.0v	43.3v	42.3v	626.57v
410	Mr CD Heales	A	69.5v	70.8v	49.4v	47.6v	47.3v	42.4v	48.5v	73.7v	95.8v	0.0v	46.4v	40.2v	626.56v
411	Miss SG Gould	O	69.5v	72.8v	42.3v	49.7v	48.5v	47.3v	46.2v	73.9v	100.9v	0.0v	43.2v	37.0v	626.53v
412	Mr S Robinson	O	71.7v	75.10v	45.1v	42.3v	46.3v	42.0v	48.5v	70.7v	100.7v	0.0v	39.2v	48.4v	626.49v
413	Mr EC Dickson	X	67.4v	70.7v	48.5v	44.2v	40.4v	43.3v	49.5v	71.6v	100.8v	0.0v	48.0v	46.2v	626.46v
414	Cpl LD Janney	T	73.5v	72.5v	46.2v	47.3v	47.6v	47.3v	46.2v	74.7v	99.8v	0.0v	32.1v	43.2v	626.44v
415	Cdt J Kim	T	73.4v	71.7v	46.4v	39.1v	48.3v	46.3v	44.2v	71.7v	101.8v	0.0v	40.1v	47.3v	626.43v
416	Cdt HEJ Welch	T	73.7v	70.4v	45.1v	43.2v	40.1v	46.3v	49.6v	74.8v	101.8v	0.0v	45.2v	40.0v	626.42v

417	Dr AI Ashworth	A	73.7v	73.9v	47.4v	48.3v	46.4v	46.2v	48.5v	70.5v	103.12v	0.0v	38.1v	33.2v	625.54v
418	Mr AJ Luckman	X	66.3v	70.7v	47.4v	49.7v	47.3v	44.3v	48.6v	71.7v	101.8v	0.0v	45.1v	37.3v	625.52v
419	Mr G Palmer	A	70.5v	71.5v	49.7v	44.1v	47.3v	46.4v	50.7v	68.9v	97.6v	0.0v	47.2v	36.1v	625.50v
420	Miss RL Laird	O	73.7v	74.7v	45.5v	42.4v	47.4v	46.4v	40.0v	69.4v	100.7v	0.0v	46.6v	43.1v	625.49v
421	Mr TP Shaw	T	68.4v	70.3v	47.4v	47.4v	49.8v	46.6v	45.3v	72.7v	100.8v	0.0v	45.1v	36.0v	625.48v
422	Mr DAF Parkinson	O	70.6v	73.4v	44.5v	48.5v	45.3v	47.5v	43.1v	67.6v	98.7v	0.0v	49.5v	41.0v	625.47v
423	Mr OD de Gruchy	O	75.5v	71.6v	44.1v	49.4v	50.7v	44.5v	41.1v	71.6v	95.6v	0.0v	48.4v	37.1v	625.46v
424	Mr N Hendrikz	T	68.4v	74.7v	45.4v	43.1v	49.4v	45.4v	47.3v	71.7v	99.9v	0.0v	44.1v	40.2v	625.46v
425	Cdt F Carrier	T	71.9v	69.3v	47.3v	46.4v	49.3v	48.6v	47.5v	68.1v	99.8v	0.0v	46.4v	35.0v	625.46v
426	Miss K Lindsay	T	71.7v	70.8v	47.2v	47.3v	48.4v	48.3v	41.2v	45.1v	72.4v	0.0v	47.5v	40.3v	625.45v
427	Mr SD Spinney	X	69.7v	71.8v	46.2v	47.5v	47.2v	43.0v	47.3v	73.6v	97.8v	0.0v	46.3v	39.1v	625.45v
428	Mr GV Feast	A	69.5v	68.5v	45.1v	48.4v	48.4v	44.4v	45.4v	75.10v	99.4v	0.0v	42.2v	42.2v	625.45v
429	Mr JM Baldwin	O	71.5v	71.6v	45.5v	47.3v	49.2v	46.3v	47.4v	69.5v	98.8v	0.0v	38.1v	44.3v	625.45v
430	Mr BV Cambray	O	68.2v	73.4v	49.4v	45.4v	49.5v	42.1v	46.4v	71.8v	99.10v	0.0v	40.1v	43.1v	625.44v
431	Mr PJ Temperley	O	70.4v	73.3v	46.4v	46.2v	44.1v	46.3v	47.4v	72.7v	94.5v	0.0v	43.0v	44.1v	625.34v
432	Mr RA Benest	A	72.8v	74.12v	45.2v	46.5v	48.5v	43.3v	42.2v	73.8v	99.7v	0.0v	46.3v	36.0v	624.55v
433	Mr JEC Branch	O	72.6v	72.9v	45.4v	46.2v	48.5v	46.5v	47.5v	72.6v	96.6v	0.0v	44.3v	36.3v	624.54v
434	Cdt BZ Danziger	O	73.7v	71.7v	48.4v	45.1v	44.1v	46.3v	48.5v	75.9v	94.7v	0.0v	46.4v	34.2v	624.50v
435	Mr J Purdy	O	66.2v	71.4v	49.6v	50.6v	50.8v	37.1v	45.3v	70.6v	98.8v	0.0v	45.3v	43.2v	624.49v
436	Mr AP Smith	O	74.12v	73.7v	47.4v	48.4v	42.0v	43.1v	46.4v	73.4v	100.11v	0.0v	45.2v	33.0v	624.49v
437	Mr DN Webber	O	71.5v	70.7v	42.3v	49.6v	47.5v	48.2v	44.3v	70.6v	97.9v	0.0v	46.2v	40.0v	624.48v
438	Mr JR Rennie	T	73.9v	70.5v	45.3v	43.1v	48.3v	45.4v	48.3v	72.8v	97.7v	0.0v	45.1v	38.2v	624.46v
439	Dr AJ Pilgrim	A	71.7v	72.4v	47.4v	46.4v	47.5v	46.2v	49.3v	72.7v	100.8v	0.0v	39.2v	35.0v	624.46v
440	Miss AL Matthews	O	64.4v	69.5v	46.4v	46.1v	47.5v	46.4v	45.4v	73.4v	100.7v	0.0v	46.4v	42.2v	624.44v
441	Mr JE White	O	64.5v	73.4v	49.4v	46.3v	48.3v	40.1v	49.5v	69.5v	99.7v	0.0v	42.3v	45.2v	624.42v
442	Mr T Jones	O	70.7v	70.4v	48.3v	42.1v	47.3v	47.3v	47.3v	74.8v	98.6v	0.0v	44.2v	37.2v	624.42v
443	Miss P Evans	O	70.5v	69.1v	45.3v	46.2v	49.3v	44.2v	45.2v	70.8v	98.7v	0.0v	45.2v	43.3v	624.38v
444	Mr MR Rawston	O	72.8v	72.6v	46.2v	44.2v	47.3v	47.4v	47.5v	69.6v	97.4v	0.0v	43.3v	39.2v	623.45v
445	Mr RG Faulkner	O	71.4v	73.6v	46.3v	48.4v	45.2v	45.1v	40.2v	72.5v	98.7v	0.0v	46.3v	39.3v	623.40v
446	Miss HPC Bramwell	O	69.6v	71.6v	47.1v	45.3v	47.3v	49.2v	47.3v	72.7v	96.7v	0.0v	38.0v	42.1v	623.39v
447	Mr A Booker	O	74.10v	69.6v	48.5v	41.2v	49.7v	41.1v	47.5v	68.6v	98.8v	0.0v	48.2v	39.2v	622.54v
448	Mr A Partridge	O	71.6v	69.5v	49.8v	43.3v	48.6v	41.0v	48.2v	71.6v	95.10v	0.0v	45.5v	42.1v	622.52v
449	Mr C Waldron	O	69.4v	65.4v	48.4v	48.5v	47.4v	47.4v	48.4v	66.5v	96.5v	0.0v	45.6v	43.2v	622.47v
450	Mr ND Gomez	O	72.8v	71.3v	44.3v	44.1v	50.5v	46.3v	44.4v	73.8v	97.9v	0.0v	44.2v	37.0v	622.46v
451	Cdt J Tarnowski	T	70.5v	72.4v	43.2v	48.6v	45.2v	47.2v	46.3v	65.3v	102.12v	0.0v	42.2v	42.3v	622.44v
452	Mr JPM Stevens	A	74.9v	70.6v	46.4v	47.4v	49.2v	44.1v	47.4v	73.5v	99.8v	0.0v	38.0v	35.0v	622.43v
453	Mr RJ Quy	O	73.7v	68.6v	47.5v	45.4v	46.1v	43.1v	46.0v	70.5v	100.9v	0.0v	46.1v	38.2v	622.41v
454	Cdt SMG Robertson	T	71.6v	72.6v	45.1v	40.1v	46.3v	44.3v	45.4v	72.8v	95.9v	0.0v	46.4v	45.3v	621.48v
455	Mr TG Garfield-Bennett	T	65.3v	70.5v	45.2v	48.4v	47.4v	43.3v	46.4v	73.7v	97.8v	0.0v	42.0v	45.4v	621.44v
456	Brig AJW Sturrock	A	68.4v	69.4v	48.4v	49.4v	48.4v	43.2v	45.3v	69.5v	102.9v	0.0v	43.2v	37.1v	621.42v
457	Lt JW Jenkins	X	68.4v	72.7v	46.2v	43.1v	45.2v	44.1v	49.5v	72.8v	96.9v	0.0v	45.1v	41.1v	621.41v
458	Mr ITG Shaw	X	68.8v	69.5v	46.1v	47.5v	48.3v	46.1v	45.3v	70.6v	98.5v	0.0v	44.3v	40.1v	621.41v
459	Mr AF Donald	O	67.6v	67.3v	43.0v	48.3v	47.4v	49.5v	49.4v	69.5v	101.9v	0.0v	45.2v	36.0v	621.41v
460	Mr DTA Cobb	O	65.4v	69.5v	47.5v	46.3v	48.2v	47.3v	46.4v	73.4v	95.6v	0.0v	46.4v	39.0v	621.40v
461	Mr PR Tyldesley	O	72.8v	72.11v	46.6v	46.3v	46.1v	46.3v	48.5v	65.2v	98.10v	0.0v	38.1v	43.3v	620.53v
462	Mr R Ligge	O	72.6v	71.4v	44.3v	49.4v	41.1v	47.2v	48.6v	70.6v	94.8v	0.0v	41.1v	43.1v	620.42v
463	Mr CPP Brewin	O	72.7v	70.5v	45.3v	45.2v	45.1v	43.3v	46.3v	67.6v	99.6v	0.0v	45.2v	43.1v	620.39v
464	Mr GR Ratcliff	O	71.5v	68.5v	40.1v	47.2v	46.3v	44.1v	46.2v	72.7v	101.10v	0.0v	44.2v	41.1v	620.39v
465	Mr AGH Van Koetsveld	O	71.5v	73.6v	41.2v	46.2v	44.0v	44.3v	48.2v	69.5v	97.7v	0.0v	47.3v	40.2v	620.37v
466	Cdt K Kapustina	T	71.7v	71.5v	44.3v	47.0v	49.5v	42.2v	45.4v	67.4v	102.12v	0.0v	44.4v	37.2v	619.48v
467	Cdt A Hoo	T	71.7v	68.3v	45.3v	45.2v	46.4v	45.2v	46.3v	70.6v	95.9v	0.0v	44.2v	44.3v	619.44v
468	Cdt T Tancred	T	72.4v	72.9v	41.3v	45.3v	49.4v	42.1v	37.0v	70.6v	100.11v	0.0v	50.4v	40.0v	618.45v
469	Mr C Vonchek	T	68.9v	72.6v	47.5v	44.2v	47.4v	45.1v	45.3v	68.5v	99.6v	0.0v	43.1v	40.1v	618.43v
470	Mr CM Nunan	O	70.9v	71.5v	45.4v	46.6v	46.4v	43.0v	42.3v	69.4v	95.4v	0.0v	47.2v	44.1v	618.42v
471	Cdt J Powers	T	70.6v	70.2v	48.3v	44.2v	45.5v	47.4v	47.7v	68.4v	97.6v	0.0v	42.0v	40.1v	618.40v
472	Mr JR Lindsay	O	64.4v	69.2v	49.4v	45.3v	46.3v	46.1v	46.4v	70.8v	101.10v	0.0v	41.0v	41.1v	618.40v
473	Mr GRP Shapland	O	73.7v	67.0v	48.3v	43.2v	44.2v	46.2v	47.1v	70.8v	100.8v	0.0v	39.1v	41.4v	618.38v
474	Miss O Hutt	T	70.4v	69.3v	49.4v	39.1v	48.4v	47.4v	46.2v	73.7v	100.5v	0.0v	41.2v	36.1v	618.37v
475	Cdt D Hayden	T	73.4v	68.4v	47.6v	41.2v	47.3v	42.3v	41.2v	74.9v	103.12v	0.0v	44.0v	37.1v	617.46v
476	Mr RP Rosling	O	69.3v	71.4v	48.4v	48.5v	41.2v	48.2v	42.3v	67.6v	102.6v	0.0v	47.6v	34.0v	617.41v
477	Mr DQM Harvey	O	70.5v	70.4v	42.1v	40.2v	45.3v	46.3v	46.1v	69.8v	100.5v	0.0v	45.2v	44.3v	617.37v
478	Cdt R Tancred	T	67.6v	72.7v	46.1v	46.4v	46.4v	44.3v	47.2v	70.9v	94.6v	0.0v	44.3v	40.2v	616.47v
479	Mr IT Griffiths	O	67.3v	68.2v	47.4v	49.5v	45.3v	47.3v	49.3v	70.7v	101.11v	0.0v	33.1v	40.1v	616.43v
480	Mr F Johnston	T	68.3v	70.7v	40.0v	42.2v	48.6v	45.4v	46.5v	74.4v	94.5v	0.0v	47.4v	42.1v	616.41v
481	Mr DH Allen	O	68.1v	69.6v	43.3v	47.5v	46.3v	47.1v	47.5v	72.3v	96.10v	0.0v	40.1v	41.3v	616.41v
482	Mr MRJ Pybus	T	71.5v	69.4v	45.1v	45.2v	44.1v	43.3v	47.2v	69.4v	96.7v	0.0v	43.2v	44.2v	616.33v
483	Cpl MS House	O	67.4v	72.8v	46.4v	45.2v	47.5v	42.2v	43.3v	72.9v	99.7v	0.0v	42.4v	40.3v	615.51v
484	Mr SJ Dawes	O	70.4v	71.9v	41.1v	42.2v	45.1v	45.3v	48.5v	71.6v	103.13v	0.0v	41.1v	38.1v	615.46v
485	Mr JRD Clegg	O	72.8v	65.2v	47.4v	40.2v	47.5v	45.4v	48.4v	66.3v	94.9v	0.0v	45.1v	46.3v	615.45v
486	Miss A Lawrence	T	70.5v	68.2v	45.3v	45.4v	44.3v	45.4v	47.4v	68.7v	98.5v	0.0v	46.6v	39.0v	615.43v
487	Cdt D Billings	T	74.9v	70.4v	43.2v	44.3v	46.3v	42.1v	45.2v	69.7v	100.7v	0.0v	42.2v	40.1v	615.41v
488	Mr KR Trowbridge	O	67.1v	73.4v	43.3v	44.0v	47.2v	47.3v	46.2v	68.4v	97.8v	0.0v	43.4v	40.2v	615.33v

489	Mr B Soelzer	T	74.7v	71.7v	46.6v	41.4v	47.4v	43.1v	47.4v	69.6v	98.5v	0.0v	45.2v	33.1v	614.47v
490	Mr P Barber	A	64.2v	68.7v	46.4v	43.3v	48.4v	47.4v	49.6v	69.6v	94.7v	0.0v	44.1v	42.2v	614.46v
491	Miss SAM Rorison	T	71.7v	69.5v	46.4v	47.2v	48.4v	42.2v	39.3v	70.6v	98.3v	0.0v	45.4v	39.1v	614.41v
492	Mr T Baillon	T	73.7v	67.2v	48.4v	38.1v	44.3v	47.2v	47.2v	67.6v	98.6v	0.0v	42.2v	43.3v	614.38v
493	Mr O Hudson	X	69.2v	69.3v	46.2v	50.6v	46.3v	39.0v	46.4v	68.7v	99.8v	0.0v	44.2v	38.0v	614.37v
494	Miss AB Burrows	T	70.5v	69.4v	46.1v	49.6v	45.4v	49.3v	43.1v	70.2v	98.6v	0.0v	42.2v	33.3v	614.37v
495	Miss F Beard	T	71.6v	71.5v	45.4v	41.2v	36.0v	46.2v	45.0v	67.5v	100.7v	0.0v	47.3v	45.2v	614.36v
496	Mr RL Sampson	O	68.4v	71.6v	47.2v	47.2v	46.1v	47.2v	47.6v	68.3v	92.5v	0.0v	39.2v	42.0v	614.33v
497	Mr ML Kirkillo-Stacewicz	O	74.6v	68.2v	45.3v	48.3v	43.3v	46.3v	48.4v	67.1v	93.2v	0.0v	46.3v	36.1v	614.31v
498	Dr JDS Langley	X	74.13v	73.7v	49.7v	50.6v	49.4v	46.6v	49.7v	74.8v	103.10v	0.0v	3.1v	43.3v	613.72v
499	Mr PJ Westlake	X	73.9v	74.9v	43.4v	48.3v	45.6v	39.0v	46.3v	70.7v	95.5v	0.0v	39.3v	41.2v	613.51v
500	Mr S Cherry	T	75.12v	64.4v	48.2v	44.4v	49.4v	48.4v	44.2v	58.2v	103.9v	0.0v	44.2v	36.1v	613.46v
501	Mr JS Ritchie	O	71.4v	68.4v	50.4v	44.2v	44.4v	45.4v	46.5v	66.3v	95.7v	0.0v	44.2v	40.3v	613.42v
502	Mr S Edwards	T	67.6v	67.1v	45.4v	49.5v	46.4v	45.4v	47.3v	71.6v	99.6v	0.0v	39.2v	38.1v	613.42v
503	Miss A Woodland	T	71.7v	67.4v	46.2v	44.4v	49.3v	45.3v	48.4v	69.5v	94.4v	0.0v	46.4v	34.1v	613.41v
504	Mr C Chen	T	69.6v	71.6v	48.5v	43.2v	49.5v	45.2v	45.3v	71.4v	95.5v	0.0v	38.1v	39.1v	613.40v
505	Mr RA Fullerton	T	67.4v	70.5v	42.1v	50.7v	46.1v	44.1v	41.1v	70.4v	93.8v	0.0v	46.3v	44.2v	613.37v
506	Miss K Hinkly	T	69.4v	72.5v	46.3v	42.1v	46.2v	45.4v	46.3v	73.7v	99.7v	0.0v	43.1v	32.0v	613.37v
507	Mr T Hembrow	O	63.2v	72.6v	47.5v	47.5v	50.8v	45.3v	42.2v	71.5v	96.7v	0.0v	44.2v	35.0v	612.45v
508	Mr JR Stirling	O	71.5v	69.4v	42.2v	44.4v	46.2v	50.5v	47.2v	67.5v	100.9v	0.0v	40.3v	36.1v	612.42v
509	Mr PCW Rose	O	69.3v	75.12v	45.3v	43.1v	45.2v	42.3v	48.3v	71.4v	98.6v	0.0v	38.2v	38.0v	612.39v
510	Mr CC Mallett Jnr	O	69.5v	69.6v	47.1v	45.2v	46.4v	48.1v	45.6v	69.5v	92.6v	0.0v	40.1v	42.1v	612.38v
511	Mr EM Brice	O	67.0v	67.5v	45.3v	47.5v	47.3v	45.3v	47.3v	69.3v	94.5v	0.0v	42.0v	42.2v	612.32v
512	Mr D Fox	T	74.6v	71.5v	44.2v	43.5v	45.4v	42.3v	46.4v	69.3v	95.10v	0.0v	39.2v	43.3v	611.47v
513	Mr MD Wright	O	71.7v	71.5v	46.4v	40.1v	48.5v	45.3v	44.2v	66.2v	99.9v	0.0v	37.2v	44.4v	611.44v
514	Mr F Barratt	T	73.9v	73.8v	43.5v	47.0v	41.1v	45.1v	43.3v	70.6v	95.7v	0.0v	41.2v	40.2v	611.44v
515	Miss M Luckyn-Malone	T	68.3v	71.6v	43.3v	39.3v	46.2v	47.3v	43.2v	72.8v	94.6v	0.0v	44.3v	44.3v	611.42v
516	Cdt MM Bamford	T	70.4v	68.4v	49.5v	41.1v	48.4v	40.1v	46.4v	73.7v	96.5v	0.0v	42.2v	38.2v	611.39v
517	Dr G Stevenson	O	71.8v	68.4v	42.2v	48.4v	46.2v	42.3v	47.4v	65.5v	99.8v	0.0v	45.3v	37.1v	610.44v
518	Mr DF Nesbitt	O	70.9v	68.4v	44.1v	50.6v	44.2v	45.5v	46.1v	64.2v	95.7v	0.0v	44.3v	40.1v	610.41v
519	Cdt JW Allan	T	71.5v	65.4v	50.3v	42.1v	47.3v	42.5v	47.3v	66.3v	101.9v	0.0v	39.1v	40.2v	610.39v
520	Mr D Neal	O	72.7v	73.10v	45.1v	44.2v	48.3v	42.1v	46.1v	72.6v	96.4v	0.0v	39.1v	33.1v	610.37v
521	Mr ISL Dampney	O	68.2v	68.3v	45.4v	44.3v	46.3v	44.1v	48.1v	67.4v	97.9v	0.0v	38.0v	45.3v	610.33v
522	Cdt S Couillard	T	71.5v	69.5v	48.2v	44.4v	46.5v	31.2v	45.3v	72.9v	97.8v	0.0v	45.3v	41.2v	609.48v
523	Mr JT Kennedy	O	69.6v	69.5v	46.2v	45.4v	47.5v	41.2v	47.1v	71.7v	101.9v	0.0v	38.0v	35.0v	609.41v
524	Mr C Drennan	T	72.8v	68.5v	38.1v	44.0v	47.3v	48.2v	48.5v	69.5v	90.7v	0.0v	43.2v	42.1v	609.39v
525	Mr FPR Northam	O	70.3v	70.5v	44.3v	40.0v	45.3v	45.3v	46.5v	70.7v	95.6v	0.0v	40.2v	44.2v	609.39v
526	Mr GFH Nichols	T	67.4v	68.5v	47.4v	49.5v	46.5v	41.1v	41.1v	70.3v	96.4v	0.0v	47.2v	37.2v	609.36v
527	Mr U Soelzer	O	70.5v	68.6v	45.2v	45.1v	47.2v	45.1v	40.2v	71.4v	99.6v	0.0v	45.4v	34.1v	609.34v
528	Mr B Lottritz	O	70.5v	72.8v	42.1v	46.1v	45.2v	41.0v	45.1v	66.4v	95.4v	0.0v	41.2v	46.4v	609.32v
529	Mr NC Granger	O	69.4v	65.3v	47.5v	45.5v	46.2v	43.2v	45.2v	73.7v	101.10v	0.0v	30.1v	44.3v	608.44v
530	Dr EL Sweet	O	71.10v	71.4v	45.3v	42.1v	48.5v	44.2v	35.1v	71.6v	99.8v	0.0v	38.0v	44.3v	608.43v
531	Mr V Robertshaw	O	68.3v	68.7v	44.2v	45.2v	47.6v	45.4v	44.4v	67.4v	98.7v	0.0v	44.1v	38.1v	608.41v
532	Air Cdre JA Ford	X	70.6v	72.5v	45.3v	44.0v	47.2v	48.6v	48.5v	70.7v	96.5v	0.0v	39.2v	29.0v	608.41v
533	Mr P Cameron Taylor	O	68.5v	68.7v	46.2v	42.1v	48.2v	45.4v	48.5v	68.5v	100.5v	0.0v	42.1v	33.2v	608.39v
534	Mr M Budden	T	69.5v	70.4v	42.2v	48.3v	47.2v	45.4v	43.2v	69.3v	101.11v	0.0v	41.2v	33.1v	608.39v
535	Mr D Crook	O	68.3v	65.2v	45.2v	39.2v	48.3v	43.1v	45.3v	68.5v	101.8v	0.0v	45.2v	41.2v	608.33v
536	Mr ID Markwell	O	74.4v	63.2v	48.4v	45.4v	50.4v	44.1v	42.1v	67.5v	96.4v	0.0v	44.2v	35.0v	608.31v
537	Mr RJ Clegg	T	68.4v	68.3v	44.1v	45.4v	47.2v	43.2v	38.1v	69.3v	99.6v	0.0v	45.2v	42.1v	608.29v
538	Mr RA Mullin	O	70.7v	65.4v	47.5v	47.2v	48.5v	43.4v	48.4v	70.5v	96.5v	0.0v	37.1v	36.2v	607.44v
539	Mr J Smith	X	70.6v	69.4v	47.5v	49.5v	46.4v	45.0v	47.6v	65.4v	94.5v	0.0v	38.1v	37.0v	607.40v
540	Mr W Mulholland	T	71.6v	66.3v	46.3v	39.1v	50.4v	45.4v	45.0v	68.7v	98.7v	0.0v	38.2v	41.1v	607.38v
541	Mr A Methven	T	67.2v	67.6v	47.5v	40.1v	48.4v	49.1v	48.1v	72.9v	91.6v	0.0v	39.2v	39.0v	607.37v
542	Miss H Butler	A	71.7v	65.4v	44.2v	46.2v	49.4v	46.2v	44.1v	68.2v	95.5v	0.0v	43.2v	36.2v	607.33v
543	Mr CS Courtness	T	69.4v	69.4v	44.3v	46.4v	44.1v	49.3v	40.2v	68.2v	97.6v	0.0v	42.2v	39.1v	607.32v
544	Mr T Chapman	O	69.3v	70.4v	42.1v	44.2v	46.2v	49.5v	46.2v	70.5v	96.7v	0.0v	35.0v	40.1v	607.32v
545	Mr LRM Irungu	T	70.4v	66.3v	46.3v	47.1v	48.4v	45.2v	43.2v	66.3v	97.3v	0.0v	42.2v	37.1v	607.28v
546	Mr P Du Toit	T	68.3v	68.6v	42.2v	49.5v	42.2v	43.2v	47.2v	68.3v	96.9v	0.0v	41.3v	42.2v	606.39v
547	Miss E Dixon	O	65.3v	67.3v	45.2v	44.4v	43.3v	44.1v	46.5v	66.3v	98.7v	0.0v	44.2v	44.3v	606.36v
548	Mr H Marden	T	68.6v	66.3v	44.2v	46.3v	46.5v	46.1v	46.1v	63.2v	96.7v	0.0v	46.4v	39.1v	606.35v
549	Miss M Message	T	71.2v	70.4v	41.2v	42.2v	43.1v	45.1v	44.4v	71.8v	94.4v	0.0v	44.3v	41.3v	606.34v
550	Mr NW Penn	O	68.1v	67.5v	45.3v	45.3v	47.3v	43.1v	47.6v	66.3v	94.5v	0.0v	41.1v	43.2v	606.33v
551	Miss SJ Dick	O	67.3v	73.6v	43.0v	46.3v	47.4v	42.2v	35.0v	70.5v	98.5v	0.0v	47.2v	38.0v	606.30v
552	Mr PJ Chapman-Sheath	X	74.6v	73.10v	0.0v	47.2v	50.8v	49.4v	47.4v	73.8v	100.12v	0.0v	46.2v	46.2v	605.58v
553	Mr A Jenvey	T	71.10v	68.6v	46.3v	46.6v	47.5v	46.3v	47.4v	66.5v	88.3v	0.0v	37.1v	43.4v	605.50v
554	Mr R Lindsay	A	73.9v	68.2v	46.1v	45.4v	50.8v	44.2v	38.0v	72.5v	97.6v	0.0v	40.0v	32.2v	605.39v
555	Mr DA Smith	O	68.5v	69.7v	46.2v	48.4v	44.1v	42.1v	40.4v	67.4v	98.5v	0.0v	45.3v	38.1v	605.37v
556	Mr GR Thomas	O	71.3v	63.1v	48.4v	41.0v	46.4v	44.2v	48.4v	69.4v	96.6v	0.0v	45.1v	34.0v	605.29v
557	Mr JPS Bloomfield	X	74.7v	73.6v	47.5v	50.6v	49.4v	47.2v	48.5v	73.7v	101.9v	0.0v	0.0v	42.3v	604.54v
558	Mr LR Coventry	T	73.5v	71.6v	48.4v	44.4v	47.3v	36.1v	45.3v	67.1v	96.6v	0.0v	43.1v	34.1v	604.35v
559	Miss M Foort	T	68.3v	68.4v	45.1v	41.1v	45.2v	45.2v	44.3v	70.6v	94.6v	0.0v	42.0v	42.1v	604.29v
560	Mr C Herter	O	70.6v	69.7v	43.2v	41.3v	40.0v	42.1v	47.2v	69.3v	96.6v	0.0v	40.1v	46.5v	603.36v

561	Mr P Dawes	O	72.3v	65.3v	47.3v	43.2v	40.2v	42.0v	48.5v	72.8v	96.7v	0.0v	36.0v	42.3v	603.36v
562	Mr L Reid	O	73.6v	71.4v	49.5v	45.3v	37.1v	46.3v	46.5v	63.1v	96.5v	0.0v	43.3v	34.0v	603.36v
563	Mr LM Mutegi	T	70.5v	69.8v	44.2v	46.0v	44.2v	41.2v	45.3v	63.1v	99.7v	0.0v	46.3v	36.1v	603.34v
564	Ms S Cleeve	T	66.3v	72.6v	45.1v	45.2v	42.2v	43.1v	45.3v	69.7v	96.6v	0.0v	39.1v	41.1v	603.33v
565	Mr S Sutton	T	66.4v	68.5v	42.3v	48.7v	46.4v	44.1v	45.3v	65.2v	94.6v	0.0v	41.0v	43.4v	602.39v
566	Mr SM Ndambuki	T	66.3v	68.6v	46.3v	47.4v	46.1v	44.4v	43.4v	64.4v	100.10v	0.0v	34.2v	43.1v	601.42v
567	Miss A Forsyth	T	72.4v	69.2v	41.6v	42.0v	44.1v	45.1v	43.2v	69.6v	99.9v	0.0v	42.3v	35.0v	601.34v
568	Cdt LA Duffett	T	70.5v	70.3v	44.2v	46.4v	44.1v	48.5v	36.1v	70.4v	99.6v	0.0v	37.1v	36.3v	600.35v
569	Mr GR Bowman	X	66.4v	67.2v	44.3v	40.2v	47.3v	39.1v	48.4v	65.4v	97.8v	0.0v	46.3v	41.0v	600.34v
570	Mr E Robinson	T	69.2v	71.4v	47.1v	40.1v	41.1v	44.3v	45.0v	66.5v	102.11v	0.0v	41.1v	34.0v	600.29v
571	Mr EPB Garnier	T	68.3v	71.4v	41.3v	46.1v	43.2v	45.2v	43.1v	69.4v	90.5v	0.0v	41.2v	42.2v	599.29v
572	Mr G Meijer	O	71.7v	73.9v	40.1v	39.3v	49.4v	35.1v	44.1v	72.7v	92.3v	0.0v	46.2v	37.0v	598.38v
573	Mr SA Ching	T	69.4v	67.4v	42.3v	47.3v	46.3v	45.0v	38.1v	70.5v	97.9v	0.0v	47.2v	30.1v	598.35v
574	Mr DJ Stewart	O	67.3v	65.1v	43.1v	47.4v	47.2v	44.4v	46.5v	62.4v	96.6v	0.0v	42.0v	39.1v	598.31v
575	Mr JRJ Kennedy	O	65.5v	68.4v	41.0v	40.2v	45.2v	47.1v	46.1v	69.3v	97.7v	0.0v	47.4v	33.0v	598.29v
576	Mr PK Kapkundos	T	73.7v	69.6v	43.2v	48.3v	47.3v	42.1v	38.2v	68.5v	96.5v	0.0v	42.1v	31.1v	597.36v
577	Mr H Percival	O	73.3v	69.7v	45.3v	40.1v	47.3v	35.0v	40.1v	68.3v	98.9v	0.0v	39.2v	43.3v	597.35v
578	Mr CSJ Marlow	O	70.5v	66.2v	47.3v	45.3v	46.4v	45.1v	44.2v	69.4v	87.7v	0.0v	39.2v	39.1v	597.34v
579	Colonel N Stebbings	O	66.5v	71.2v	44.3v	46.5v	40.0v	44.1v	46.5v	67.5v	90.3v	0.0v	41.1v	42.1v	597.31v
580	Mr M Halstead	T	66.4v	69.6v	45.2v	40.1v	43.2v	45.3v	40.1v	71.4v	96.4v	0.0v	42.2v	40.2v	597.31v
581	Miss AJ Carnell	O	71.5v	71.7v	44.1v	48.4v	49.4v	6.0v	48.4v	72.7v	101.9v	0.0v	44.3v	42.3v	596.47v
582	Mr E Stuart-Bamford	O	67.2v	71.7v	37.1v	46.3v	46.4v	44.3v	46.4v	69.5v	97.7v	0.0v	39.3v	34.1v	596.40v
583	Mr OP Henry	A	68.4v	71.4v	42.2v	35.2v	47.3v	47.3v	47.4v	64.5v	94.4v	0.0v	43.1v	38.1v	596.33v
584	Mr D Thomas Du Toit	T	65.2v	71.6v	44.3v	40.2v	46.4v	42.1v	42.4v	68.3v	93.4v	0.0v	44.1v	41.2v	596.32v
585	Cdt WP Cubitt	T	70.4v	68.3v	43.3v	47.5v	43.2v	39.2v	35.0v	69.6v	99.5v	0.0v	43.1v	39.2v	595.33v
586	Mr MG Grimdsell	O	71.6v	71.8v	36.0v	45.2v	42.1v	42.2v	45.4v	66.5v	97.7v	0.0v	48.2v	31.2v	594.39v
587	Mr H Waldern	T	65.2v	66.2v	50.4v	41.3v	46.3v	45.1v	39.3v	64.3v	96.6v	0.0v	45.1v	37.1v	594.29v
588	Mr T Galliers	O	72.7v	68.1v	45.0v	43.1v	43.2v	42.1v	44.1v	62.2v	93.6v	0.0v	40.2v	42.2v	594.25v
589	Dr BJ Winney	O	72.7v	65.6v	48.3v	49.3v	48.4v	42.4v	50.5v	72.7v	65.6v	0.0v	42.1v	40.2v	593.48v
590	Mr HD Werner	O	71.5v	66.3v	47.4v	48.4v	37.1v	47.2v	40.1v	72.4v	97.8v	0.0v	43.2v	25.1v	593.35v
591	Mr I Reeves	T	64.3v	53.1v	46.3v	44.4v	49.4v	45.1v	49.4v	66.4v	95.4v	0.0v	38.2v	44.4v	593.34v
592	Dr KW Genders	O	66.4v	69.4v	37.0v	45.3v	45.3v	45.2v	45.3v	68.3v	93.8v	0.0v	39.2v	41.2v	593.34v
593	Mr TW Harrison	O	67.3v	68.3v	44.4v	39.3v	47.5v	46.2v	46.3v	67.2v	94.6v	0.0v	38.0v	37.2v	593.33v
594	Mr TM Mulholland	T	69.2v	66.3v	42.1v	41.2v	45.3v	43.3v	44.1v	66.1v	103.10v	0.0v	39.0v	35.0v	593.26v
595	Cdt AJ Todd	T	75.10v	67.2v	42.3v	48.6v	46.4v	39.1v	33.1v	60.3v	102.9v	0.0v	45.4v	35.1v	592.44v
596	Miss K Johnson	T	63.0v	70.5v	36.1v	46.2v	45.5v	45.1v	43.1v	67.6v	98.9v	0.0v	44.1v	35.2v	592.33v
597	Mr G Bramwell	T	66.3v	66.2v	42.1v	44.1v	44.4v	44.3v	46.3v	67.4v	93.6v	0.0v	38.2v	42.1v	592.30v
598	Miss T Myagkova	O	67.2v	64.3v	44.1v	38.2v	47.2v	44.0v	48.3v	70.4v	95.7v	0.0v	44.4v	31.1v	592.29v
599	Mr DM Booyesen	T	64.2v	62.2v	44.2v	47.3v	46.3v	45.2v	43.2v	66.3v	92.5v	0.0v	47.3v	36.0v	592.27v
600	Mr T Webster	O	68.4v	67.4v	40.0v	48.5v	44.1v	41.3v	45.3v	69.5v	90.5v	0.0v	39.1v	40.2v	591.33v
601	Mr G Yates	T	68.3v	74.7v	46.3v	40.3v	41.1v	40.4v	43.2v	71.5v	89.3v	0.0v	39.1v	40.0v	591.32v
602	Cdt K Macdonald	T	69.4v	63.1v	43.2v	43.1v	45.1v	44.2v	44.3v	74.4v	93.5v	0.0v	35.3v	38.0v	591.26v
603	LCpl J Murphy	T	64.2v	66.1v	46.2v	39.1v	49.5v	42.2v	47.4v	70.8v	96.7v	0.0v	45.3v	26.0v	590.35v
604	Mr RA Dix	A	74.8v	69.6v	0.0v	46.3v	49.4v	46.3v	48.5v	74.13v	102.12v	0.0v	44.4v	37.1v	589.59v
605	Mr GL Clarke	O	70.3v	73.9v	48.4v	46.2v	45.3v	46.4v	46.4v	73.10v	63.5v	0.0v	40.2v	39.0v	589.46v
606	Cdt HMC Ardern	T	68.4v	64.5v	44.2v	41.0v	43.1v	42.2v	34.0v	70.8v	98.8v	0.0v	45.4v	40.2v	589.36v
607	Mr TJ Barclay	T	68.3v	64.3v	42.0v	41.1v	45.2v	43.2v	46.3v	69.2v	95.4v	0.0v	37.1v	39.1v	589.22v
608	Mr ML Cotillard	O	72.7v	74.10v	46.4v	47.4v	47.5v	0.0v	44.3v	75.8v	94.7v	0.0v	46.1v	43.1v	588.50v
609	Mr LS Smith	T	67.6v	69.2v	46.4v	48.4v	44.3v	38.0v	46.2v	63.1v	91.4v	0.0v	40.0v	36.3v	588.29v
610	Mr T Nightingale	T	65.1v	65.2v	45.2v	45.0v	35.1v	43.2v	47.3v	60.1v	95.8v	0.0v	46.4v	42.0v	588.24v
611	Sqn Ldr CM Fopp	O	72.3v	70.5v	44.3v	47.5v	48.5v	47.5v	41.4v	72.7v	64.4v	0.0v	44.4v	38.1v	587.46v
612	Mr APW Moulton	T	70.5v	65.3v	44.3v	36.0v	47.4v	44.3v	45.5v	69.4v	93.2v	0.0v	40.2v	34.0v	587.31v
613	Mr J Beddoe	T	68.4v	70.1v	45.3v	35.1v	42.3v	43.1v	44.2v	63.4v	96.6v	0.0v	37.1v	44.1v	587.27v
614	Mr T Pantke	T	62.3v	67.3v	43.1v	47.3v	46.4v	44.1v	42.2v	65.2v	92.5v	0.0v	37.0v	42.1v	587.25v
615	Mr JP Short	T	68.2v	73.8v	47.4v	45.1v	47.3v	47.5v	45.3v	68.4v	65.5v	0.0v	43.2v	38.0v	586.37v
616	Cdt J Birch	T	70.6v	71.5v	44.2v	43.3v	45.1v	42.4v	46.2v	66.4v	91.5v	0.0v	37.1v	31.0v	586.33v
617	Cdt MG Woodcock	T	74.6v	68.1v	31.1v	38.2v	45.2v	45.4v	47.3v	68.5v	97.10v	0.0v	42.1v	30.1v	585.36v
618	Mr B Hebblethwaite	T	68.4v	67.2v	44.1v	46.3v	42.2v	42.1v	43.3v	61.2v	91.7v	0.0v	43.4v	37.2v	584.31v
619	Cdt A Giasson-Pitre	T	62.1v	66.6v	45.3v	44.2v	46.3v	40.0v	46.4v	63.1v	97.7v	0.0v	43.0v	32.2v	584.29v
620	Mr R Brewer - Marchant	T	65.4v	70.7v	42.2v	46.4v	43.1v	41.0v	36.1v	66.2v	95.3v	0.0v	42.2v	38.0v	584.26v
621	Mr PD Pelly	O	66.2v	68.3v	40.3v	44.3v	45.3v	43.2v	45.3v	66.5v	90.7v	0.0v	42.1v	34.1v	583.33v
622	Cdt C Putney	T	65.3v	70.4v	37.2v	40.1v	49.4v	47.3v	46.3v	66.4v	90.5v	0.0v	36.3v	36.0v	582.32v
623	Miss G Shearer	T	64.2v	63.3v	48.1v	48.4v	44.0v	43.2v	46.1v	61.4v	91.3v	0.0v	43.3v	31.0v	582.23v
624	Cpl WR Playle	T	69.4v	72.6v	48.3v	8.0v	45.3v	45.2v	43.4v	71.6v	100.9v	0.0v	40.2v	40.4v	581.43v
625	Mr S Pigeon	T	68.5v	68.4v	43.2v	43.1v	41.1v	37.0v	41.1v	71.4v	96.8v	0.0v	45.1v	28.0v	581.27v
626	Mr SJ Bates	O	68.3v	66.3v	44.4v	44.2v	47.2v	41.0v	40.2v	65.4v	86.2v	0.0v	43.1v	37.3v	581.26v
627	Mr WA Odhiambo	T	67.6v	72.7v	44.4v	48.4v	49.6v	46.2v	44.3v	67.4v	97.8v	0.0v	46.2v	0.0v	580.46v
628	Mr MW Silver	X	71.3v	72.9v	46.7v	48.2v	44.3v	41.1v	48.4v	70.4v	100.11v	0.0v	0.0v	40.2v	580.46v
629	Miss C Chan	T	67.5v	62.0v	44.3v	43.2v	45.5v	42.2v	43.3v	72.5v	98.4v	0.0v	32.2v	32.1v	580.32v
630	Cdt WO1 AJ Richardson	T	67.3v	61.1v	42.1v	46.4v	41.0v	43.2v	47.2v	62.3v	91.6v	0.0v	36.1v	44.2v	580.25v
631	Ms LA Johnson	O	72.7v	67.8v	45.3v	48.4v	47.3v	41.2v	49.3v	69.4v	104.10v	0.0v	0.0v	37.0v	579.44v
632	Prince AKLP zu Sayn-Wittgenstein-Sayn	T	69.6v	68.4v	40.1v	47.5v	42.2v	44.1v	42.0v	61.2v	92.7v	0.0v	43.3v	31.0v	579.31v

633	Mr JM de Bruyn	O	70.7v	66.3v	43.2v	47.3v	42.1v	42.2v	43.2v	64.2v	88.6v	0.0v	37.0v	37.1v	579.29v
634	Mr T Elvin	O	67.4v	70.6v	44.4v	46.2v	47.5v	43.2v	48.4v	75.7v	94.6v	0.0v	0.0v	44.2v	578.42v
635	Mr H Bull	T	57.3v	69.6v	42.3v	45.2v	48.3v	40.2v	41.2v	72.8v	97.7v	0.0v	34.0v	33.1v	578.37v
636	Cpl AP Clark	T	69.4v	70.6v	42.1v	21.0v	45.2v	44.0v	46.2v	66.2v	98.8v	0.0v	39.2v	38.0v	578.27v
637	Ms BM Moore	O	72.6v	72.6v	47.3v	45.5v	45.1v	0.0v	48.4v	70.8v	97.7v	0.0v	37.2v	42.1v	575.43v
638	Mr PJ Johnson	A	71.5v	68.4v	44.1v	46.1v	46.6v	45.3v	48.3v	68.5v	101.13v	0.0v	0.0v	37.1v	574.42v
639	Mr WJ Slatford	T	69.4v	69.5v	47.3v	43.3v	37.1v	36.2v	43.2v	66.2v	90.8v	0.0v	37.1v	37.1v	574.32v
640	Miss K Hines	T	63.3v	68.3v	45.2v	35.0v	43.2v	47.5v	33.0v	69.6v	93.7v	0.0v	36.2v	42.1v	574.31v
641	Mr JNF Campbell	O	68.7v	71.8v	46.2v	49.5v	43.1v	40.1v	50.8v	68.3v	94.11v	0.0v	0.0v	43.0v	572.46v
642	Miss K Butler	T	69.7v	61.1v	37.1v	33.1v	48.6v	46.1v	44.3v	68.6v	86.7v	0.0v	41.2v	39.1v	572.36v
643	Mr R Johnson	T	71.6v	69.3v	45.4v	42.1v	45.2v	43.3v	44.2v	71.5v	58.2v	0.0v	44.5v	40.2v	572.35v
644	Mr A Niblett	T	68.4v	71.5v	37.0v	48.3v	47.6v	43.0v	43.2v	69.4v	98.9v	0.0v	44.2v	4.0v	572.35v
645	Mr M Raps	T	69.4v	58.4v	46.1v	48.5v	46.2v	42.1v	23.1v	71.4v	86.4v	0.0v	47.3v	36.2v	572.31v
646	Mr PB Bromley	X	68.4v	72.7v	50.6v	48.3v	49.3v	48.2v	48.5v	0.0v	99.7v	0.0v	45.0v	44.2v	571.39v
647	Mr A Ford	T	69.4v	66.7v	31.1v	44.2v	47.5v	39.1v	40.1v	63.1v	95.6v	0.0v	44.2v	32.0v	570.30v
648	Mr T Horsfield	O	62.2v	68.6v	44.0v	44.0v	42.3v	38.0v	47.3v	65.2v	90.6v	0.0v	36.0v	34.2v	570.24v
649	Mr J Kellinger	T	69.4v	61.1v	41.1v	43.2v	44.0v	49.7v	23.2v	69.3v	89.5v	0.0v	43.3v	38.2v	569.30v
650	Mr R Kinch	T	64.3v	64.3v	45.3v	30.0v	47.3v	38.2v	43.3v	71.6v	93.5v	0.0v	44.1v	30.0v	569.29v
651	LCpl R McGowan	T	66.5v	66.4v	33.1v	43.0v	41.1v	47.2v	45.3v	57.3v	97.4v	0.0v	39.1v	35.0v	569.24v
652	Mr AJ Woodsford	T	70.5v	65.0v	44.1v	44.0v	41.0v	43.1v	26.1v	60.2v	92.6v	0.0v	45.4v	38.1v	568.21v
653	Mr H Bradshaw	T	63.3v	68.6v	40.1v	43.3v	43.2v	42.2v	41.1v	63.2v	97.8v	0.0v	45.3v	22.0v	567.31v
654	Mr SL Cleveland	A	71.6v	74.7v	49.2v	46.2v	49.6v	47.2v	46.3v	0.0v	96.9v	0.0v	47.4v	40.1v	565.42v
655	Cdt LE Lyons	T	66.3v	70.8v	45.2v	44.4v	41.2v	44.3v	45.3v	68.4v	93.4v	0.0v	38.1v	10.0v	564.34v
656	Mr M Garrood	T	61.1v	72.7v	43.2v	42.2v	39.2v	38.1v	47.3v	63.5v	89.2v	0.0v	26.0v	43.0v	563.25v
657	Mr WP Hanley	O	71.7v	72.7v	46.4v	46.4v	47.4v	45.4v	49.7v	0.0v	98.9v	0.0v	46.3v	40.1v	560.50v
658	Mr NR Wells	O	70.6v	67.5v	42.1v	37.1v	49.2v	43.2v	47.2v	71.4v	98.7v	0.0v	0.0v	33.1v	557.31v
659	Mr T Clifford	T	65.2v	61.2v	40.1v	41.2v	43.1v	37.2v	44.2v	64.3v	82.3v	0.0v	43.0v	37.1v	557.19v
660	Mr H Mayne	T	66.1v	59.2v	44.5v	41.2v	38.0v	38.0v	43.3v	64.4v	90.3v	0.0v	37.1v	36.1v	556.22v
661	Dr JC Jobling	O	72.7v	69.3v	42.3v	46.2v	42.3v	44.1v	42.2v	64.2v	98.8v	0.0v	0.0v	36.1v	555.32v
662	Mr CB Stone	O	65.6v	65.2v	45.2v	45.2v	42.1v	34.1v	41.2v	59.3v	83.1v	0.0v	42.1v	33.2v	554.23v
663	Mr CAD Flanagan	O	66.7v	66.4v	47.4v	45.3v	47.3v	44.2v	50.6v	72.8v	96.6v	0.0v	0.0v	20.0v	553.43v
664	Miss A Morriss	T	66.2v	64.4v	40.0v	45.0v	42.4v	24.1v	38.0v	60.2v	92.5v	0.0v	42.3v	40.2v	553.23v
665	Mr PJ Holden	O	69.3v	67.2v	47.1v	41.0v	46.1v	38.1v	49.2v	63.1v	53.2v	0.0v	45.5v	35.1v	553.19v
666	Mr R Morin	T	63.2v	61.1v	44.3v	38.0v	41.1v	35.1v	46.2v	66.3v	90.5v	0.0v	38.0v	30.1v	552.19v
667	Mr IF Luckman	O	63.2v	65.4v	34.2v	43.1v	44.4v	43.3v	43.1v	70.2v	87.1v	0.0v	35.2v	24.1v	551.23v
668	Mr JA Hopkins	O	68.4v	65.2v	42.1v	43.0v	37.0v	41.1v	30.0v	61.2v	90.1v	0.0v	43.2v	30.1v	550.14v
669	Dr MJ Schwarz	O	69.2v	72.8v	48.5v	41.2v	49.5v	44.2v	44.3v	72.5v	66.4v	0.0v	0.0v	43.0v	548.36v
670	Mr DS Hendrikz	T	62.2v	64.0v	37.0v	39.0v	41.2v	42.0v	43.1v	59.2v	86.2v	0.0v	40.1v	33.1v	546.11v
671	Miss AL Gibbs	T	55.1v	65.1v	38.0v	41.1v	43.1v	45.1v	43.1v	66.2v	94.3v	0.0v	23.0v	30.0v	543.11v
672	Cdt Cpl M Rollisson	T	64.2v	61.0v	45.3v	43.3v	44.1v	45.3v	46.1v	56.1v	61.4v	0.0v	40.2v	37.1v	542.21v
673	Miss EG Graham	T	54.1v	65.1v	43.2v	41.1v	39.1v	37.0v	43.0v	59.1v	88.5v	0.0v	39.2v	33.1v	541.15v
674	Miss E Smith	T	70.3v	68.3v	42.2v	39.1v	40.2v	0.0v	40.1v	70.6v	95.2v	0.0v	41.3v	34.1v	539.24v
675	Mr A Bramwell	T	68.3v	68.4v	45.3v	36.2v	41.1v	37.1v	43.2v	61.4v	82.4v	0.0v	19.2v	36.2v	536.28v
676	Mr G Twinn	T	63.4v	66.3v	40.0v	38.4v	44.4v	35.3v	40.1v	57.1v	79.1v	0.0v	39.1v	32.0v	533.22v
677	Mr HM Dodds	T	63.1v	64.1v	36.1v	32.0v	45.3v	36.2v	37.1v	64.2v	87.4v	0.0v	37.1v	30.0v	531.16v
678	Mr D Clark	O	69.8v	72.8v	48.4v	48.2v	48.2v	45.5v	48.4v	73.8v	34.1v	0.0v	0.0v	45.2v	530.44v
679	Cadet P Paudyal	T	50.0v	53.1v	41.2v	27.0v	43.1v	46.2v	43.3v	61.1v	93.2v	0.0v	43.2v	27.0v	527.14v
680	Mr HGM Mooiman	O	69.5v	66.2v	49.4v	42.1v	46.3v	42.0v	43.2v	72.7v	97.6v	0.0v	0.0v	0.0v	526.30v
681	Mr A Strudwick	T	69.6v	68.3v	0.0v	38.1v	47.5v	0.0v	45.3v	68.4v	99.9v	0.0v	44.0v	47.3v	525.34v
682	Mr JMS Samson	O	0.0v	66.4v	44.0v	47.3v	46.3v	45.3v	39.2v	60.0v	97.7v	0.0v	40.1v	41.2v	525.25v
683	Mr J Barlow	O	72.7v	71.5v	44.2v	42.2v	46.3v	45.2v	44.5v	12.0v	100.11v	0.0v	46.3v	0.0v	522.40v
684	Mr T Craig-Fleming	T	72.9v	68.2v	46.2v	0.0v	46.2v	42.3v	29.0v	68.4v	87.2v	0.0v	22.0v	41.0v	521.24v
685	Mrs RM Merridew	O	70.4v	66.4v	40.1v	47.6v	46.3v	45.3v	42.2v	66.3v	98.7v	0.0v	0.0v	0.0v	520.33v
686	Mr H Milner-Benham	T	60.2v	70.9v	38.1v	3.0v	40.0v	40.0v	46.3v	65.4v	83.1v	0.0v	33.0v	41.1v	519.21v
687	Mr J Woollett	T	40.0v	68.3v	43.4v	38.0v	39.1v	38.0v	24.0v	63.3v	85.2v	0.0v	38.2v	40.0v	516.15v
688	Cdt Sgt CA Shelley	T	54.0v	43.3v	37.0v	32.1v	43.2v	40.0v	36.1v	63.4v	89.3v	0.0v	38.0v	40.2v	515.16v
689	Mr RJ Cade	O	70.6v	71.5v	45.1v	47.3v	48.2v	47.4v	45.4v	70.5v	29.0v	0.0v	0.0v	40.2v	512.32v
690	Mr M Bell	T	69.5v	61.1v	36.0v	46.1v	48.3v	29.1v	37.1v	59.2v	61.3v	0.0v	46.4v	17.0v	509.21v
691	Mr ND Richmond	T	0.0v	74.11v	49.3v	37.2v	46.5v	46.3v	0.0v	74.10v	102.14v	0.0v	37.0v	37.0v	502.48v
692	Miss R Allan	T	70.5v	68.2v	41.3v	40.1v	44.3v	0.0v	45.3v	64.1v	92.9v	0.0v	32.0v	0.0v	496.27v
693	Mr RCQ Martin	A	69.5v	70.3v	48.5v	43.3v	0.0v	0.0v	49.7v	71.7v	101.9v	0.0v	42.3v	0.0v	493.42v
694	Mr KG Firth	O	70.8v	0.0v	42.2v	40.0v	43.0v	0.0v	45.2v	68.4v	91.4v	0.0v	38.1v	46.2v	483.23v
695	Dr N Hart	O	71.4v	71.6v	42.5v	49.4v	47.4v	45.4v	47.4v	69.2v	0.0v	0.0v	0.0v	41.1v	482.34v
696	Mr MF Martel	A	0.0v	72.9v	49.8v	43.3v	49.5v	0.0v	0.0v	73.6v	104.7v	0.0v	41.2v	41.2v	472.42v
697	LCpl S Bose	T	64.1v	0.0v	35.0v	37.1v	33.1v	39.1v	44.2v	62.4v	88.5v	0.0v	40.0v	30.0v	472.15v
698	Mr WR Hinton	O	72.6v	67.5v	43.2v	42.2v	43.2v	39.1v	47.5v	65.4v	0.0v	0.0v	0.0v	45.2v	463.29v
699	Cdt CAV Hilton	T	45.0v	55.1v	43.0v	34.0v	23.1v	0.0v	36.2v	54.1v	90.2v	0.0v	36.1v	40.0v	456.8v
700	Mr PM Weston	O	0.0v	61.2v	42.2v	41.1v	0.0v	43.1v	45.1v	63.3v	85.1v	0.0v	32.1v	38.2v	450.14v
701	Mr CJ Sherratt	O	70.4v	0.0v	45.1v	44.3v	0.0v	46.1v	49.5v	70.2v	34.5v	0.0v	42.3v	44.5v	444.29v
702	Mr KM Willingale	O	70.3v	72.8v	49.2v	49.5v	46.3v	43.0v	43.4v	0.0v	0.0v	0.0v	26.0v	40.1v	438.26v
703	Miss RJH Piper	T	69.4v	64.4v	42.1v	44.3v	39.2v	0.0v	0.0v	62.1v	89.3v	0.0v	25.4v	0.0v	434.22v
704	Miss DE Andrews	O	70.6v	68.3v	47.2v	45.4v	0.0v	0.0v	49.4v	70.5v	34.2v	0.0v	48.4v	0.0v	431.30v

NRA 149th Imperial Meeting

Grand Aggregate (as at Tuesday, 24th July 2018)

		Class F Competitors										
		D'gall	Doyle	DT	DM	Alex	DC	Times	Wimb	Corp	Total	
1	Mr R Eckbauer	FO	72.5v	72.8v	71.4v	74.6v	74.9v	70.4v	75.8v	71.2v	66.6v	645.52v
2	Mr DA Stewart	FO	75.10v	69.3v	74.6v	73.7v	71.6v	68.2v	74.6v	69.4v	71.4v	644.48v
3	Mr A Kreutz	FO	74.8v	74.7v	65.0v	74.7v	74.7v	70.5v	74.8v	69.9v	69.2v	643.53v
4	Mr P Shambrook	FO	75.10v	67.2v	73.8v	72.5v	73.6v	70.3v	73.11v	73.3v	67.3v	643.51v
5	Mr SJ Baker	FO	75.9v	67.4v	71.4v	71.5v	73.8v	69.5v	73.8v	71.6v	70.2v	640.51v
6	Mr DN Kent	FO	71.7v	70.4v	69.4v	74.8v	74.10v	70.4v	75.8v	69.6v	62.2v	634.53v
7	Mr PA Hill	FO	72.8v	66.1v	74.8v	75.10v	74.6v	67.1v	74.5v	67.3v	64.3v	633.45v
8	Mr D Raybould	FO	73.7v	66.4v	72.9v	71.4v	75.5v	63.1v	72.7v	68.4v	65.4v	625.45v
9	Mr G Waugh	FO	71.8v	68.1v	73.7v	74.8v	69.2v	64.3v	72.7v	65.5v	69.3v	625.44v
10	Mr MH Heil	FO	75.8v	70.4v	71.5v	70.4v	73.6v	66.1v	74.10v	54.1v	70.1v	623.40v
11	Mr PW Medhurst	FO	72.6v	66.2v	72.5v	69.3v	73.7v	69.4v	74.6v	63.1v	64.3v	622.37v
12	Mr D Cownley	FO	71.7v	69.5v	73.8v	74.5v	72.6v	63.2v	68.6v	67.3v	63.0v	620.42v
13	Mr SP Poultney	FO	67.4v	65.1v	73.2v	70.3v	72.8v	65.2v	72.6v	67.4v	67.2v	618.32v
14	Mr R Adler	FO	72.9v	66.1v	72.4v	71.6v	68.6v	64.3v	67.4v	65.0v	67.4v	612.37v
15	Mr D Rosenberger	FO	61.2v	67.2v	62.0v	72.7v	63.1v	65.2v	69.2v	67.4v	66.2v	592.22v
16	Mr C Shorthouse	FO	67.6v	62.3v	68.3v	70.3v	69.7v	56.1v	67.3v	57.1v	66.1v	582.28v
17	Mr J Howe	FO	73.3v	68.4v	71.6v	66.2v	73.6v	68.5v	75.10v	0.0v	64.1v	558.37v
18	Mr T Price	FO	74.8v	70.5v	69.2v	0.0v	74.5v	65.0v	0.0v	0.0v	0.0v	352.20v

