

Grand Aggregate

	DT	DM	Alex	DC	Times	Wimb	Doyle	St. G.	Queens	POW	Lovell	Corp	Total	
<b>The DCRA Challenge Shield, The NRA Gold Cross, a Gold Bar and £200.00</b>														
1 Mr J Corbett	X	75.12v	74.11v	50.9v	48.3v	50.7v	45.5v	50.9v	75.14v	103.13v	75.7v	49.7v	48.5v	742.102v
<b>The NRA Silver Cross, a Silver Bar and £175.00</b>														
2 Mr JAM Paton	XS	75.13v	75.9v	50.4v	49.8v	49.5v	50.7v	50.8v	70.9v	105.17v	74.8v	45.4v	50.8v	742.100v £ 4
<b>The NRA Bronze Cross, a Bronze Bar and £150.00</b>														
3 Mr ANR Walker	XS	73.10v	75.11v	49.5v	50.8v	50.6v	48.3v	50.4v	74.9v	104.13v	74.8v	48.4v	47.4v	742.85v £ 4
<b>An NRA Bronze Cross, a Bronze Bar and £125.00</b>														
4 Dr PD Sykes	OS	74.7v	75.8v	50.7v	47.6v	50.7v	50.6v	50.6v	75.13v	104.13v	74.12v	47.4v	44.2v	740.91v £ 4
<b>An NRA Bronze Cross, a Bronze Bar and £100.00</b>														
5 Dr CD Haley	X	74.12v	75.10v	50.3v	48.2v	50.9v	49.2v	49.5v	75.11v	104.13v	73.8v	45.3v	47.3v	739.81v
6 Mr ORW Russell	X	75.13v	74.12v	50.8v	44.4v	50.4v	50.4v	50.9v	73.9v	103.10v	74.5v	49.4v	46.5v	738.87v
<b>An NRA Bronze Cross, a Bronze Bar and £80.00</b>														
7 Mr NBS Logan	X	75.9v	75.10v	49.8v	47.3v	50.7v	49.8v	50.6v	72.7v	105.14v	74.9v	45.1v	47.3v	738.85v
8 Mr MRM Millar	XS	73.8v	74.13v	50.7v	49.6v	50.5v	46.1v	50.3v	74.9v	102.15v	74.6v	48.5v	48.5v	738.83v £ 4
9 Mr MCJ Button	XS	75.14v	74.6v	49.5v	45.1v	50.6v	48.4v	50.5v	74.12v	105.15v	74.9v	46.2v	48.1v	738.80v £ 4
10 Miss EJ Nuttall	XS	74.12v	74.12v	49.5v	43.1v	50.5v	47.2v	50.7v	74.10v	105.15v	75.10v	48.6v	48.5v	737.90v £ 4
<b>An NRA Bronze Cross, a Bronze Bar and 60.00</b>														
11 Capt GR Jeal	X	73.8v	75.12v	48.5v	47.4v	50.6v	47.3v	50.5v	75.11v	104.12v	72.7v	48.3v	48.5v	737.81v
12 Mr DC Luckman	XS	71.10v	74.7v	50.6v	49.6v	48.6v	49.5v	49.6v	74.11v	103.13v	75.13v	46.4v	48.5v	736.92v £ 4
13 Mr H J Golaszewski	X	75.10v	74.8v	49.8v	45.3v	48.5v	47.5v	50.6v	74.14v	105.12v	73.11v	46.1v	50.6v	736.89v
14 Dr JD Warburton	XS	74.9v	72.7v	50.8v	49.6v	49.3v	47.4v	48.4v	73.9v	103.14v	75.9v	49.7v	47.5v	736.85v £ 4
15 Mr JC Underwood	XS	70.7v	73.7v	49.4v	50.7v	49.4v	49.5v	50.5v	75.10v	105.15v	75.9v	48.5v	43.3v	736.81v £ 4
16 Mr SA Thomas	X	75.13v	72.11v	49.4v	48.6v	48.5v	50.7v	49.8v	75.11v	103.14v	75.8v	44.1v	47.3v	735.91v
17 Dr PR Wheeler	XS	74.7v	75.11v	50.8v	49.4v	50.5v	48.7v	48.6v	75.13v	102.11v	74.10v	50.7v	39.1v	734.90v
18 Miss CA Evans	X	75.13v	74.13v	46.3v	44.2v	49.5v	48.3v	49.6v	75.11v	104.17v	75.14v	46.2v	48.6v	733.95v
19 Mr K Ramsey	XS	75.15v	71.9v	48.6v	50.8v	49.8v	50.6v	50.3v	75.14v	102.11v	72.9v	47.3v	44.2v	733.94v
20 Mr JC Evans	X	74.8v	74.7v	50.7v	48.4v	49.4v	45.3v	50.6v	74.11v	102.12v	72.10v	50.6v	45.2v	733.80v
<b>An NRA Bronze Cross, a Bronze Bar and £40.00</b>														
21 Mr RSF Shouler	XS	73.9v	75.10v	50.7v	48.7v	49.6v	48.8v	48.8v	74.9v	103.11v	74.11v	47.3v	43.2v	732.91v
22 Major AR McLeod	XS	72.10v	72.10v	47.3v	48.4v	50.8v	48.2v	50.5v	74.11v	104.15v	75.10v	48.5v	44.4v	732.87v
23 Wg. Cdr. DP Calvert	XS	74.10v	68.7v	49.7v	50.6v	49.7v	49.4v	50.7v	74.7v	102.15v	75.13v	47.3v	45.0v	732.86v
24 Mr JW Alexander	XS	71.8v	73.9v	48.3v	49.6v	50.9v	49.5v	50.5v	73.6v	104.14v	75.11v	48.7v	42.3v	732.86v
25 Mr SJ Whitby	OS	73.11v	73.8v	47.5v	49.7v	50.5v	49.4v	49.7v	73.8v	103.10v	75.11v	45.1v	46.2v	732.79v £ 4
26 Mr CP Weeden	X	75.9v	75.6v	50.6v	48.3v	49.6v	46.3v	49.7v	74.11v	102.9v	75.12v	45.5v	44.2v	732.79v
27 Mr T Drysdale	XS	75.11v	74.10v	50.8v	48.4v	49.4v	48.2v	47.3v	72.11v	102.13v	74.7v	45.2v	48.3v	732.78v
28 Mr PD Griggs	X	74.9v	75.5v	48.6v	48.3v	49.7v	48.4v	49.7v	74.9v	101.10v	75.9v	47.5v	44.3v	732.77v
29 Mr WCP Richards	XS	74.8v	74.6v	47.5v	50.5v	50.5v	44.2v	48.3v	74.9v	103.8v	72.5v	49.3v	47.2v	732.61v
30 Mr P Patel	XS	73.11v	75.9v	49.7v	50.8v	50.7v	45.3v	48.6v	74.10v	104.17v	72.7v	49.7v	42.2v	731.94v
31 Mr S Osmond	XS	75.12v	73.11v	49.6v	45.3v	48.5v	48.6v	49.7v	72.8v	105.13v	75.10v	46.5v	46.3v	731.89v
32 Mr SDJ Glanville	XS	74.8v	74.11v	49.6v	46.3v	49.3v	47.6v	46.6v	75.10v	103.14v	74.11v	46.3v	48.4v	731.85v
33 Mr JP Tapster	XS	74.9v	74.10v	50.8v	47.6v	49.7v	48.5v	50.8v	75.8v	100.10v	73.9v	46.4v	45.0v	731.84v
34 Mr JMA Thompson	XS	73.7v	73.6v	50.10v	49.4v	48.5v	47.5v	50.7v	74.10v	101.13v	74.7v	47.7v	45.2v	731.83v
35 Dr GP Nelson	A	74.12v	75.10v	45.3v	49.4v	49.6v	47.3v	50.7v	71.5v	103.10v	73.8v	49.5v	46.5v	731.78v
<b>An NRA Bronze Cross, a Bronze Bar and £20.00</b>														
36 Mr TJD Raincock	XS	72.7v	73.8v	49.7v	49.5v	48.5v	45.2v	48.4v	74.11v	105.11v	73.8v	48.4v	47.5v	731.77v
37 Mr RT MacLeod	X	75.7v	75.9v	46.4v	50.6v	50.6v	47.3v	48.5v	75.11v	103.10v	73.6v	45.4v	44.3v	731.74v
<b>The Olle Beckett Memorial Trophy</b>														
38 Mr AW Hellings	TS	74.8v	72.7v	50.2v	48.2v	48.2v	50.7v	50.8v	73.8v	100.9v	75.9v	50.4v	41.2v	731.68v £ 4
39 Mr M Horsnell	X	73.9v	72.9v	48.6v	49.7v	50.7v	49.5v	48.6v	74.12v	105.13v	75.13v	44.4v	43.2v	730.93v
40 Mr C Mitchell	X	72.8v	74.8v	48.6v	48.4v	50.5v	49.5v	49.5v	73.9v	104.14v	74.13v	47.4v	42.3v	730.84v
41 Dr JDS Langley	XS	74.13v	73.7v	49.7v	50.6v	49.4v	46.6v	49.7v	74.8v	103.10v	75.8v	45.1v	43.3v	730.80v
42 Capt M J Purdy	XS	74.9v	72.12v	48.6v	45.4v	50.5v	48.3v	49.7v	74.9v	103.12v	72.4v	49.5v	46.2v	730.78v
43 Mr JP Nice	XS	72.7v	73.9v	49.5v	47.2v	48.3v	47.5v	50.5v	74.8v	104.11v	75.9v	45.3v	46.3v	730.70v
44 Maj D Thompson	AS	75.11v	75.12v	47.3v	47.3v	50.7v	47.3v	49.5v	74.11v	99.11v	72.7v	47.4v	47.4v	729.81v £ 4
45 Mr CJ Watson	XS	73.9v	73.7v	47.4v	48.4v	50.7v	46.5v	50.5v	74.10v	105.15v	73.7v	49.6v	41.2v	729.81v
46 Mr BA Horwood	X	75.9v	73.12v	49.5v	48.4v	50.7v	45.5v	49.2v	74.10v	103.11v	72.7v	47.4v	44.2v	729.78v
47 Mr JF Lawrie	X	74.7v	75.12v	50.6v	49.4v	48.4v	47.5v	48.3v	74.8v	102.9v	74.12v	43.2v	45.3v	729.75v
48 Mr SM Negus	XS	75.7v	73.8v	49.6v	48.4v	48.5v	47.6v	49.4v	74.8v	104.12v	73.6v	48.4v	41.3v	729.73v
49 Mr TA Ringer	X	72.8v	74.11v	49.4v	50.6v	50.7v	49.6v	48.4v	75.8v	103.11v	71.4v	44.1v	44.1v	729.71v
50 Mr M J Ensor	XS	72.10v	75.11v	49.7v	47.3v	49.7v	47.6v	49.7v	72.8v	104.14v	74.12v	43.3v	47.5v	728.93v

















561	Ms S Cleeve	T	66.3v	72.6v	45.1v	45.2v	42.2v	43.1v	45.3v	69.7v	96.6v	66.7v	39.1v	41.1v	669.40v
562	Mr DA Smith	O	68.5v	69.7v	46.2v	48.4v	44.1v	42.1v	40.4v	67.4v	98.5v	64.2v	45.3v	38.1v	669.39v
563	Mr U Soelzer	O	70.5v	68.6v	45.2v	45.1v	47.2v	45.1v	40.2v	71.4v	99.6v	60.4v	45.4v	34.1v	669.38v
564	Mr LM Mutegi	T	70.5v	69.8v	44.2v	46.0v	44.2v	41.2v	45.3v	63.1v	99.7v	66.2v	46.3v	36.1v	669.36v
565	Mr EPB Garnier	T	68.3v	71.4v	41.3v	46.1v	43.2v	45.2v	43.1v	69.4v	90.5v	70.6v	41.2v	42.2v	669.35v
566	Cdt LA Duffett	T	70.5v	70.3v	44.2v	46.4v	44.1v	48.5v	36.1v	70.4v	99.6v	67.4v	37.1v	36.3v	667.39v
567	Mr H Waldern	T	65.2v	66.2v	50.4v	41.3v	46.3v	45.1v	39.3v	64.3v	96.6v	73.9v	45.1v	37.1v	667.38v
568	Mr E Robinson	T	69.2v	71.4v	47.1v	40.1v	41.1v	44.3v	45.0v	66.5v	102.11v	67.4v	41.1v	34.0v	667.33v
569	Mr H Percival	O	73.3v	69.7v	45.3v	40.1v	47.3v	35.0v	40.1v	68.3v	98.9v	69.3v	39.2v	43.3v	666.38v
570	Mr E Stuart-Bamford	O	67.2v	71.7v	37.1v	46.3v	46.4v	44.3v	46.4v	69.5v	97.7v	69.7v	39.3v	34.1v	666.47v
571	Mr G Meijer	O	71.7v	73.9v	40.1v	39.3v	49.4v	35.1v	44.1v	72.7v	92.3v	67.5v	46.2v	37.0v	665.43v
572	Miss A Forsyth	T	72.4v	69.2v	41.6v	42.0v	44.1v	45.1v	43.2v	69.6v	99.9v	64.4v	42.3v	35.0v	665.38v
573	Mr M Halstead	T	66.4v	69.6v	45.2v	40.1v	43.2v	45.3v	40.1v	71.4v	96.4v	68.4v	42.2v	40.2v	665.35v
574	Mr DM Booyesen	T	64.2v	62.2v	44.2v	47.3v	46.3v	45.2v	43.2v	66.3v	92.5v	73.5v	47.3v	36.0v	665.32v
575	Mr MG Grimsdell	O	71.6v	71.8v	36.0v	45.2v	42.1v	42.2v	45.4v	66.5v	97.7v	70.6v	48.2v	31.2v	664.45v
576	Mr D Thomas Du Toit	T	65.2v	71.6v	44.3v	40.2v	46.4v	42.1v	42.4v	68.3v	93.4v	68.7v	44.1v	41.2v	664.39v
577	Mr TM Mulholland	T	69.2v	66.3v	42.1v	41.2v	45.3v	43.3v	44.1v	66.1v	103.10v	71.4v	39.0v	35.0v	664.30v
578	Mr G Yates	T	68.3v	74.7v	46.3v	40.3v	41.1v	40.4v	43.2v	71.5v	89.3v	71.6v	39.1v	40.0v	662.38v
579	Mr ML Cotillard	O	72.7v	74.10v	46.4v	47.4v	47.5v	0.0v	44.3v	75.8v	94.7v	73.8v	46.1v	43.1v	661.58v
580	Cdt AJ Todd	T	75.10v	67.2v	42.3v	48.6v	46.4v	39.1v	33.1v	60.3v	102.9v	69.8v	45.4v	35.1v	661.52v
581	Miss K Johnson	T	63.0v	70.5v	36.1v	46.2v	45.5v	45.1v	43.1v	67.6v	98.9v	69.5v	44.1v	35.2v	661.38v
582	Mr CSJ Marlow	O	70.5v	66.2v	47.3v	45.3v	46.4v	45.1v	44.2v	69.4v	87.7v	64.3v	39.2v	39.1v	661.37v
583	Mr G Bramwell	T	66.3v	66.2v	42.1v	44.1v	44.4v	44.3v	46.3v	67.4v	93.6v	69.6v	38.2v	42.1v	661.36v
584	Colonel N Stebbings	O	66.5v	71.2v	44.3v	46.5v	40.0v	44.1v	46.5v	67.5v	90.3v	64.1v	41.1v	42.1v	661.32v
585	Mr PK Kapkundos	T	73.7v	69.6v	43.2v	48.3v	47.3v	42.1v	38.2v	68.5v	96.5v	63.2v	42.1v	31.1v	660.38v
586	Mr HD Werner	O	71.5v	66.3v	47.4v	48.4v	37.1v	47.2v	40.1v	72.4v	97.8v	67.3v	43.2v	25.1v	660.38v
587	Miss T Myagkova	O	67.2v	64.3v	44.1v	38.2v	47.2v	44.0v	48.3v	70.4v	95.7v	68.3v	44.4v	31.1v	660.32v
588	Mr S Sutton	T	66.4v	68.5v	42.3v	48.7v	46.4v	44.1v	45.3v	65.2v	94.6v	57.2v	41.0v	43.4v	659.41v
589	Mr T Webster	O	68.4v	67.4v	40.0v	48.5v	44.1v	41.3v	45.3v	69.5v	90.5v	68.6v	39.1v	40.2v	659.39v
590	Dr KW Genders	O	66.4v	69.4v	37.0v	45.3v	45.3v	45.2v	45.3v	68.3v	93.8v	66.3v	39.2v	41.2v	659.37v
591	Mr APW Moulton	T	70.5v	65.3v	44.3v	36.0v	47.4v	44.3v	45.5v	69.4v	93.2v	72.3v	40.2v	34.0v	659.34v
592	Cdt K Macdonald	T	69.4v	63.1v	43.2v	43.1v	45.1v	44.2v	44.3v	74.4v	93.5v	68.3v	35.3v	38.0v	659.29v
593	Mr T Pantke	T	62.3v	67.3v	43.1v	47.3v	46.4v	44.1v	42.2v	65.2v	92.5v	71.6v	37.0v	42.1v	658.31v
594	Mr JP Short	T	68.2v	73.8v	47.4v	45.1v	47.3v	47.5v	45.3v	68.4v	65.5v	71.5v	43.2v	38.0v	657.42v
595	LCpl J Murphy	T	64.2v	66.1v	46.2v	39.1v	49.5v	42.2v	47.4v	70.8v	96.7v	67.5v	45.3v	26.0v	657.40v
596	Cdt HMC Ardern	T	68.4v	64.5v	44.2v	41.0v	43.1v	42.2v	34.0v	70.8v	98.8v	67.2v	45.4v	40.2v	656.38v
597	Cdt WP Cubitt	T	70.4v	68.3v	43.3v	47.5v	43.2v	39.2v	35.0v	69.6v	99.5v	61.2v	43.1v	39.2v	656.35v
598	Mr LS Smith	T	67.6v	69.2v	46.4v	48.4v	44.3v	38.0v	46.2v	63.1v	91.4v	68.4v	40.0v	36.3v	656.33v
599	Mr TJ Barclay	T	68.3v	64.3v	42.0v	41.1v	45.2v	43.2v	46.3v	69.2v	95.4v	67.3v	37.1v	39.1v	656.25v
600	Mr TW Harrison	O	67.3v	68.3v	44.4v	39.3v	47.5v	46.2v	46.3v	67.2v	94.6v	62.4v	38.0v	37.2v	655.37v
601	Mr MW Silver	X	71.3v	72.9v	46.7v	48.2v	44.3v	41.1v	48.4v	70.4v	100.11v	74.8v	0.0v	40.2v	654.54v
602	Mr B Hebblethwaite	T	68.4v	67.2v	44.1v	46.3v	42.2v	42.1v	43.3v	61.2v	91.7v	70.4v	43.4v	37.2v	654.35v
603	Cdt A Giasson-Pitre	T	62.1v	66.6v	45.3v	44.2v	46.3v	40.0v	46.4v	63.1v	97.7v	70.4v	43.0v	32.2v	654.33v
604	Mr S Pigeon	T	68.5v	68.4v	43.2v	43.1v	41.1v	37.0v	41.1v	71.4v	96.8v	73.5v	45.1v	28.0v	654.32v
605	Miss C Chan	T	67.5v	62.0v	44.3v	43.2v	45.5v	42.2v	43.3v	72.5v	98.4v	73.6v	32.2v	32.1v	653.38v
606	Mr T Nightingale	T	65.1v	65.2v	45.2v	45.0v	35.1v	43.2v	47.3v	60.1v	95.8v	65.4v	46.4v	42.0v	653.28v
607	Mr T Galliers	O	72.7v	68.1v	45.0v	43.1v	43.2v	42.1v	44.1v	62.2v	93.6v	59.3v	40.2v	42.2v	653.28v
608	Cdt MG Woodcock	T	74.6v	68.1v	31.1v	38.2v	45.2v	45.4v	47.3v	68.5v	97.10v	67.4v	42.1v	30.1v	652.40v
609	Cdt WO1 AJ Richardson	T	67.3v	61.1v	42.1v	46.4v	41.0v	43.2v	47.2v	62.3v	91.6v	72.5v	36.1v	44.2v	652.30v
610	Mr J Beddoe	T	68.4v	70.1v	45.3v	35.1v	42.3v	43.1v	44.2v	63.4v	96.6v	65.2v	37.1v	44.1v	652.29v
611	Miss G Shearer	T	64.2v	63.3v	48.1v	48.4v	44.0v	43.2v	46.1v	61.4v	91.3v	70.6v	43.3v	31.0v	652.29v
612	Mr T Elvin	O	67.4v	70.6v	44.4v	46.2v	47.5v	43.2v	48.4v	75.7v	94.6v	72.8v	0.0v	44.2v	650.50v
613	Mr PD Pelly	O	66.2v	68.3v	40.3v	44.3v	45.3v	43.2v	45.3v	66.5v	90.7v	67.1v	42.1v	34.1v	650.34v
614	Ms BM Moore	O	72.6v	72.6v	47.3v	45.5v	45.1v	0.0v	48.4v	70.8v	97.7v	74.9v	37.2v	42.1v	649.52v
615	Mr H Bull	T	57.3v	69.6v	42.3v	45.2v	48.3v	40.2v	41.2v	72.8v	97.7v	71.5v	34.0v	33.1v	649.42v
616	Cdt J Birch	T	70.6v	71.5v	44.2v	43.3v	45.1v	42.4v	46.2v	66.4v	91.5v	63.7v	37.1v	31.0v	649.40v
617	Cdt C Putney	T	65.3v	70.4v	37.2v	40.1v	49.4v	47.3v	46.3v	66.4v	90.5v	67.6v	36.3v	36.0v	649.38v
618	Mr R Brewer - Marchant	T	65.4v	70.7v	42.2v	46.4v	43.1v	41.0v	36.1v	66.2v	95.3v	65.4v	42.2v	38.0v	649.30v
619	Mr PJ Johnson	A	71.5v	68.4v	44.1v	46.1v	46.6v	45.3v	48.3v	68.5v	101.13v	73.7v	0.0v	37.1v	647.49v
620	Cpl AP Clark	T	69.4v	70.6v	42.1v	21.0v	45.2v	44.0v	46.2v	66.2v	98.8v	69.5v	39.2v	38.0v	647.32v
621	Prince AKLP zu Sayn-Wittgenstein-Sayn	T	69.6v	68.4v	40.1v	47.5v	42.2v	44.1v	42.0v	61.2v	92.7v	66.4v	43.3v	31.0v	645.35v
622	Mr WJ Slatford	T	69.4v	69.5v	47.3v	43.3v	37.1v	36.2v	43.2v	66.2v	90.8v	70.6v	37.1v	37.1v	644.38v
623	Mr DM Epton	O	73.7v	73.6v	48.4v	45.3v	49.3v	46.3v	49.1v	73.6v	102.8v	0.0v	45.2v	40.2v	643.45v
624	Mr A Niblett	T	68.4v	71.5v	37.0v	48.3v	47.6v	43.0v	43.2v	69.4v	98.9v	71.4v	44.2v	4.0v	643.39v
625	Mr JM de Bruyn	O	70.7v	66.3v	43.2v	47.3v	42.1v	42.2v	43.2v	64.2v	88.6v	64.3v	37.0v	37.1v	643.32v
626	Miss K Butler	T	69.7v	61.1v	37.1v	33.1v	48.6v	46.1v	44.3v	68.6v	86.7v	70.3v	41.2v	39.1v	642.39v
627	Miss K Hines	T	63.3v	68.3v	45.2v	35.0v	43.2v	47.5v	33.0v	69.6v	93.7v	68.4v	36.2v	42.1v	642.35v
628	Mr AW Lothian	A	72.6v	71.9v	49.4v	43.2v	48.6v	45.1v	46.3v	72.5v	101.8v	0.0v	48.7v	45.2v	640.53v
629	Mr JRJ Hinde	X	73.6v	73.9v	44.1v	49.5v	49.6v	44.3v	42.0v	68.5v	101.9v	8.0v	47.2v	40.3v	638.49v
630	Mr M Raps	T	69.4v	58.4v	46.1v	48.5v	46.2v	42.1v	23.1v	71.4v	86.4v	65.2v	47.3v	36.2v	637.33v
631	Mr J Kellinger	T	69.4v	61.1v	41.1v	43.2v	44.0v	49.7v	23.2v	69.3v	89.5v	68.3v	43.3v	38.2v	637.33v
632	Mr AJ Woodsford	T	70.5v	65.0v	44.1v	44.0v	41.0v	43.1v	26.1v	60.2v	92.6v	69.5v	45.4v	38.1v	637.26v

633	Mr SL Cleveland	A	71.6v	74.7v	49.2v	46.2v	49.6v	47.2v	46.3v	0.0v	96.9v	71.5v	47.4v	40.1v	636.47v
634	Mr R Johnson	T	71.6v	69.3v	45.4v	42.1v	45.2v	43.3v	44.2v	71.5v	58.2v	64.4v	44.5v	40.2v	636.39v
635	Mr A Ford	T	69.4v	66.7v	31.1v	44.2v	47.5v	39.1v	40.1v	63.1v	95.6v	65.2v	44.2v	32.0v	635.32v
636	LCpl R McGowan	T	66.5v	66.4v	33.1v	43.0v	41.1v	47.2v	45.3v	57.3v	97.4v	65.4v	39.1v	35.0v	634.28v
637	Mr T Horsfield	O	62.2v	68.6v	44.0v	44.0v	42.3v	38.0v	47.3v	65.2v	90.6v	64.2v	36.0v	34.2v	634.26v
638	Mr R Kinch	T	64.3v	64.3v	45.3v	30.0v	47.3v	38.2v	43.3v	71.6v	93.5v	64.0v	44.1v	30.0v	633.29v
639	Mr H Bradshaw	T	63.3v	68.6v	40.1v	43.3v	43.2v	42.2v	41.1v	63.2v	97.8v	65.2v	45.3v	22.0v	632.33v
640	Mr SJ Bates	O	68.3v	66.3v	44.4v	44.2v	47.2v	41.0v	40.2v	65.4v	86.2v	51.1v	43.1v	37.3v	632.27v
641	Mr M Garrood	T	61.1v	72.7v	43.2v	42.2v	39.2v	38.1v	47.3v	63.5v	89.2v	68.5v	26.0v	43.0v	631.30v
642	Dr AF Aspin	A	70.5v	70.4v	48.5v	47.3v	46.3v	47.3v	47.1v	70.3v	94.9v	0.0v	45.2v	46.4v	630.42v
643	Cdt LE Lyons	T	66.3v	70.8v	45.2v	44.4v	41.2v	44.3v	45.3v	68.4v	93.4v	66.1v	38.1v	10.0v	630.35v
644	Mr J Scambler	O	73.5v	70.5v	43.1v	49.6v	46.4v	46.4v	46.3v	71.3v	99.9v	0.0v	47.2v	38.0v	628.42v
645	Mr CAD Flanagan	O	66.7v	66.4v	47.4v	45.3v	47.3v	44.2v	50.6v	72.8v	96.6v	73.2v	0.0v	20.0v	626.45v
646	Mr NR Wells	O	70.6v	67.5v	42.1v	37.1v	49.2v	43.2v	47.2v	71.4v	98.7v	69.5v	0.0v	33.1v	626.36v
647	Dr JC Jobling	O	72.7v	69.3v	42.3v	46.2v	42.3v	44.1v	42.2v	64.2v	98.8v	70.4v	0.0v	36.1v	625.36v
648	Mr T Clifford	T	65.2v	61.2v	40.1v	41.2v	43.1v	37.2v	44.2v	64.3v	82.3v	66.1v	43.0v	37.1v	623.20v
649	Miss A Morriss	T	66.2v	64.4v	40.0v	45.0v	42.4v	24.1v	38.0v	60.2v	92.5v	68.7v	42.3v	40.2v	621.30v
650	Mr H Mayne	T	66.1v	59.2v	44.5v	41.2v	38.0v	38.0v	43.3v	64.4v	90.3v	65.4v	37.1v	36.1v	621.26v
651	Mr EM Brice	O	67.0v	67.5v	45.3v	47.5v	47.3v	45.3v	47.3v	69.3v	94.5v	8.0v	42.0v	42.2v	620.32v
652	Mr PJ Holden	O	69.3v	67.2v	47.1v	41.0v	46.1v	38.1v	49.2v	63.1v	53.2v	66.4v	45.5v	35.1v	619.23v
653	Mr JA Hopkins	O	68.4v	65.2v	42.1v	43.0v	37.0v	41.1v	30.0v	61.2v	90.1v	67.3v	43.2v	30.1v	617.17v
654	Mr IF Luckman	O	63.2v	65.4v	34.2v	43.1v	44.4v	43.3v	43.1v	70.2v	87.1v	65.2v	35.2v	24.1v	616.25v
655	Mr KR Trowbridge	O	67.1v	73.4v	43.3v	44.0v	47.2v	47.3v	46.2v	68.4v	97.8v	0.0v	43.4v	40.2v	615.33v
656	Mr CB Stone	O	65.6v	65.2v	45.2v	45.2v	42.1v	34.1v	41.2v	59.3v	83.1v	61.5v	42.1v	33.2v	615.28v
657	Mr DS Hendrikz	T	62.2v	64.0v	37.0v	39.0v	41.2v	42.0v	43.1v	59.2v	86.2v	67.4v	40.1v	33.1v	613.15v
658	Mr R Morin	T	63.2v	61.1v	44.3v	38.0v	41.1v	35.1v	46.2v	66.3v	90.5v	60.2v	38.0v	30.1v	612.21v
659	Cdt Cpl M Rollisson	T	64.2v	61.0v	45.3v	43.3v	44.1v	45.3v	46.1v	56.1v	61.4v	67.6v	40.2v	37.1v	609.27v
660	Miss EG Graham	T	54.1v	65.1v	43.2v	41.1v	39.1v	37.0v	43.0v	59.1v	88.5v	68.4v	39.2v	33.1v	609.19v
661	Mr J Smith	X	70.6v	69.4v	47.5v	49.5v	46.4v	45.0v	47.6v	65.4v	94.5v	0.0v	38.1v	37.0v	607.40v
662	Miss M Message	T	71.2v	70.4v	41.2v	42.2v	43.1v	45.1v	44.4v	71.8v	94.4v	0.0v	44.3v	41.3v	606.34v
663	Miss AL Gibbs	T	55.1v	65.1v	38.0v	41.1v	43.1v	45.1v	43.1v	66.2v	94.3v	62.2v	23.0v	30.0v	605.13v
664	Miss E Smith	T	70.3v	68.3v	42.2v	39.1v	40.2v	0.0v	40.1v	70.6v	95.2v	65.3v	41.3v	34.1v	604.27v
665	Mr D Clark	O	69.8v	72.8v	48.4v	48.2v	48.2v	45.5v	48.4v	73.8v	34.1v	72.3v	0.0v	45.2v	602.47v
666	Mr HM Dodds	T	63.1v	64.1v	36.1v	32.0v	45.3v	36.2v	37.1v	64.2v	87.4v	70.3v	37.1v	30.0v	601.19v
667	Mr A Bramwell	T	68.3v	68.4v	45.3v	36.2v	41.1v	37.1v	43.2v	61.4v	82.4v	63.4v	19.2v	36.2v	599.32v
668	Mr DJ Stewart	O	67.3v	65.1v	43.1v	47.4v	47.2v	44.4v	46.5v	62.4v	96.6v	0.0v	42.0v	39.1v	598.31v
669	Mr A Strudwick	T	69.6v	68.3v	0.0v	38.1v	47.5v	0.0v	45.3v	68.4v	99.9v	72.4v	44.0v	47.3v	597.38v
670	Cadet P Paudyal	T	50.0v	53.1v	41.2v	27.0v	43.1v	46.2v	43.3v	61.1v	93.2v	70.5v	43.2v	27.0v	597.19v
671	Miss AJ Carnell	O	71.5v	71.7v	44.1v	48.4v	49.4v	6.0v	48.4v	72.7v	101.9v	0.0v	44.3v	42.3v	596.47v
672	Mr G Twinn	T	63.4v	66.3v	40.0v	38.4v	44.4v	35.3v	40.1v	57.1v	79.1v	62.5v	39.1v	32.0v	595.27v
673	Mr J Barlow	O	72.7v	71.5v	44.2v	42.2v	46.3v	45.2v	44.5v	12.0v	100.11v	72.8v	46.3v	0.0v	594.48v
674	Mr I Reeves	T	64.3v	53.1v	46.3v	44.4v	49.4v	45.1v	49.4v	66.4v	95.4v	0.0v	38.2v	44.4v	593.34v
675	Mr JMS Samson	O	0.0v	66.4v	44.0v	47.3v	46.3v	45.3v	39.2v	60.0v	97.7v	68.3v	40.1v	41.2v	593.28v
676	Mrs RM Merridew	O	70.4v	66.4v	40.1v	47.6v	46.3v	45.3v	42.2v	66.3v	98.7v	71.7v	0.0v	0.0v	591.40v
677	Mr T Craig-Fleming	T	72.9v	68.2v	46.2v	0.0v	46.2v	42.3v	29.0v	68.4v	87.2v	67.5v	22.0v	41.0v	588.29v
678	Cpl WR Playle	T	69.4v	72.6v	48.3v	8.0v	45.3v	45.2v	43.4v	71.6v	100.9v	0.0v	40.2v	40.4v	581.43v
679	Ms LA Johnson	O	72.7v	67.8v	45.3v	48.4v	47.3v	41.2v	49.3v	69.4v	104.10v	0.0v	0.0v	37.0v	579.44v
680	Mr J Woollett	T	40.0v	68.3v	43.4v	38.0v	39.1v	38.0v	24.0v	63.3v	85.2v	61.1v	38.2v	40.0v	577.16v
681	Mr H Milner-Benham	T	60.2v	70.9v	38.1v	3.0v	40.0v	40.0v	46.3v	65.4v	83.1v	57.0v	33.0v	41.1v	576.21v
682	Mr M Bell	T	69.5v	61.1v	36.0v	46.1v	48.3v	29.1v	37.1v	59.2v	61.3v	66.3v	46.4v	17.0v	575.24v
683	Mr ND Richmond	T	0.0v	74.11v	49.3v	37.2v	46.5v	46.3v	0.0v	74.10v	102.14v	72.8v	37.0v	37.0v	574.56v
684	Cdt Sgt CA Shelley	T	54.0v	43.3v	37.0v	32.1v	43.2v	40.0v	36.1v	63.4v	89.3v	57.2v	38.0v	40.2v	572.18v
685	Mr PB Bromley	X	68.4v	72.7v	50.6v	48.3v	49.3v	48.2v	48.5v	0.0v	99.7v	0.0v	45.0v	44.2v	571.39v
686	Mr RCQ Martin	A	69.5v	70.3v	48.5v	43.3v	0.0v	0.0v	49.7v	71.7v	101.9v	71.8v	42.3v	0.0v	564.50v
687	Mr WP Hanley	O	71.7v	72.7v	46.4v	46.4v	47.4v	45.4v	49.7v	0.0v	98.9v	0.0v	46.3v	40.1v	560.50v
688	Mr KG Firth	O	70.8v	0.0v	42.2v	40.0v	43.0v	0.0v	45.2v	68.4v	91.4v	71.7v	38.1v	46.2v	554.30v
689	Dr MJ Schwarz	O	69.2v	72.8v	48.5v	41.2v	49.5v	44.2v	44.3v	72.5v	66.4v	0.0v	0.0v	43.0v	548.36v
690	LCpl S Bose	T	64.1v	0.0v	35.0v	37.1v	33.1v	39.1v	44.2v	62.4v	88.5v	61.3v	40.0v	30.0v	533.18v
691	Mr HGM Mooiman	O	69.5v	66.2v	49.4v	42.1v	46.3v	42.0v	43.2v	72.7v	97.6v	0.0v	0.0v	0.0v	526.30v
692	Mr RJ Cade	O	70.6v	71.5v	45.1v	47.3v	48.2v	47.4v	45.4v	70.5v	29.0v	0.0v	0.0v	40.2v	512.32v
693	Mr PM Weston	O	0.0v	61.2v	42.2v	41.1v	0.0v	43.1v	45.1v	63.3v	85.1v	62.3v	32.1v	38.2v	512.17v
694	Miss DE Andrews	O	70.6v	68.3v	47.2v	45.4v	0.0v	0.0v	49.4v	70.5v	34.2v	71.5v	48.4v	0.0v	502.35v
695	Miss RJH Piper	T	69.4v	64.4v	42.1v	44.3v	39.2v	0.0v	0.0v	62.1v	89.3v	64.3v	25.4v	0.0v	498.25v
696	Miss R Allan	T	70.5v	68.2v	41.3v	40.1v	44.3v	0.0v	45.3v	64.1v	92.9v	0.0v	32.0v	0.0v	496.27v
697	Cadet A Wiseman	T	0.0v	55.1v	39.2v	38.3v	36.0v	35.1v	0.0v	58.3v	90.6v	64.2v	44.1v	31.1v	490.20v
698	Mr AP Powell	O	69.4v	70.6v	47.3v	42.2v	37.1v	45.5v	44.3v	0.0v	60.2v	69.5v	0.0v	0.0v	483.31v
699	Dr N Hart	O	71.4v	71.6v	42.5v	49.4v	47.4v	45.4v	47.4v	69.2v	0.0v	0.0v	0.0v	41.1v	482.34v
700	Mr MF Martel	A	0.0v	72.9v	49.8v	43.3v	49.5v	0.0v	0.0v	73.6v	104.7v	0.0v	41.2v	41.2v	472.42v
701	Mr WR Hinton	O	72.6v	67.5v	43.2v	42.2v	43.2v	39.1v	47.5v	65.4v	0.0v	0.0v	0.0v	45.2v	463.29v
702	Sgt B Corbishley	T	59.2v	57.1v	39.2v	35.2v	37.1v	27.1v	26.1v	39.0v	64.2v	45.1v	5.0v	27.1v	460.14v
703	Miss AMG Ogilvie	X	70.3v	0.0v	46.3v	0.0v	48.4v	0.0v	47.5v	72.8v	101.5v	75.14v	0.0v	0.0v	459.42v
704	Cdt CAV Hilton	T	45.0v	55.1v	43.0v	34.0v	23.1v	0.0v	36.2v	54.1v	90.2v	0.0v	36.1v	40.0v	456.8v

